
Three resitors R_1 , R_2 , and R_3 , are connected to a battery with voltage V as shown in the figure. A Current I flows through the resistor R_1 .



- 1) Resistors R_2 and R_3 are in
 - a. neither series nor parallel.
 - b. parallel.
 - c. series.
- 2) What fraction of the current I flows through the resistor R_2

a.
$$R_2/R_3$$

b.
$$R_3^{-}/(R_2+R_3)$$

c.
$$R_2/(R_2+R_3)$$

d.
$$R_2/(R_1+R_2)$$

e.
$$R_3/(R_1+R_2)$$


3) What is the value of the current I, in terms of the resistances R_1, R_2 , and R_3 , and the voltage V

a.
$$I = V(R_2 + R_3)/(R_1R_2 + R_1R_3 + R_2R_3)$$

b.
$$I = V/(R_1 + R_2 + R_3)$$

c.
$$I = V(R_2 + R_3)/(R_1 + R_2 + R_3)$$

Consider the RC Circuit in the figure. A battery with voltage V=5 Volts is connected to two resistors of resistance $R_1=25~\Omega$ and $R_2=30~\Omega$, and a capacitor with capacitance $C=15~\mu F$. Assume that the switch has been open for a very long time, so that the initial charge Q on the capacitor is zero.



4) What is the value of the current *I* immediately after the switch is closed?

a.
$$I = 0.2 \text{ A}$$

b. $I = 0.167 \text{ A}$
c. $I = 0.0909 \text{ A}$

5) After the switch has been closed for a long time, what is the charge Q on the capacitor?

a.
$$Q = 34.1 \ \mu C$$

b. $Q = 1.36 \ \mu C$
c. $Q = 3 \ \mu C$
d. $Q = 40.9 \ \mu C$
e. $Q = 75 \ \mu C$

6) The energy expended by the battery in charging the capacitor is

- a. Less than the final value of the energy stored in the capacitor.
- b. Equal to the final value of the energy stored in the capacitor.
- c. Greater than the final value of the energy stored in the capacitor.

7) After the switch has been closed for a very long time, it is then re-opened. If the value of the charge on the capacitor at the instant the switch is reopened is Q_0 , what is the charge on the capacitor after a time $t = 90 \, \mu s$?


a.
$$Q = 0.819 \ Q_0$$

b. $Q = 0.897 \ Q_0$
c. $Q = 0.787 \ Q_0$

At a particular moment, a charge q = +0.54 C having mass m = 0.06 kg is moving purely in the x-y plane, at an angle from the (horizontal) x-axis of $\theta = 26^{\circ}$ at speed v = 0.8 m/s through a uniform magnetic field that points in the positive y-direction with strength $B_y = 0.9$ T.

- 8) What is the acceleration of the charge in the z-direction (where the positive z-axis points out of the page)?
 - a. -6.5 m/s^2
 - b. -2.8 m/s^2
 - c. -5.8 m/s^2
 - d. 6.5 m/s^2
 - e. 5.8 m/s^2
- 9) Assume the particle is spiraling in the magnetic field. Which of the following changes would increase the time it takes for the particle to complete one revolution?
 - a. Decrease the magnetic field B
 - b. Increase the speed v
 - c. Increase the charge q

A triangular conducting loop lies in the x-y plane, as shown, with one tip (point P) lying on the +x axis a distance a = 5.7 cm from the origin. The triangle is right-angled, with the right angle at the origin and extending a distance b = 3.6 cm up the positive y-axis. A battery with voltage V = 8 V is attached along the y-axis as shown, with the negative side closest to the origin, and a resistor of resistance R = 0.2 Ω is attached along the hypoteneuse of the triangle.



10) What is the magnitude of the magnetic dipole moment of the current loop?

a.
$$0.052 \text{ A m}^2$$

b.
$$0.13 \text{ A m}^2$$

11) The vertical segment is now fixed to the *y* axis. In what direction would a magnetic field need to be applied in order to rotate the loop about the *y* axis?

12) A magnetic field is applied in the positive z-direction for the loop held fixed in the x-y plane. What is the sign of the potential energy U?

a.
$$U > 0$$

b.
$$U < 0$$

c.
$$U = 0$$

13) Consider an infinitely long, thick wire of radius a = 7 cm, that carries a total current $I_1 = 14$ A that is evenly distributed throughout the wire, in the -z-direction, as shown in the figure. What is the magnitude of the magnetic field B at a distance r = 4 cm from the center of the wire?



a.
$$B = 1.6 \times 10^{-6} \text{ T}$$


b.
$$B = 2.29 \times 10^{-5} \text{ T}$$

c.
$$B = 4 \times 10^{-5} \text{ T}$$

d.
$$B = 9.14 \times 10^{-7} \text{ T}$$

e.
$$B = 7 \times 10^{-5} \text{ T}$$

14) Now consider the situation where an infinitely long thin wire carrying current I_2 in the +z-direction is placed parallel to and at a distance b = 9 cm from the center of the thick wire, as shown.



The force between the wires is

- a. not determined, without knowing the magnitude of I_2 .
- b. repulsive
- c. attractive.
- 15) A student measures that the force per unit length exerted on I_2 by I_1 is 0.0023 N/m. What is the magnitude of I_2 ?

a.
$$I_2 = 73.9 \text{ A}$$


b.
$$I_2 = 57.5 \text{ A}$$

c.
$$I_2 = 4.03 \text{ A}$$

d.
$$I_2 = 16.4 \text{ A}$$

e.
$$I_2 = 1030 \text{ A}$$

Consider two infinitely long and wide flat metal sheets, placed parallel to the x-y plane, as shown. The distance between the sheets is d = 7 cm. Each sheet carries an evenly distributed linear current density of 103 A/m, in the +x-direction for the top sheet and in the -x-direction for the bottom sheet. Point A is located half-way between the sheets, while point B is located one-quarter of the way between the sheets.



- 16) What is the direction of the magnetic field at point B?
 - a. +y-direction
 - b. +z-direction
 - c. -z-direction
- 17) Compare the magnitude of the magnetic field at the points A, B, and C:

a.
$$B_A = B_B > B_C$$

b.
$$B_A = B_B = B_C$$

c.
$$B_A > B_B > B_C$$


18) What is the magnitude of the magnetic field B_A at point A?

a.
$$B_A = 1.29 \times 10^{-4} \text{ T}$$

b.
$$B_A = 6.47 \times 10^{-5} \text{ T}$$

c.
$$B_A = 0 T$$

A conducting bar of mass m = 0.7 kg was given an initial push and now slides with negligible friction along a pair of horizontal conducting tracks separated by a distance W = 0.12 m, as shown in the figure. The left side of the loop contains a resistor with resistance $R = 3 \Omega$. There is a constant magnetic field, B = 1.4 T, directed into the page. The following questions pertain to the instant when the bar is a distance d = 0.15 m from the resistor and the induced current in the loop is observed to be I = 0.8 A.



19) What is the speed of the bar?

a.
$$v = 9.14 \text{ m/s}$$

b.
$$v = 14.3 \text{ m/s}$$

c.
$$v = 11.4 \text{ m/s}$$

20) What is the magnitude of the acceleration of the bar?

a.
$$|a| = 9.61 \text{ m/s}^2$$

b.
$$|a| = 682 \text{ m/s}^2$$

c.
$$|a| = 0.24 \text{ m/s}^2$$


d.
$$|a| = 0 \text{ m/s}^2$$

e.
$$|a| = 0.192 \text{ m/s}^2$$


21) In what direction does the current flow?

- a. Counter clockwise, down through the resistor.
- b. Clockwise, up through the resistor.


Long Solenoid with conducting square loop in center.



Side View



Front View



A conducting wire with resistance 0.45 Ω is formed into a square with side a = 0.4 m and placed in the center of a long solenoid of radius r = 0.3 m as shown in the figure. The current through the solenoid is adjusted such that the magnetic field inside is given by $B(t) = 1.2/t^2$ T with t > 1 and measured in seconds.

22) If the current through the solenoid at time t = 1 s is 3.77 amps, what is the number of turns/meter wrapping the solenoid?

a.
$$n = 2.53 \times 10^5$$
 turns/meter

b.
$$n = 1.59 \times 10^6 \text{ turns/meter}$$

c.
$$n = 4.77 \times 10^5$$
 turns/meter

23) What is the magnitude of the current induced in the square loop at time t = 1.3 s?

a.
$$I = 0.388 \text{ A}$$

b.
$$I = 0.686 \text{ A}$$


c.
$$I = 0.218 \text{ A}$$

d.
$$I = 0.446 \text{ A}$$

e.
$$I = 0.252 \text{ A}$$

- 24) If the direction of the current in the solenoid is clockwise from the front view (as shown in image), what is the direction of the current induced in the square loop?
 - a. Clockwise
 - b. Counter clockwise

Consider the circuit pictured consisting of three resistors with resistances R_1 , R_2 , and R_3 , and two batteries with voltage V_1 and V_2 . A current I_1 flows through resistor R_1 , a current I_2 flows through resistor R_2 , and a current I_3 flows through the resistor R_3 in the directions indicated in the figure.




25) Which of the following is a valid Kirchoff voltage law equation for this circuit?

a.
$$V_1+I_3R_3+V_2+I_1R_1=0$$

b. $V_1-I_3R_3+V_2-I_1R_1=0$
c. $V_1-I_2R_2-I_3R_3=0$

26) Six parallel wires, each carrying current *I*, have directions into and out of the plane as shown. Consider a closed path enclosing the wires, as shown in the figure. If the value of the line integral of the magnetic field around the closed path $\oint \vec{B} \cdot d\vec{l} = 5.2 \times 10^{-6}$ T-m, what is the value of *I*?



a.
$$I = 4.14 \text{ A}$$

b.
$$I = 2.07 \text{ A}$$

c. $I = 0.69 \text{ A}$