



Entanglement

Virginia (Gina) Lorenz


University of Illinois Urbana-Champaign

July 2, 2024









Polarization Entanglement


- Photons can be in a superposition of two polarizations

$$\left(\begin{array}{c} \uparrow \\ \downarrow \end{array} + \begin{array}{c} \leftarrow \\ \rightarrow \end{array} \right)$$

- Two photons can be **entangled** such that when one of them is measured, they always end up being the same polarization

$$[(\begin{array}{c} \uparrow \\ \downarrow \end{array}) + (\begin{array}{c} \leftarrow \\ \rightarrow \end{array})]$$

- This property allows them to instantaneously “affect” each other no matter the distance



Properties of Entanglement

at least
“It takes two to tangle.”
J. Eberly, 2015

$$\psi_{pair} \propto |HH\rangle + |VV\rangle \quad \text{Entangled}$$

1935: Entanglement is
“the characteristic trait of quantum mechanics, the one that enforces its entire departure from classical lines of thought”

—E. Schrödinger


$$\psi_1 \propto |H\rangle + |V\rangle$$

$$\psi_2 \propto |H\rangle + |V\rangle$$

$$\psi_{12} = \psi_1\psi_2 \propto |HH\rangle + |VV\rangle + |HV\rangle + |VH\rangle \quad \text{Not Entangled}$$

In an **entangled** state, neither particle has definite properties alone.
⇒ All the information is stored in the *joint* properties.


1935: Einstein, Podolsky, Rosen (EPR) Paradox



Quantum mechanics challenges two commonly held beliefs:

1. “Objects have definite states before measurement.” Superposition implies they do not. (Then is there an objective **reality** before measurement?)
2. “Physical changes can only be caused locally.” Entanglement implies **nonlocal** correlations exist. (Does this allow faster-than-light communication? No, because results are random.)


EPR: Maybe correlations are due to some local element of reality that we haven’t detected yet (“local hidden variables”)?



1930's

1970's to present

2022




EINSTEIN ATTACKS QUANTUM THEORY

Scientist and Two Colleagues
Find It Is Not 'Complete'
Even Though 'Correct.'

SEE FULLER ONE POSSIBLE

Believe a Whole Description of
'the Physical Reality' Can Be
Provided Eventually.



What's the difference with classical correlations?

- Consider socks in a box
- There are two boxes of socks. The socks can be red or green.
- Which color they are is determined randomly by a machine, but the two boxes always have the same color socks.
- The sox are sent to distant locations, like Timbuktu and Wananifee.
- The recipients open the boxes simultaneously.
- Wow! They always find the same color sox in the box!

With photons

- We don't know what color the photons are, not because it's hidden, but because the photons are in a superposition of colors
- Their color won't be determined until the recipient sees the color.
- At the instant the color is measured, the color of the other photon becomes the same.
- So the key differences are:
 - The colors are not predetermined (violating realism)
 - Measuring the color of one instantaneously sets the color of the other (violating locality)


But but but...

- But energy is always conserved, right?
 - Yes! The creation of photons obeys energy conservation, so if a photon is created in a superposition of different energies, the energy difference is compensated for through the creation process (e.g. atomic momentum)
- But does this mean we can communicate faster than light?
 - Since the photons choose a color randomly, knowing that you share the same color photon cannot be used to communicate – although it can be used as a resource called “shared randomness”, like the valentine example.
- How do we *test* for entanglement?


1964: Bell's theorem

- Bell's theorem gives an inequality that would hold if local realism were true
 - The measurements are taken over many entangled pairs and thus are statistical
 - The angles are chosen to maximize violation of the inequality

$$[E(a,b) + E(a',b) + E(a',b') - E(a,b')] \leq 2$$



First 3 terms \sim likelihood the results are more similar than different




Strong Loophole-Free Test of Local Realism*

Lynden K. Shalm,^{1,†} Evan Meyer-Scott,² Bradley G. Christensen,³ Peter Bierhorst,¹ Michael A. Wayne,^{3,4} Martin J. Stevens,¹ Thomas Gerrits,¹ Scott Glancy,¹ Deny R. Hamel,⁵ Michael S. Allman,¹ Kevin J. Coakley,¹ Shellee D. Dyer,¹ Carson Hodge,¹ Adriana E. Lita,¹ Varun B. Verma,¹ Camilla Lambrocco,¹ Edward Tortorici,¹ Alan L. Migdall,^{4,6} Yanbao Zhang,² Daniel R. Kumor,³ William H. Farr,⁷ Francesco Marsili,⁷ Matthew D. Shaw,⁷ Jeffrey A. Stern,⁷ Carlos Abellán,⁸ Waldimar Amaya,⁸ Valerio Pruneri,^{8,9} Thomas Jennewein,^{2,10} Morgan W. Mitchell,^{8,9} Paul G. Kwiat,³ Joshua C. Bienfang,^{4,6} Richard P. Mirin,¹ Emanuel Knill,¹ and Sae Woo Nam^{1,‡}

¹National Institute of Standards and Technology, 325 Broadway, Boulder, Colorado 80305, USA

²Institute for Quantum Computing and Department of Physics and Astronomy, University of Waterloo,
200 University Avenue West, Waterloo, Ontario, Canada, N2L 3G1

³Department of Physics, University of Illinois at Urbana-Champaign, Urbana, Illinois 61801, USA

⁴National Institute of Standards and Technology, 100 Bureau Drive, Gaithersburg, Maryland 20899, USA

⁵Département de Physique et d'Astronomie, Université de Moncton, Moncton, New Brunswick E1A 3E9, Canada

⁶Joint Quantum Institute, National Institute of Standards and Technology and University of Maryland, 100 Bureau Drive,
Gaithersburg, Maryland 20899, USA

⁷Jet Propulsion Laboratory, California Institute of Technology, 4800 Oak Grove Drive, Pasadena, California 91109, USA

⁸ICFO-Institut de Ciencies Fotoniques, The Barcelona Institute of Science and Technology, 08860 Castelldefels (Barcelona), Spain


⁹ICREA-Institució Catalana de Recerca i Estudis Avançats, 08015 Barcelona, Spain

¹⁰Quantum Information Science Program, Canadian Institute for Advanced Research, Toronto, Ontario, Canada

(Received 10 November 2015; published 16 December 2015)


We present a loophole-free violation of local realism using entangled photon pairs. We ensure that all relevant events in our Bell test are spacelike separated by placing the parties far enough apart and by using fast random number generators and high-speed polarization measurements. A high-quality polarization-entangled source of photons, combined with high-efficiency, low-noise, single-photon detectors, allows us to make measurements without requiring any fair-sampling assumptions. Using a hypothesis test, we compute p values as small as 5.9×10^{-9} for our Bell violation while maintaining the spacelike separation of our events. We estimate the degree to which a local realistic system could predict our measurement choices. Accounting for this predictability, our smallest adjusted p value is 2.3×10^{-7} . We therefore reject the hypothesis that local realism governs our experiment.

Entangled photons allow new applications




Quantum networks: a new type of internet

- Genuinely secure communication through detection of eavesdropping
- Connections with real-world quantum computers (once they are ready)
 - Fundamentally new ways of solving computational problems
- Improved sensing of astronomical objects
- Unforeseen applications of the technology



The last 50 years: Quantum Information



1970: Spontaneous Parametric Down-Conversion

- Burnham & Weinberg, PRL 25, 84 (1970):


$$\omega_p = \omega_s + \omega_i *$$
$$\vec{\kappa}_p = \vec{\kappa}_s + \vec{\kappa}_i †$$

*Energy conservation → energy entanglement


†Momentum conservation → momentum entanglement

Type-I phase-matching


Photons have identical polarizations




Polarization Entanglement





Proof of Quantum Correlations



$$|\psi_{system}\rangle = |VV\rangle + Re^{i\phi}|HH\rangle$$




Spontaneous four-wave mixing



Conservation of energy


- Spontaneous four-wave mixing in polarization-maintaining optical fiber:



$$\Delta k = 2k(\omega_p) - k(\omega_s) - k(\omega_i) + 2\Delta n \frac{\omega_p}{c} = 0$$


- *Birefringent* phase-matching:

Generation of polarization entanglement



Pump travels on slow axis. Signal and idler travel on fast axis.
One end of the fiber is twisted by 90° relative to the other end.

Generation of polarization entanglement




Pump travels on slow axis. Signal and idler travel on fast axis.
One end of the fiber is twisted by 90° relative to the other end.

Three-photon discrete-energy-entangled W-state

$$|W\rangle = \frac{1}{\sqrt{3}} (|RRB\rangle + |RBR\rangle + |BRR\rangle)$$

$$|\psi\rangle = \frac{\beta^2}{2} (a_{\omega_B}^\dagger a_{\omega_R}^\dagger)^2 |0\rangle$$



$$|W\rangle = \frac{1}{\sqrt{3}} (|RRB\rangle + |RBR\rangle + |BRR\rangle)$$

- Test non-locality of quantum mechanics
- Quantum communication protocols
- Robust against loss & decoherence

Why are entangled states important?

- Responsible for quantum measurements and decoherence
- Central to demonstrations of quantum nonlocality (e.g., Bell's inequalities, GHZ, Hardy, etc.)
- **Quantum cryptography** – separated particles' correlations allow sharing of secret random key
- **Quantum teleportation** – transmit unknown quantum state via 2 classical bits + EPR pair
- **Quantum computation** – intermediate states are all complex entangled states

Entanglement, and the scaling that results, is the key to the power of quantum computing

- Classically, information is stored in a bit register:
 - A 3-bit register can store **one** number, from 0-7
- Quantum Mechanically, a register of 3 qubits can store all of these numbers in superposition:
 $|000\rangle + |001\rangle + |010\rangle + |011\rangle + |100\rangle + |101\rangle + |110\rangle + |111\rangle$

1	0	1
---	---	---

Result:

- Classical: one N-bit number
- Quantum: 2^N (all possible) N-bit numbers
 - N.B. A 300-qubit register can simultaneously store more combinations than there are particles in the universe.
- Acting on the qubits simultaneously affects all the numbers:

$$(|0\rangle + |1\rangle + \dots |7\rangle) \otimes |f(x)\rangle \Rightarrow |0\rangle |f(0)\rangle + |1\rangle |f(1)\rangle + \dots |7\rangle |f(7)\rangle$$

- Some important problems benefit from this entanglement, enabling solutions of otherwise insoluble problems.

Quantum Logic

Controlled-Not Gate:

$$|0\rangle_c |0\rangle_t \rightarrow |0\rangle_c |0\rangle_t$$

$$|0\rangle_c |1\rangle_t \rightarrow |0\rangle_c |1\rangle_t$$

$$|1\rangle_c |0\rangle_t \rightarrow |1\rangle_c |1\rangle_t$$

$$|1\rangle_c |1\rangle_t \rightarrow |1\rangle_c |0\rangle_t$$

$$(|0\rangle_c + |1\rangle_c) |0\rangle_t \xrightarrow{CNOT} |0\rangle_c |0\rangle_t + |1\rangle_c |1\rangle_t$$

2-Qubit interactions lead to entangled states.

Classical Cryptography



Talbot Laboratory (blue brain key icon)

Engineering Laboratory

Ceramics Kiln House

Ceramics Building

Boneyard Creek

Everitt Laboratory (green A)

Electrical and...

Engineering Hall

S Mathew

E

9AFGJI4JT09RKSP

From: UIUC
Sent: Friday, March 4, 2011 11:40 AM
To: 'Virginia Lorenz'
Subject: Physics

Hi Virginia,
...


Security relies on computational difficulty of factoring the public key

A

B

RSA Algorithm (1978): Generate random prime numbers p & q .
Compute $n = pq$, $\varphi(n) = (p-1)(q-1)$, e co-prime with φ , $d = e^{-1} \pmod{\varphi(n)}$
Release e , n as public key. Encrypt: $c = \text{message}^e \pmod{n}$
Keep d as private key. Decrypt: $\text{message} = c^d \pmod{n}$

Quantum Key Distribution



Security is guaranteed by the laws of quantum physics




Quantum Teleportation

Bennett et al., PRL **70**, 1895 (1993)

The basic idea: transfer the (infinite) amount of information in a qubit from Alice to Bob without sending the qubit itself.

Requires Alice and Bob to share entanglement:



E.g. Alice measures photons C and A to be in a singlet state.
Then since C and A are perpendicular,
and since A and B are perpendicular,
C and B must be identical!


Remarks:

- The original state is gone.
- Neither Alice nor Bob know what it was.
- Requires classical communication – no superluminal signaling.
- Bell state analysis is hard.

Experimental Teleportation


1997: First demonstration [Bouwmeester *et al.*, Nature **390**, 575 (1997)]

2004: Quantum teleportation across the Danube [Ursin *et al.*, Nature **430**, 849 (2004)]



- Now demonstrated teleportation of entanglement, other degrees of freedom, continuous variables, energy states of ions, 2-qubits ...

Satellite-to-ground QKD



[Create An ECAS Account](#) | [ECAS Login](#) | [About](#) | [Contact](#) | [Help](#)

 European Commission

DIGITAL SINGLE MARKET

Digital Economy & Society

European Commission > European Commission will launch €1 billion quantum technologies flagship

[Home](#) | [The strategy](#) | [Economy](#) | [Society](#) | [Access & connectivity](#) | [Research & innovation](#) | [DG CONNECT](#)

Research & innovation

Innovation

Emerging Technologies

Brain Research

Future & Emerging Technologies

FET Open

FET Proactive

FET Flagships

Projects Portfolio

European Open Science Cloud


Digital Infrastructures

European Commission will launch €1 billion quantum technologies flagship

Published on 17/05/2016

Günther H. Oettinger, Commissioner for the Digital Economy and Society outlined the Commission's plan to launch a €1 billion flagship initiative on quantum technology.

Speaking at the [Quantum Europe Conference](#) organised by The Dutch presidency of the EU, the European Commission and the QuTech center in Delft, the Commissioner outlined his objective to reinforce European scientific leadership and excellence in quantum research and in quantum technologies.



[Share](#)



Home / News

MIDWEST COLLABORATION, LED BY IQUIST, AWARDED \$25 MILLION QUANTUM INFORMATION INSTITUTE

7/21/2020 9:53:05 AM

@ Michelle Huls Rice for

Grainger Engineering




Image by Emily Edwards, IQUIST

The Grainger College of Engineering's Illinois Quantum Information Science and Technology Center (IQUIST) will launch a National Science Foundation Quantum Leap Challenge Institute for Hybrid Quantum Architectures and Networks (HQAN). The collaborative institute spans three Midwest research powerhouses, all of which are members of the Chicago Quantum Exchange: The University of Illinois, University of Chicago, and the University of Wisconsin. HQAN also includes partnerships with industry and government labs.

Established with a \$25 million, five-year NSF award, the HQAN institute will be one of only three Quantum Leap Challenge Institutes in the country. Quantum Leap Challenge Institutes will bring together multidisciplinary researchers and diverse partners to advance scientific, technological, and workforce development goals.

NEW CENTER AWARDED \$12.6M BY DOE

 Jul 13, 2020

A team from the University of Illinois at Urbana-Champaign's Grainger College of Engineering was awarded an Energy Frontier Research Center by the Department of Energy (EFRC).

The new center is highly-collaborative spanning three institutions, with additional team members and leadership from University of Illinois-Chicago and the SLAC National Accelerator Laboratory. On campus, the program draws together experts in quantum information science, physics and materials science from the [Illinois Quantum Information Science and Technology Center \(IQUIST\)](#), from the Physics Department, Materials Science and Engineering, and the Materials Research Laboratory.

U.S. Department of Energy Unveils Blueprint for the Quantum Internet at ‘Launch to the Future: Quantum Internet’ Event

JULY 23, 2020



[Home](#) » U.S. Department of Energy Unveils Blueprint for the Quantum Internet at ‘Launch to the Future: Quantum Internet’ Event

Nationwide Effort to Build Quantum Networks and Usher in New Era of Communications

CHICAGO, IL – In a press conference today at the University of Chicago, the U.S. Department of Energy (DOE) unveiled a report that lays out a blueprint strategy for the development of a national quantum internet, bringing the United States to the forefront of the global quantum race and ushering in a new era of communications. This report provides a pathway to ensure the development of the [National Quantum Initiative Act](#), which was signed into law by President Trump in December of 2018.

Around the world, consensus is building that a system to communicate using quantum mechanics represents one of the most important technological frontiers of the 21st century. Scientists now believe that the construction of a prototype will be within reach over the next decade.

In February of this year, DOE National Laboratories, universities, and industry met in New York City to develop the blueprint strategy of a national quantum internet, laying out the essential research to be accomplished, describing the engineering and design barriers, and setting near-term goals.

“The Department of Energy is proud to play an instrumental role in the development of the national quantum internet,” said U.S. Secretary of Energy Dan Brouillette. “By constructing this new and emerging technology, the United States continues with its commitment to maintain and expand



NATIONAL QUANTUM INITIATIVE

THE FEDERAL SOURCE AND GATEWAY TO QUANTUM R&D ACROSS THE U.S. GOVERNMENT

- The National Quantum Initiative Act was signed into law on December 21, 2018. The law gives the United States a plan for advancing quantum technology, particularly quantum computing.
- This act has spurred a tsunami of funding for quantum research and industry.
- Illinois positioned itself well and has become a global leader in quantum technology.
 - University research teams span the range of quantum technologies
 - Captured 4/10 National Quantum Centers for research (= \$280M)
 - Chicago Quantum Exchange nucleated academic and industry partnerships
 - Quantum technology industry is strong and continues to grow in Illinois

What is the Public Quantum Network (PQN)?

PQN will transmit entangled photons through existing fiber, connecting UIUC quantum optics labs with public institutions throughout Urbana-Champaign.

This creates a publicly accessible network for

- Extensive public engagement: public participation in quantum technologies, quantum curricula in underserved communities (8th grade through community college)
- Fundamental research: state-of-the-art quantum protocols and tests at scale
- Quantum technology innovation: deep involvement of industry partners

The graphic features a blue background with a glowing, abstract network of lines and dots, resembling a quantum circuit or a complex network. In the top right corner is a small orange square containing a white 'I'. At the top left, the text 'GRAINGER ENGINEERING' is written in a small, sans-serif font. The main title 'Public Quantum Network' is displayed in large, bold, blue letters. Below it, the words 'launch event' are written in a smaller, italicized orange font. A horizontal line separates this from the event details. The text 'Nov. 4 • 1 pm' is followed by 'Urbana Free Library'. Another horizontal line follows, and then the schedule begins: '1:00 - 1:45 PM Hands-on activities about quantum science and technology Liquid Nitrogen Ice Cream • Games • Quantum Demos', '1:45 - 2:00 PM Welcoming and opening statements from Dean Rashid Bashir, Mayor Diane Marin, UC2B 23-24 Board co-chair Paul Hixson, and a representative from The Urbana Free Library', '2:00 - 2:30 PM Live demo of the Public Quantum Network', and '2:30 - 4:00 PM Hands-on activities about quantum science and technology'. In the bottom right corner, there is a QR code.

GRAINGER ENGINEERING

**Public
Quantum
Network**

launch event

Nov. 4 • 1 pm
Urbana Free Library

1:00 - 1:45 PM
Hands-on activities about quantum science and technology
Liquid Nitrogen Ice Cream • Games • Quantum Demos

1:45 - 2:00 PM
Welcoming and opening statements from Dean Rashid Bashir,
Mayor Diane Marin, UC2B 23-24 Board co-chair Paul Hixson,
and a representative from The Urbana Free Library

2:00 - 2:30 PM
Live demo of the Public Quantum Network

2:30 - 4:00 PM
Hands-on activities about quantum science and technology

The Grainger College
of Engineering
UNIVERSITY OF ILLINOIS URBANA-CHAMPAIGN

In partnership with:
UC2B & The Urbana Free Library

Public Quantum Network Launch Event

Saturday, November 4, 1:00 - 4:00 p.m.
The Urbana Free Library | For all ages.


**Celebrate the launch of the first publicly
accessible quantum network in the nation!**

*Where everyone can
play with quantum particles.
Come explore with us!*

Quantum activities for all ages

Liquid nitrogen ice cream







Quantum Secure Communication



The Quantum Internet


Fault-tolerant quantum memories are used to build repeaters and switches for high-fidelity high-rate quantum communications over 1000s of km




Quantum
Teleportation




Unforeseen
applications
from people
like you











Superposition






Entanglement






Measurement












1930's

1970's to present

2023



1930's

1960's



2022

EINSTEIN ATTACKS QUANTUM THEORY

Scientist and Two Colleagues
Find It Is Not 'Complete'
Even Though 'Correct.'

SEE FULLER ONE POSSIBLE

Believe a Whole Description of
'the Physical Reality' Can Be
Provided Eventually.



What's next?

Links to Chicago: Kankakee Community College



Fermilab Visitor's Center




Locally: preparing for next node, ongoing outreach activities

Next spring: add a second measurement station at the Urbana Free Library to give people the power to share “quantum valentines”


Next summer: work with TeachQuantum to build curricula with local high school teachers

Print out a coloring book!

iquist.illinois.edu/outreach/pqn/coloring-book



Join us for a Quantum Adventure!



CASCADE: AN ARTS-
SCIENCE CELEBRATION

LabEscape



NOW OPEN FOR MISSIONS AT OUR NEW LOCATION!

LabEscape Quantum Salvation Mission Center, Rm 1262 Digital
Computing Lab
1304 W. Springfield Ave., Urbana, IL





Keshav Kapoor
UIUC



Yujie Zhang
UIUC



Jaehoon Choi
UIUC




Soroush Hosseini
UIUC



Benjamin Nussbaum
UIUC



Colin Lualdi
UIUC



Samantha Isaac
UIUC



Brittany Karki
UIUC



Kelsey Ortiz
UIUC



Chris Skaar
UIUC




Virginia Lorenz
UIUC



Paul Kwiat
UIUC



Rebecca Wiltfong
UIUC



Emily Edwards
UIUC



Tracy Smith
UC2B



Paul Hixson
UC2B



Leon Wilson
TUFL



Lauren Chambers
TUFL



Dawn Cassady
TUFL



Michael O'Boyle
UIUC



Kim Gudeman
UIUC




Canaan Daniels
UIUC



Brian Demarco
UIUC


Conclusion

- Quantum entanglement breaks local realism
- Generating entangled photons & reconstructing their state is relatively easy, but engineering for applications is still a challenge
- Entanglement is not just “spooky”, it’s useful!



But there's Quantum Teleportation, and then there's

Quantum Teleportation





Anton Zeilinger

Yes, but there are two major differences. Firstly, we **transfer properties**, not matter. And secondly, until now we have had more success with light particles and occasionally with atoms, not with larger objects.

And even if it was possible, the problems involved would be huge. Firstly: for physical reasons, the original has to be **completely isolated** from its environment for the transfer to work. There has to be a total vacuum for it to work. And it is a well-known fact that this is **not particularly healthy** for human beings. Secondly, you would take all the properties from a person and transfer them onto another. This means producing a being who no longer has any hair colour, no eye colour, nix. A man without qualities! This is not only unethical – it's so crazy that it's impossible to imagine.



Anton Zeilinger

The atoms in a human being are the equivalent to the information mass of about a **thousand billion billion billion bits**. Even with today's top technology, this means it would take about 30 billion years to transfer this mass of data. That's twice the age of the universe. So we'll need a number of major breakthroughs in technology first.

...

Who knows, perhaps in a thousand years we really will be able to **teleport a coffee cup**. But beware: even the tiniest interference can mean that the cup arrives without its handle. This method of transport would be far too dangerous for humans.