

Lab_trees Tempestuous Trees,

Week #6 - October 3-5, 2018

Welcome to Lab Trees!

Course Website: https://courses.engr.illinois.edu/cs225/labs

Overview


In this week's lab, you will work with binary trees, learn about tree traversals and implement them using iterators, thinking recursively while working with helper functions.

Tree Traversals

Tree traversals refer to the process of *visiting each node in the tree data structure exactly once*. The order in which the nodes are visited determines the type of traversal:

- **Inorder:** left subtree -> current node -> right subtree (useful for checking if the tree is a Binary Search Tree)
- **Preorder:** current node -> left subtree -> right subtree (useful for copying the tree)
- **Postorder:** left subtree -> right subtree -> current node (useful for deleting the tree)

Exercise 1.1: What will an Inorder traversal of the following tree print out?



Exercise 1.2: Write the printInOrder() function.

```
tree.h
    #pragma once
    class Tree{
 3
      public:
          struct Node {
                int value;
                Node* left;
 7
                Node* right;
                Node(int value = 0, Node left = NULL,
 9
                Node right = NULL):
10
                value(value),left(left),right(right){}
11
          };
12
          Node* root;
13
          int findLargest();
14
          int findLargest(const Node* subRoot) const;
15
          void printInOrder(const Node* subRoot) const;
```

```
tree.cpp

#include "tree.h"

void Tree::printInOrder(const Node* subRoot) const {
    //YOUR CODE HERE

//YOUR CODE HERE

10
11 }
```

Exercise 1.3: What is the worst case running time of the following operations, assuming you start at the root node?

Printing the value of the root node

Printing the value of any leaf node

Finding the node with the largest value

Using a Helper Function

When using recursive functions, we would like the externally used function call to directly call the functions on their object without

needing to know/provide information about subproblems and parameters. This is why we use helper functions: they allow us to pass in parameters, separately handle the subproblems, and make our code much more user-friendly and readable.

Exercise 2: Now that we know the runtime of finding the largest value in a binary tree from the previous exercise, write a function that will find the largest node value. In the code below, findLargest() is a public member function of the Tree class introduced in Exercise 1. Assume the values are non-negative.

```
tree.cpp (CONTINUED)
    int Tree::findLargest() {
     //YOUR CODE HERE
 3
 5
 6
 8
 9
10
    int Tree::findLargest(const Node* subRoot) const {
11
       //SHOULD BE RECURSIVE FUNCTION!
12
13
14
15
16
17
18
19
20
```

Iterators

In the previous exercise, we saw how to traverse trees using recursion. Another way to do this is by using a temporary data structure such as a **stack** to keep track of where we are as we traverse the tree. You will use this method when implementing tree traversal iterator classes in the coding part of this lab.

Exercise 3.1: Fill in the blanks in this pseudo code implementation of Inorder traversal using a stack as a placeholder for the traversal.

1) Create an empty stack S.

2)	Initialize current node as root	
3)	Unt	cil current =, push current node to S and set
	cui	rrent =
4)	Ιf	current = NULL and S is not empty then
	a)	Print the top item in the stack
	b)	Set current =
	c)	Pop the top item from stack
	d)	Go to step 3
5)	Ιf	current = and then we are done
Ex	erc	1
		oes the stack S look like when current is pointing to node 9 ?
S =	=	
	_	

In the programming part of this lab, you will:

- Get familiar with binary trees
- Practice writing recursive functions using helper functions
- Complete the implementation of an Inorder tree iterator As your TA and CAs, we're here to help with your programming for the rest of this lab section!