



# CS 225

## Data Structures


*April 18 – Minimum Spanning Trees*

*Wade Fagen-Ulmschneider*

# Graph ADT

## Data:

- Vertices
- Edges
- Some data structure maintaining the structure between vertices and edges.



## Functions:

- insertVertex(K key);
- insertEdge(Vertex v1, Vertex v2, K key);
- removeVertex(Vertex v);
- removeEdge(Vertex v1, Vertex v2);
- incidentEdges(Vertex v);
- areAdjacent(Vertex v1, Vertex v2);
- origin(Edge e);
- destination(Edge e);

# BFS Analysis

**Q:** Does our implementation handle disjoint graphs?  
If so, what code handles this?

- ***How do we use this to count components?***

**Q:** Does our implementation detect a cycle?

- ***How do we update our code to detect a cycle?***

**Q:** What is the running time?

# BFS Observations


**Q:** What is a shortest path from **A** to **H**?

**Q:** What is a shortest path from **E** to **H**?

**Q:** How does a cross edge relate to **d**?

**Q:** What structure is made from discovery edges?

d	p	v	Adjacent
0	A	A	C B D
1	A	B	A C E
1	A	C	B A D E F
1	A	D	A C F H
2	C	E	B C G
2	C	F	C D G
3	E	G	E F H
2	D	H	D G



# BFS Observations

**Obs. 1:** Traversals can be used to count components.


**Obs. 2:** Traversals can be used to detect cycles.

**Obs. 3:** In BFS, **d** provides the shortest distance to every vertex.

**Obs. 4:** In BFS, the endpoints of a cross edge never differ in distance, **d**, by more than 1:

$$|d(u) - d(v)| = 1$$

# Traversal: DFS



```
1 BFS(G) :
2   Input: Graph, G
3   Output: A labeling of the edges on
4           G as discovery and cross edges
5
6   foreach (Vertex v : G.vertices()):
7     setLabel(v, UNEXPLORED)
8   foreach (Edge e : G.edges()):
9     setLabel(e, UNEXPLORED)
10  foreach (Vertex v : G.vertices()):
11    if getLabel(v) == UNEXPLORED:
12      BFS(G, v)
```


```
14 BFS(G, v) :
15   Queue q
16   setLabel(v, VISITED)
17   q.enqueue(v)
18
19   while !q.empty():
20     v = q.dequeue()
21     foreach (Vertex w : G.adjacent(v)):
22       if getLabel(w) == UNEXPLORED:
23         setLabel(v, w, DISCOVERY)
24         setLabel(w, VISITED)
25         q.enqueue(w)
26       elseif getLabel(v, w) == UNEXPLORED:
27         setLabel(v, w, CROSS)
```

```
1 DFS(G) :
2   Input: Graph, G
3   Output: A labeling of the edges on
4           G as discovery and back edges
5
6   foreach (Vertex v : G.vertices()):
7     setLabel(v, UNEXPLORED)
8   foreach (Edge e : G.edges()):
9     setLabel(e, UNEXPLORED)
10  foreach (Vertex v : G.vertices()):
11    if getLabel(v) == UNEXPLORED:
12      DFS(G, v)
```

```
14 DFS(G, v) :
15 — Queue q
16   setLabel(v, VISITED)
17 — q.enqueue(v)
18
19 — while !q.empty():
20 — v = q.dequeue()
21   foreach (Vertex w : G.adjacent(v)) :
22     if getLabel(w) == UNEXPLORED:
23       setLabel(v, w, DISCOVERY)
24       setLabel(w, VISITED)
25       DFS(G, w)
26     elseif getLabel(v, w) == UNEXPLORED:
27       setLabel(v, w, BACK)
```



# Traversal: DFS



————— Discovery Edge

----- Back Edge


# Running time of DFS


## Labeling:

- Vertex:
- Edge:

## Queries:

- Vertex:
- Edge:






# Minimum Spanning Tree Algorithms


**Input:** Connected, undirected graph  $G$  with edge weights (unconstrained, but must be additive)

**Output:** A graph  $G'$  with the following properties:

- $G'$  is a spanning graph of  $G$
- $G'$  is a tree (connected, acyclic)
- $G'$  has a minimal total weight among all spanning trees





# Kruskal's Algorithm



(A, D)
(E, H)
(F, G)
(A, B)
(B, D)
(G, E)
(G, H)
(E, C)
(C, H)
(E, F)
(F, C)
(D, E)
(B, C)
(C, D)
(A, F)
(D, F)

# Kruskal's Algorithm



(A, D)
(E, H)
(F, G)
(A, B)
(B, D)
(G, E)
(G, H)
(E, C)
(C, H)
(E, F)
(F, C)
(D, E)
(B, C)
(C, D)
(A, F)
(D, F)



# Kruskal's Algorithm

Priority Queue:	Heap	Sorted Array
<b>Building</b> :7-9		
<b>Each removeMin</b> :13		

```
1 KruskalMST(G):
2   DisjointSets forest
3   foreach (Vertex v : G):
4     forest.makeSet(v)
5
6   PriorityQueue Q // min edge weight
7   foreach (Edge e : G):
8     Q.insert(e)
9
10  Graph T = (V, {})
11
12  while |T.edges()| < n-1:
13    Vertex (u, v) = Q.removeMin()
14    if forest.find(u) == forest.find(v):
15      T.addEdge(u, v)
16      forest.union( forest.find(u),
17                  forest.find(v) )
18
19  return T
```



# Kruskal's Algorithm

Priority Queue:	Total Running Time
Heap	
Sorted Array	

```
1 KruskalMST(G):
2   DisjointSets forest
3   foreach (Vertex v : G):
4     forest.makeSet(v)
5
6   PriorityQueue Q // min edge weight
7   foreach (Edge e : G):
8     Q.insert(e)
9
10  Graph T = (V, {})
11
12  while |T.edges()| < n-1:
13    Vertex (u, v) = Q.removeMin()
14    if forest.find(u) == forest.find(v):
15      T.addEdge(u, v)
16      forest.union( forest.find(u),
17                  forest.find(v) )
18
19  return T
```