




# CS 225

## Data Structures

*November 20 – MSTs: Kruskal + Prim’s Algorithm  
G Carl Evans*

# Kruskal's Algorithm

(A, D)
(E, H)
(F, G)
(A, B)
(B, D)
(G, E)
(G, H)
(E, C)
(C, H)
(E, F)
(F, C)
(D, E)
(B, C)
(C, D)
(A, F)
(D, F)



# Kruskal's Algorithm

Priority Queue:	Heap	Sorted Array
<b>Building</b> :6-8		
<b>Each removeMin</b> :13		

# Kruskal's Algorithm

Priority Queue:	Total Running Time
Heap	$O(n \log n)$
Sorted Array	$O(n^2)$




## Kruskal's Algorithm

**Which Priority Queue Implementation is better for running Kruskal's Algorithm?**

- Heap:
- Sorted Array:

## Partition Property

Consider an arbitrary partition of the vertices on  $\mathbf{G}$  into two subsets  $\mathbf{U}$  and  $\mathbf{V}$ .




## Partition Property

Consider an arbitrary partition of the vertices on  $\mathbf{G}$  into two subsets  $\mathbf{U}$  and  $\mathbf{V}$ .


Let  $e$  be an edge of minimum weight across the partition.

Then  $e$  is part of some minimum spanning tree.




# Partition Property

The partition property suggests an algorithm:



# Prim's Algorithm



```
1 PrimMST(G, s):
2     Input: G, Graph;
3             s, vertex in G, starting vertex
4     Output: T, a minimum spanning tree (MST) of G
5
6     foreach (Vertex v : G):
7         d[v] = +inf
8         p[v] = NULL
9         d[s] = 0
10
11    PriorityQueue Q    // min distance, defined by d[v]
12    Q.buildHeap(G.vertices())
13    Graph T           // "labeled set"
14
15    repeat n times:
16        Vertex m = Q.removeMin()
17        T.add(m)
18        foreach (Vertex v : neighbors of m not in T):
19            if cost(v, m) < d[v]:
20                d[v] = cost(v, m)
21                p[v] = m
22
23    return T
```

# Prim's Algorithm

```
6 PrimMST(G, s):
7     foreach (Vertex v : G):
8         d[v] = +inf
9         p[v] = NULL
10    d[s] = 0
11
12    PriorityQueue Q // min distance, defined by d[v]
13    Q.buildHeap(G.vertices())
14    Graph T           // "labeled set"
15
16    repeat n times:
17        Vertex m = Q.removeMin()
18        T.add(m)
19        foreach (Vertex v : neighbors of m not in T):
20            if cost(v, m) < d[v]:
21                d[v] = cost(v, m)
22                p[v] = m
```

	Adj. Matrix	Adj. List
Heap		
Unsorted Array		

# Prim's Algorithm

Sparse Graph:

Dense Graph:

```
6 PrimMST(G, s):
7     foreach (Vertex v : G):
8         d[v] = +inf
9         p[v] = NULL
10    d[s] = 0
11
12    PriorityQueue Q // min distance, defined by d[v]
13    Q.buildHeap(G.vertices())
14    Graph T           // "labeled set"
15
16    repeat n times:
17        Vertex m = Q.removeMin()
18        T.add(m)
19        foreach (Vertex v : neighbors of m not in T):
20            if cost(v, m) < d[v]:
21                d[v] = cost(v, m)
22                p[v] = m
```

	Adj. Matrix	Adj. List
Heap	$O(n^2 + m \lg(n))$	$O(n \lg(n) + m \lg(n))$
Unsorted Array	$O(n^2)$	$O(n^2)$

## MST Algorithm Runtime:

- Kruskal's Algorithm:  
 $O(n + m \lg(n))$
- Prim's Algorithm:  
 $O(n \lg(n) + m \lg(n))$
- What must be true about the connectivity of a graph when running an MST algorithm?
- How does n and m relate?



## MST Algorithm Runtime:

- Kruskal's Algorithm:  
 $O(n + m \lg(n))$
- Prim's Algorithm:  
 $O(n \lg(n) + m \lg(n))$