

NP and NP Completeness

Lecture 23

Thursday, April 18, 2019

LaTeXed: April 18, 2019 16:28

Part I

Review: Polynomial reductions

Polynomial-time Reduction

Definition

$X \leq_P Y$: **polynomial time reduction** from a *decision* problem X to a *decision* problem Y is an *algorithm* \mathcal{A} such that:

- 1 Given an instance I_X of X , \mathcal{A} produces an instance I_Y of Y .
- 2 \mathcal{A} runs in time polynomial in $|I_X|$. ($|I_Y| = \text{size of } I_Y$).
- 3 Answer to I_X YES \iff answer to I_Y is YES.

Polynomial-time Reduction

Definition

$X \leq_P Y$: **polynomial time reduction** from a *decision* problem X to a *decision* problem Y is an *algorithm* \mathcal{A} such that:

- 1 Given an instance I_X of X , \mathcal{A} produces an instance I_Y of Y .
- 2 \mathcal{A} runs in time polynomial in $|I_X|$. ($|I_Y| = \text{size of } I_Y$).
- 3 Answer to I_X YES \iff answer to I_Y is YES.

Proposition

If $X \leq_P Y$ then a polynomial time algorithm for Y implies a polynomial time algorithm for X .

Polynomial-time Reduction

Definition

$X \leq_P Y$: **polynomial time reduction** from a *decision* problem X to a *decision* problem Y is an *algorithm* \mathcal{A} such that:

- 1 Given an instance I_X of X , \mathcal{A} produces an instance I_Y of Y .
- 2 \mathcal{A} runs in time polynomial in $|I_X|$. ($|I_Y|$ = size of I_Y).
- 3 Answer to I_X YES \iff answer to I_Y is YES.

Proposition

If $X \leq_P Y$ then a polynomial time algorithm for Y implies a polynomial time algorithm for X .

This is a **Karp reduction**.

What do we know so far

- ① Independent Set \leq_P Clique
Clique \leq_P Independent Set.

What do we know so far

- ① Independent Set \leq_P Clique
Clique \leq_P Independent Set.
 \implies Clique \approx_P Independent Set.

What do we know so far

- 1 Independent Set \leq_P Clique
Clique \leq_P Independent Set.
 \implies Clique \approx_P Independent Set.
- 2 Vertex Cover \leq_P Independent Set
Independent Set \leq_P Vertex Cover.

What do we know so far

- 1 Independent Set \leq_P Clique
Clique \leq_P Independent Set.
 \implies Clique \approx_P Independent Set.
- 2 Vertex Cover \leq_P Independent Set
Independent Set \leq_P Vertex Cover.
 \implies Independent Set \approx_P Vertex Cover.

What do we know so far

- 1 Independent Set \leq_P Clique
Clique \leq_P Independent Set.
 \implies Clique \approx_P Independent Set.
- 2 Vertex Cover \leq_P Independent Set
Independent Set \leq_P Vertex Cover.
 \implies Independent Set \approx_P Vertex Cover.
- 3 \rightarrow 3SAT \leq_P SAT
 \rightarrow SAT \leq_P 3SAT.

What do we know so far

- 1 Independent Set \leq_P Clique
Clique \leq_P Independent Set.
 \implies Clique \approx_P Independent Set.
- 2 Vertex Cover \leq_P Independent Set
Independent Set \leq_P Vertex Cover.
 \implies Independent Set \approx_P Vertex Cover.
- 3 3SAT \leq_P SAT
SAT \leq_P 3SAT.
 \implies 3SAT \approx_P SAT.

What do we know so far

- 1 Independent Set \leq_P Clique
Clique \leq_P Independent Set.
 \implies Clique \cong_P Independent Set.
- 2 Vertex Cover \leq_P Independent Set
Independent Set \leq_P Vertex Cover.
 \implies Independent Set \cong_P Vertex Cover.
- 3 3SAT \leq_P SAT
SAT \leq_P 3SAT.
 \implies 3SAT \cong_P SAT.
- 4 Clique \cong_P Independent Set \cong_P Vertex Cover
3SAT. \cong_P SAT.

Part II

NP

P and NP and Turing Machines

- ➔ ① **P**: set of decision problems that have polynomial time algorithms.
 - ➔ ② **NP**: set of decision problems that have polynomial time *non-deterministic* algorithms.
 - ➔ • Many natural problems we would like to solve are in **NP**.
 - ➔ • Every problem in **NP** has an exponential time algorithm
 - ➔ • **$P \subseteq NP$**
 - ➔ • Some problems in **NP** are in **P** (example, shortest path problem)
- Big Question:** Does every problem in **NP** have an efficient algorithm? Same as asking whether **$P = NP$** .

Problems with no known polynomial time algorithms

Problems

- 1 **Independent Set** ✓
- 2 **Vertex Cover** ✓
- 3 **Set Cover** ✓
- 4 **SAT** ✓
- 5 **3SAT** ✓

There are of course undecidable problems (no algorithm at all!) but many problems that we want to solve are of similar flavor to the above.

Question: What is common to above problems? ↖

Efficient Checkability

Above problems share the following feature:

Checkability

For any YES instance I_X of X there is a proof/certificate/solution that is of length $\text{poly}(|I_X|)$ such that given a proof one can efficiently check that I_X is indeed a YES instance.

Efficient Checkability

Above problems share the following feature:

Checkability

For any YES instance I_X of X there is a proof/certificate/solution that is of length $\text{poly}(|I_X|)$ such that given a proof one can efficiently check that I_X is indeed a YES instance.

Examples:


- 1 **SAT** formula φ : proof is a satisfying assignment.
- 2 **Independent Set** in graph G and k : a subset S of vertices.
- 3 **Homework**

Sudoku

			2	5				
	3	6		4		8		
	4					1	6	
2								
7	6						1	9
								3
	1	5					7	
		9		8		2	4	
				3	7			

Given $n \times n$ sudoku puzzle, does it have a solution?

Solution to the Sudoku example...



1	8	7	2	5	6	9	3	4
9	3	6	7	4	1	8	5	2
5	4	2	8	9	3	1	6	7
2	9	1	3	7	4	6	8	5
7	6	3	5	2	8	4	1	9
8	5	4	6	1	9	7	2	3
4	1	5	9	6	2	3	7	8
3	7	9	1	8	5	2	4	6
6	2	8	4	3	7	5	9	1

Definition

An algorithm $C(\cdot, \cdot)$ is a **certifier** for problem X if the following two conditions hold:

- For every $s \in X$ there is some string t such that $C(s, t) = \text{"yes"}$
- If $s \notin X$, $C(s, t) = \text{"no"}$ for every t .

The string t is called a **certificate** or **proof** for s .

Efficient (polynomial time) Certifiers

Definition (Efficient Certifier.)

A certifier C is an **efficient certifier** for problem X if there is a polynomial $p(\cdot)$ such that the following conditions hold:

- For every $s \in X$ there is some string t such that $C(s, t) = \text{"yes"}$ and $|t| \leq p(|s|)$.
- If $s \notin X$, $C(s, t) = \text{"no"}$ for every t .
- $C(\cdot, \cdot)$ runs in polynomial time.

Example: Independent Set

- ① **Problem:** Does $G = (V, E)$ have an independent set of size $\geq k$?
 - ① **Certificate:** Set $S \subseteq V$.
 - ② **Certifier:** Check $|S| \geq k$ and no pair of vertices in S is connected by an edge.

Example: Vertex Cover

① **Problem:** Does G have a vertex cover of size $\leq k$?

→ ① **Certificate:** $S \subseteq V$.

② **Certifier:** Check $|S| \leq k$ and that for every edge at least one endpoint is in S .

Example: SAT

- ① **Problem:** Does formula φ have a satisfying truth assignment?
- ① **Certificate:** Assignment a of **0/1** values to each variable.
- ② **Certifier:** Check each clause under a and say “yes” if all clauses are true.

Example: Composites

Problem: Composite

Instance: A number s .

Question: Is the number s a composite?

① Problem: Composite.

- ① **Certificate:** A factor $t \leq s$ such that $t \neq 1$ and $t \neq s$.
- ② **Certifier:** Check that t divides s .

Example: NFA Universality

Problem: NFA Universality

Instance: Description of a NFA M .

Question: Is $L(M) = \Sigma^*$, that is, does M accept all strings?

① Problem: NFA Universality.

 ① **Certificate:** A DFA M' equivalent to M

 ② **Certifier:** Check that $L(M') = \Sigma^*$

Example: NFA Universality

Problem: NFA Universality

Instance: Description of a NFA M .

Question: Is $L(M) = \Sigma^*$, that is, does M accept all strings?

① Problem: NFA Universality.

- ① **Certificate:** A DFA M' equivalent to M
- ② **Certifier:** Check that $L(M') = \Sigma^*$

Certifier is efficient but certificate is not necessarily short! We do not know if the problem is in NP .

Example: A String Problem

Problem: PCP


Instance: Two sets of binary strings $\alpha_1, \dots, \alpha_n$ and β_1, \dots, β_n

Question: Are there indices i_1, i_2, \dots, i_k such that $\alpha_{i_1} \alpha_{i_2} \dots \alpha_{i_k} = \beta_{i_1} \beta_{i_2} \dots \beta_{i_k}$

$$\alpha_1 \alpha_2 \alpha_1 \alpha_1 \alpha_3 = \beta_1 \beta_2 \beta_1 \beta_1 \beta_3$$

Post Correspondence Problem

Given: Dominoes, each with a top-word and a bottom-word.



Can one arrange them, using any number of copies of each type, so that the top and bottom strings are equal?



Example: A String Problem

Problem: PCP

Instance: Two sets of binary strings $\alpha_1, \dots, \alpha_n$ and β_1, \dots, β_n

Question: Are there indices i_1, i_2, \dots, i_k such that

$$\alpha_{i_1} \alpha_{i_2} \dots \alpha_{i_k} = \beta_{i_1} \beta_{i_2} \dots \beta_{i_k}$$

① Problem: PCP

① **Certificate:** A sequence of indices i_1, i_2, \dots, i_k

② **Certifier:** Check that $\alpha_{i_1} \alpha_{i_2} \dots \alpha_{i_k} = \beta_{i_1} \beta_{i_2} \dots \beta_{i_k}$

Example: A String Problem

Problem: PCP

Instance: Two sets of binary strings $\alpha_1, \dots, \alpha_n$ and β_1, \dots, β_n

Question: Are there indices i_1, i_2, \dots, i_k such that $\alpha_{i_1} \alpha_{i_2} \dots \alpha_{i_k} = \beta_{i_1} \beta_{i_2} \dots \beta_{i_k}$

① Problem: PCP

→ ① **Certificate:** A sequence of indices i_1, i_2, \dots, i_k

→ ② **Certifier:** Check that $\alpha_{i_1} \alpha_{i_2} \dots \alpha_{i_k} = \beta_{i_1} \beta_{i_2} \dots \beta_{i_k}$

PCP = Posts Correspondence Problem and it is undecidable!
Implies no finite bound on length of certificate!

Nondeterministic Polynomial Time

Definition

Nondeterministic Polynomial Time (denoted by **NP**) is the class of all problems that have efficient certifiers.

Nondeterministic Polynomial Time

Definition

Nondeterministic Polynomial Time (denoted by **NP**) is the class of all problems that have efficient certifiers.

Example

Independent Set, Vertex Cover, Set Cover, SAT, 3SAT, and Composite are all examples of problems in **NP**.

Why is it called...

Nondeterministic Polynomial Time

A certifier is an algorithm $C(I, c)$ with two inputs:

- 1 I : instance.
- 2 c : proof/certificate that the instance is indeed a YES instance of the given problem.

One can think about C as an algorithm for the original problem, if:

- 1 Given I , the algorithm guesses (non-deterministically, and who knows how) a certificate c .
- 2 The algorithm now verifies the certificate c for the instance I .

NP can be equivalently described using Turing machines.

Asymmetry in Definition of NP

Note that only YES instances have a short proof/certificate. NO instances need not have a short certificate.

Example

→ **SAT** formula φ . No easy way to prove that φ is NOT satisfiable!

→ More on this and **co-NP** later on.

P versus NP

Proposition

$P \subseteq NP$.

P versus NP

Proposition

$P \subseteq NP$.

For a problem in P no need for a certificate!

Proof.

Consider problem $X \in P$ with algorithm A . Need to demonstrate that X has an efficient certifier:

- 1 Certifier C on input s, t , runs $A(s)$ and returns the answer.
- 2 C runs in polynomial time.
- 3 If $s \in X$, then for every t , $C(s, t) = \text{"yes"}$.
- 4 If $s \notin X$, then for every t , $C(s, t) = \text{"no"}$. □

Exponential Time

Definition

Exponential Time (denoted **EXP**) is the collection of all problems that have an algorithm which on input s runs in exponential time, i.e., $O(2^{\text{poly}(|s|)})$.

Exponential Time

Definition

Exponential Time (denoted **EXP**) is the collection of all problems that have an algorithm which on input s runs in exponential time, i.e., $O(2^{\text{poly}(|s|)})$.

Example: $O(2^n)$, $O(2^{n \log n})$, $O(2^{n^3})$, ...

NP versus EXP

Proposition

$NP \subseteq EXP.$

NP versus EXP

Proposition

NP \subseteq **EXP**.

Proof.

Let $X \in \mathbf{NP}$ with certifier C . Need to design an exponential time algorithm for X .

- 1 For every t , with $|t| \leq p(|s|)$ run $C(s, t)$; answer “yes” if any one of these calls returns “yes”.
- 2 The above algorithm correctly solves X (exercise).
- 3 Algorithm runs in $O(q(|s| + |p(s)|)2^{p(|s|)})$, where q is the running time of C . □

Examples

- ① **SAT**: try all possible truth assignment to variables.
- ② **Independent Set**: try all possible subsets of vertices.
- ③ **Vertex Cover**: try all possible subsets of vertices.

Is **NP** efficiently solvable?

We know $\mathbf{P} \subseteq \mathbf{NP} \subseteq \mathbf{EXP}$.

Is **NP** efficiently solvable?

We know $\mathbf{P} \subseteq \mathbf{NP} \subseteq \mathbf{EXP}$.

Big Question

Is there are problem in **NP** that **does not** belong to **P**? Is $\mathbf{P} = \mathbf{NP}$?

If $P = NP$...

Or: If pigs could fly then life would be sweet.

- 1 Many important optimization problems can be solved efficiently.

If $P = NP$...

Or: If pigs could fly then life would be sweet.

- 1 Many important optimization problems can be solved efficiently.
- 2 The **RSA** cryptosystem can be broken.

If $P = NP$...

Or: If pigs could fly then life would be sweet.

- 1 Many important optimization problems can be solved efficiently.
- 2 The **RSA** cryptosystem can be broken.
- 3 No security on the web.

If $P = NP$. . .

Or: If pigs could fly then life would be sweet.

- 1 Many important optimization problems can be solved efficiently.
- 2 The **RSA** cryptosystem can be broken.
- 3 No security on the web.
- 4 No e-commerce . . .

If $P = NP$...

Or: If pigs could fly then life would be sweet.

- 1 Many important optimization problems can be solved efficiently.
- 2 The **RSA** cryptosystem can be broken.
- 3 No security on the web.
- 4 No e-commerce ...
- 5 Creativity can be automated! Proofs for mathematical statement can be found by computers automatically (if short ones exist).

If $P = NP$ this implies that...

- ✓ (A) **Vertex Cover** can be solved in polynomial time.
- (B) $P = \text{EXP}$.
- (C) $\text{EXP} \subseteq P$.
- (D) All of the above.

P versus NP

Status

Relationship between **P** and **NP** remains one of the most important open problems in mathematics/computer science.

→ **Consensus:** Most people feel/believe $P \neq NP$.

→ Resolving **P** versus **NP** is a Clay Millennium Prize Problem. You can win a million dollars in addition to a Turing award and major fame!

Part III

NP-Completeness

“Hardest” Problems

Question

What is the hardest problem in **NP**? How do we define it?

Towards a definition

- 1 Hardest problem must be in **NP**.
- 2 Hardest problem must be at least as “difficult” as every other problem in **NP**.

NP-Complete Problems

Definition

A problem X is said to be NP-Complete if

- ➔ ① $X \in \text{NP}$, and
- ➔ ② (Hardness) For any $Y \in \text{NP}$, $Y \leq_P X$.

Solving **NP-Complete** Problems

Proposition

Suppose X is **NP-Complete**. Then X can be solved in polynomial time if and only if $P = NP$.

Proof.

\Rightarrow Suppose X can be solved in polynomial time

- ① Let $Y \in NP$. We know $Y \leq_P X$.
- ② We showed that if $Y \leq_P X$ and X can be solved in polynomial time, then Y can be solved in polynomial time.
- ③ Thus, every problem $Y \in NP$ is such that $Y \in P$; $NP \subseteq P$.
- ④ Since $P \subseteq NP$, we have $P = NP$.

\Leftarrow Since $P = NP$, and $X \in NP$, we have a polynomial time algorithm for X . □

NP-Hard Problems

Definition

A problem X is said to be **NP-Hard** if

➔ ① (Hardness) For any $Y \in \text{NP}$, we have that $Y \leq_P X$.

An **NP-Hard** problem need not be in **NP**!

Example: Halting problem is **NP-Hard** (why?) but not **NP-Complete**. ✓

Consequences of proving **NP-Completeness**

- If X is **NP-Complete**
 - ① Since we believe $P \neq NP$,
 - ② and solving X implies $P = NP$.
- X is **unlikely** to be efficiently solvable.

Consequences of proving **NP-Completeness**

If X is **NP-Complete**

- 1 Since we believe $P \neq NP$,
- 2 and solving X implies $P = NP$.

X is **unlikely** to be efficiently solvable.

At the very least, many smart people before you have failed to find an efficient algorithm for X .

Consequences of proving **NP-Completeness**

If X is **NP-Complete**

- 1 Since we believe $P \neq NP$,
- 2 and solving X implies $P = NP$.

X is **unlikely** to be efficiently solvable.

At the very least, many smart people before you have failed to find an efficient algorithm for X .

Consequences of proving **NP-Completeness**

If X is **NP-Complete**

- 1 Since we believe $P \neq NP$,
- 2 and solving X implies $P = NP$.

X is **unlikely** to be efficiently solvable.

At the very least, many smart people before you have failed to find an efficient algorithm for X .

(This is proof by mob opinion — take with a grain of salt.)

NP-Complete Problems

Question

Are there any problems that are **NP-Complete**?

Answer

Yes! Many, many problems are **NP-Complete**.

Cook-Levin Theorem

Theorem (Cook-Levin)

SAT is **NP-Complete**.

Cook-Levin Theorem

Theorem (Cook-Levin)

SAT is **NP-Complete**.

Need to show

- 1 **SAT** is in **NP**.
- 2 every **NP** problem **X** reduces to **SAT**.

Will see proof in next lecture.

Steve Cook won the Turing award for his theorem.

Proving that a problem **X** is **NP-Complete**

To prove **X** is **NP-Complete**, show

- 1 Show that **X** is in **NP**.
- 2 Give a polynomial-time reduction *from* a known **NP-Complete** problem such as **SAT** to **X**

Proving that a problem X is **NP-Complete**

To prove X is **NP-Complete**, show

- 1 Show that X is in **NP**.
- 2 Give a polynomial-time reduction *from* a known **NP-Complete** problem such as **SAT** to X

SAT \leq_P X implies that every **NP** problem $Y \leq_P X$. Why?

Proving that a problem X is **NP-Complete**

To prove X is **NP-Complete**, show

- ➔ ① Show that X is in **NP**.
- ② Give a polynomial-time reduction *from* a known **NP-Complete** problem such as **SAT** to X

SAT \leq_P X implies that every **NP** problem $Y \leq_P X$. Why?

Transitivity of reductions:

$Y \leq_P \text{SAT}$ and $\text{SAT} \leq_P X$ and hence $Y \leq_P X$.

3-SAT is NP-Complete

- 3-SAT is in NP
- $SAT \leq_P 3-SAT$ as we saw

NP-Completeness via Reductions

- 1 **SAT** is **NP-Complete** due to Cook-Levin theorem
- 2 **SAT** \leq_P **3-SAT**
- 3 **3-SAT** \leq_P **Independent Set**
- 4 **Independent Set** \leq_P **Vertex Cover**
- 5 **Independent Set** \leq_P **Clique**
- 6 **3-SAT** \leq_P **3-Color**
- 7 **3-SAT** \leq_P **Hamiltonian Cycle**

NP-Completeness via Reductions

- 1 SAT is **NP-Complete** due to Cook-Levin theorem
- 2 $SAT \leq_P 3-SAT$
- 3 $3-SAT \leq_P \text{Independent Set}$
- 4 $\text{Independent Set} \leq_P \text{Vertex Cover}$
- 5 $\text{Independent Set} \leq_P \text{Clique}$
- 6 $3-SAT \leq_P 3-Color$
- 7 $3-SAT \leq_P \text{Hamiltonian Cycle}$

Hundreds and thousands of different problems from many areas of science and engineering have been shown to be **NP-Complete**.

A surprisingly frequent phenomenon!

Part IV

Reducing **3-SAT** to **Independent Set**

Independent Set

Problem: Independent Set

Instance: A graph G , integer k .

Question: Is there an independent set in G of size k ?

3SAT \leq_P Independent Set

The reduction 3SAT \leq_P Independent Set

Input: Given a 3CNF formula φ

Goal: Construct a graph G_φ and number k such that G_φ has an independent set of size k if and only if φ is satisfiable.

3SAT \leq_P Independent Set

The reduction 3SAT \leq_P Independent Set

Input: Given a 3CNF formula φ

Goal: Construct a graph G_φ and number k such that G_φ has an independent set of size k if and only if φ is satisfiable.

G_φ should be constructable in time polynomial in size of φ

3SAT \leq_P Independent Set

The reduction 3SAT \leq_P Independent Set

Input: Given a 3CNF formula φ

Goal: Construct a graph G_φ and number k such that G_φ has an independent set of size k if and only if φ is satisfiable.

G_φ should be constructable in time polynomial in size of φ

Importance of reduction: Although 3SAT is much more expressive, it can be reduced to a seemingly specialized Independent Set problem.

Notice: We handle only 3CNF formulas – reduction would not work for other kinds of boolean formulas.

Interpreting 3SAT

There are two ways to think about **3SAT**


Interpreting 3SAT

There are two ways to think about **3SAT**

- 1 Find a way to assign 0/1 (false/true) to the variables such that the formula evaluates to true, that is each clause evaluates to true.

Interpreting 3SAT

There are two ways to think about **3SAT**

- 1 Find a way to assign 0/1 (false/true) to the variables such that the formula evaluates to true, that is each clause evaluates to true.
- 2  Pick a literal from each clause and find a truth assignment to make all of them true

Interpreting 3SAT

There are two ways to think about **3SAT**

- 1 Find a way to assign 0/1 (false/true) to the variables such that the formula evaluates to true, that is each clause evaluates to true.
- 2 Pick a literal from each clause and find a truth assignment to make all of them true. You will fail if two of the literals you pick are in **conflict**, i.e., you pick x_i and $\neg x_i$

We will take the second view of **3SAT** to construct the reduction.

The Reduction

- 1 G_φ will have one vertex for each literal in a clause




Figure: Graph for

$$\varphi = (\neg x_1 \vee x_2 \vee x_3) \wedge (x_1 \vee \neg x_2 \vee x_3) \wedge (\neg x_1 \vee x_2 \vee x_4)$$

The Reduction

- 1 G_φ will have one vertex for each literal in a clause
- 2 Connect the 3 literals in a clause to form a triangle; the independent set will pick at most one vertex from each clause, which will correspond to the literal to be set to true




Figure: Graph for

$$\varphi = (\neg x_1 \vee x_2 \vee x_3) \wedge (x_1 \vee \neg x_2 \vee x_3) \wedge (\neg x_1 \vee x_2 \vee x_4)$$

The Reduction

- 1 G_φ will have one vertex for each literal in a clause
- 2 Connect the 3 literals in a clause to form a triangle; the independent set will pick at most one vertex from each clause, which will correspond to the literal to be set to true




Figure: Graph for

$$\varphi = (\neg x_1 \vee x_2 \vee x_3) \wedge (x_1 \vee \neg x_2 \vee x_3) \wedge (\neg x_1 \vee x_2 \vee x_4)$$

The Reduction

- 1 G_φ will have one vertex for each literal in a clause
- 2 Connect the 3 literals in a clause to form a triangle; the independent set will pick at most one vertex from each clause, which will correspond to the literal to be set to true
- 3 Connect 2 vertices if they label complementary literals; this ensures that the literals corresponding to the independent set do not have a conflict




Figure: Graph for

$$\varphi = (\neg x_1 \vee x_2 \vee x_3) \wedge (x_1 \vee \neg x_2 \vee x_3) \wedge (\neg x_1 \vee x_2 \vee x_4)$$

The Reduction

- 1 G_φ will have one vertex for each literal in a clause
- 2 Connect the 3 literals in a clause to form a triangle; the independent set will pick at most one vertex from each clause, which will correspond to the literal to be set to true
- 3 Connect 2 vertices if they label complementary literals; this ensures that the literals corresponding to the independent set do not have a conflict
- 4 Take k to be the number of clauses




Figure: Graph for

$$\varphi = (\neg x_1 \vee x_2 \vee x_3) \wedge (x_1 \vee \neg x_2 \vee x_3) \wedge (\neg x_1 \vee x_2 \vee x_4)$$

Correctness

Proposition

φ is satisfiable iff G_φ has an independent set of size k (= number of clauses in φ).

Proof.

\Rightarrow Let a be the truth assignment satisfying φ

Proposition

φ is satisfiable iff G_φ has an independent set of size k (= number of clauses in φ).

Proof.

\Rightarrow Let \mathbf{a} be the truth assignment satisfying φ

- 1 Pick one of the vertices, corresponding to true literals under \mathbf{a} , from each triangle. This is an independent set of the appropriate size. Why? □

Correctness (contd)

Proposition

φ is satisfiable iff G_φ has an independent set of size k (= number of clauses in φ).

Proof.

← Let S be an independent set of size k

- 1 S must contain *exactly* one vertex from each clause
- 2 S cannot contain vertices labeled by conflicting literals
- 3 Thus, it is possible to obtain a truth assignment that makes in the literals in S true; such an assignment satisfies one literal in every clause □