

## Directed Graphs and DFS

Lecture 16

March 23, 2021

# Topics

- Structure of directed graphs
  - Directed acyclic graphs (DAGs) and topological sort
  - Strong connected components and meta graph representation
- **DFS** and its properties including pre/post numbering
- Linear time algorithm for computing all SCCs of a directed graph

# Strong Connected Components (SCCs)


## Algorithmic Problem

Find all SCCs of a given directed graph.



Previous lecture:

Saw an  $O(n \cdot (n + m))$  time algorithm.

This lecture: sketch of a  $O(n + m)$  time algorithm.



# Graph of SCCs



## Meta-graph of SCCs

Let  $S_1, S_2, \dots, S_k$  be the strong connected components (i.e., SCCs) of  $G$ . The graph of SCCs is  $G^{\text{SCC}}$

- 1 Vertices are  $S_1, S_2, \dots, S_k$
- 2 There is an edge  $(S_i, S_j)$  if there is some  $u \in S_i$  and  $v \in S_j$  such that  $(u, v)$  is an edge in  $G$ .

# Reversal and SCCs

## Proposition

*For any graph  $G$ , the graph of SCCs of  $G^{\text{rev}}$  is the same as the reversal of  $G^{\text{SCC}}$ .*

## Proof.

Exercise. □

# SCCs and DAGs

## Proposition

*For any graph  $G$ , the graph  $G^{\text{SCC}}$  has no directed cycle.*

## Proof.

If  $G^{\text{SCC}}$  has a cycle  $S_1, S_2, \dots, S_k$  then  $S_1 \cup S_2 \cup \dots \cup S_k$  should be in the same **SCC** in  $G$ . Formal details: exercise.  $\square$


# Part I

## Directed Acyclic Graphs

# Directed Acyclic Graphs


## Definition

A directed graph  $G$  is a **directed acyclic graph (DAG)** if there is no directed cycle in  $G$ .






# DAGs can be complicated




# DAGs can be complicated



# DAGs can be dense

A DAG on  $n$  vertices can have  $\Omega(n^2)$  edges. Which ones?

# Sources and Sinks



## Definition

- 1 A vertex  $u$  is a **source** if it has no in-coming edges.
- 2 A vertex  $u$  is a **sink** if it has no out-going edges.

# DAG Properties

## Proposition

Every DAG  $G$  has at least one source and at least one sink.

# DAG Properties

## Proposition

Every DAG  $G$  has at least one source and at least one sink.

## Proof.

Let  $P = v_1, v_2, \dots, v_k$  be a *longest* (or a *maximal*) path in  $G$ . Claim that  $v_1$  is a source and  $v_k$  is a sink. Suppose  $v_1$  is not a source. Then  $v_1$  has an incoming edge which either creates a cycle, or creates a longer path, both of which are contradictions. Similarly if  $v_k$  is not a sink, then it has an outgoing edge and creates a cycle, or a longer path.  $\square$

# DAG Properties

## Proposition

Every DAG  $G$  has at least one source and at least one sink.


## Proof.

Let  $P = v_1, v_2, \dots, v_k$  be a longest (or a maximal) path in  $G$ . Claim that  $v_1$  is a source and  $v_k$  is a sink. Suppose  $v_1$  is not a source. Then  $v_1$  has an incoming edge which either creates a cycle, or creates a longer path, both of which are contradictions. Similarly if  $v_k$  is not a sink, then it has an outgoing edge and creates a cycle, or a longer path.  $\square$


- 1  $G$  is a DAG if and only if  $G^{\text{rev}}$  is a DAG.
- 2  $G$  is a DAG if and only if each node is in its own strong connected component.

Formal proofs: exercise.

# Topological Ordering/Sorting



Graph  $G$



Topological Ordering of  $G$

## Definition

A **topological ordering/topological sorting** of  $G = (V, E)$  is an ordering  $\prec$  on  $V$  such that if  $(u \rightarrow v) \in E$  then  $u \prec v$ .

## Informal equivalent definition:

One can order the vertices of the graph along a line (say the  $x$ -axis) such that all edges are from left to right.



# DAGs and Topological Sort

## Lemma

*A directed graph  $G$  can be topologically ordered if and only if it is a DAG.*

Need to show both directions.

# DAGs and Topological Sort

## Lemma

A directed graph  $G$  can be topologically ordered **if** it is a DAG.

## Proof.


Consider the following algorithm:

- 1 Pick a source  $u$ , output it.
- 2 Remove  $u$  and all edges out of  $u$ .
- 3 Repeat until graph is empty.

Exercise: prove this gives topological sort. □

Exercise: show algorithm can be implemented in  $O(m + n)$  time.

# Topological Sort: Example



# DAGs and Topological Sort

## Lemma

A directed graph  $G$  can be topologically ordered **only if** it is a DAG.

## Proof.

Suppose  $G$  is not a DAG and has a topological ordering  $\prec$ .  $G$  has a cycle  $C = u_1, u_2, \dots, u_k, u_1$ .

Then  $u_1 \prec u_2 \prec \dots \prec u_k \prec u_1$ !

That is...  $u_1 \prec u_1$ .

A contradiction (to  $\prec$  being an order).

Not possible to topologically order the vertices. □

# DAGs and Topological Sort

**Note:** A DAG  $G$  may have many different topological sorts.

**Question:** What is a DAG with the most number of distinct topological sorts for a given number  $n$  of vertices?

**Question:** What is a DAG with the least number of distinct topological sorts for a given number  $n$  of vertices?

# Cycles in graphs

**Question:** Given an *undirected* graph how do we check whether it has a cycle and output one if it has one?

**Question:** Given an *directed* graph how do we check whether it has a cycle and output one if it has one?

# To Remember: Structure of Graphs

**Undirected graph:** connected components of  $G = (V, E)$  partition  $V$  and can be computed in  $O(m + n)$  time.

**Directed graph:** the meta-graph  $G^{\text{SCC}}$  of  $G$  can be computed in  $O(m + n)$  time.  $G^{\text{SCC}}$  gives information on the partition of  $V$  into strong connected components and how they form a DAG structure.

Above structural decomposition will be useful in several algorithms

## Part II

# Depth First Search (DFS)



# Depth First Search

**DFS** is a special case of Basic Search but is a versatile graph exploration strategy. John Hopcroft and Bob Tarjan (Turing Award winners) demonstrated the power of **DFS** to understand graph structure. **DFS** can be used to obtain linear time ( $O(m + n)$ ) algorithms for

- 1 Finding cut-edges and cut-vertices of undirected graphs
- 2 Finding strong connected components of directed graphs
- 3 Linear time algorithm for testing whether a graph is planar

Many other applications as well.

# DFS in Undirected Graphs

Recursive version. Easier to understand some properties.

**DFS**( $G$ )

```
for all  $u \in V(G)$  do
  Mark  $u$  as unvisited
  Set  $\text{pred}(u)$  to null
 $T$  is set to  $\emptyset$ 
while  $\exists$  unvisited  $u$  do
  DFS( $u$ )
Output  $T$ 
```


**DFS**( $u$ )

```
Mark  $u$  as visited
for each  $uv$  in  $\text{Out}(u)$  do
  if  $v$  is not visited then
    add edge  $uv$  to  $T$ 
    set  $\text{pred}(v)$  to  $u$ 
    DFS( $v$ )
```

Implemented using a global array *Visited* for all recursive calls.  
 $T$  is the search tree/forest.

Non-recursive version: based on stacks

# Example



Edges classified into two types:  $uv \in E$  is a

- 1 **tree edge**: belongs to  $T$
- 2 **non-tree edge**: does not belong to  $T$

# Properties of DFS tree

## Proposition

- 1  $T$  is a forest
- 2 connected components of  $T$  are same as those of  $G$ .
- 3 If  $uv \in E$  is a non-tree edge then, in  $T$ , either:
  - 1  $u$  is an ancestor of  $v$ , or
  - 2  $v$  is an ancestor of  $u$ .

**Question:** Why are there no *cross-edges*?


# DFS with Visit Times

Keep track of when nodes are visited.

```
DFS( $G$ )  
  for all  $u \in V(G)$  do  
    Mark  $u$  as unvisited  
   $T$  is set to  $\emptyset$   
   $time = 0$   
  while  $\exists$  unvisited  $u$  do  
    DFS( $u$ )  
  Output  $T$ 
```

```
DFS( $u$ )  
  Mark  $u$  as visited  
   $pre(u) = ++time$   
  for each  $uv$  in  $Out(u)$  do  
    if  $v$  is not marked then  
      add edge  $uv$  to  $T$   
      DFS( $v$ )  
   $post(u) = ++time$ 
```

# Example



## pre and post numbers

Node  $u$  is **active** in time interval  $[\text{pre}(u), \text{post}(u)]$

### Proposition

*For any two nodes  $u$  and  $v$ , the two intervals  $[\text{pre}(u), \text{post}(u)]$  and  $[\text{pre}(v), \text{post}(v)]$  are disjoint or one is contained in the other.*

# pre and post numbers

Node  $u$  is **active** in time interval  $[\text{pre}(u), \text{post}(u)]$

## Proposition

*For any two nodes  $u$  and  $v$ , the two intervals  $[\text{pre}(u), \text{post}(u)]$  and  $[\text{pre}(v), \text{post}(v)]$  are disjoint or one is contained in the other.*

## Proof.



# pre and post numbers

Node  $u$  is **active** in time interval  $[\text{pre}(u), \text{post}(u)]$

## Proposition

*For any two nodes  $u$  and  $v$ , the two intervals  $[\text{pre}(u), \text{post}(u)]$  and  $[\text{pre}(v), \text{post}(v)]$  are disjoint or one is contained in the other.*

## Proof.

- Assume without loss of generality that  $\text{pre}(u) < \text{pre}(v)$ . Then  $v$  visited after  $u$ .

# pre and post numbers

Node  $u$  is **active** in time interval  $[\text{pre}(u), \text{post}(u)]$

## Proposition

*For any two nodes  $u$  and  $v$ , the two intervals  $[\text{pre}(u), \text{post}(u)]$  and  $[\text{pre}(v), \text{post}(v)]$  are disjoint or one is contained in the other.*

## Proof.

- Assume without loss of generality that  $\text{pre}(u) < \text{pre}(v)$ . Then  $v$  visited after  $u$ .
- If  $\text{DFS}(v)$  invoked before  $\text{DFS}(u)$  finished,  $\text{post}(v) < \text{post}(u)$ .

# pre and post numbers

Node  $u$  is **active** in time interval  $[\text{pre}(u), \text{post}(u)]$

## Proposition

*For any two nodes  $u$  and  $v$ , the two intervals  $[\text{pre}(u), \text{post}(u)]$  and  $[\text{pre}(v), \text{post}(v)]$  are disjoint or one is contained in the other.*

## Proof.

- Assume without loss of generality that  $\text{pre}(u) < \text{pre}(v)$ . Then  $v$  visited after  $u$ .
- If  $\text{DFS}(v)$  invoked before  $\text{DFS}(u)$  finished,  $\text{post}(v) < \text{post}(u)$ .
- If  $\text{DFS}(v)$  invoked after  $\text{DFS}(u)$  finished,  $\text{pre}(v) > \text{post}(u)$ .  $\square$

# pre and post numbers

Node  $u$  is **active** in time interval  $[\text{pre}(u), \text{post}(u)]$

## Proposition

*For any two nodes  $u$  and  $v$ , the two intervals  $[\text{pre}(u), \text{post}(u)]$  and  $[\text{pre}(v), \text{post}(v)]$  are disjoint or one is contained in the other.*

## Proof.

- Assume without loss of generality that  $\text{pre}(u) < \text{pre}(v)$ . Then  $v$  visited after  $u$ .
- If  $\text{DFS}(v)$  invoked before  $\text{DFS}(u)$  finished,  $\text{post}(v) < \text{post}(u)$ .
- If  $\text{DFS}(v)$  invoked after  $\text{DFS}(u)$  finished,  $\text{pre}(v) > \text{post}(u)$ .  $\square$

pre and post numbers useful in several applications of **DFS**

# DFS in Directed Graphs

## DFS( $G$ )

Mark all nodes  $u$  as unvisited

$T$  is set to  $\emptyset$

$time = 0$

**while** there is an unvisited node  $u$  **do**

    DFS( $u$ )

Output  $T$

## DFS( $u$ )

Mark  $u$  as visited

pre( $u$ ) = ++ $time$

**for** each edge  $(u, v)$  in  $Out(u)$  **do**


**if**  $v$  is not visited

        add edge  $(u, v)$  to  $T$

        DFS( $v$ )

post( $u$ ) = ++ $time$

# Example



# DFS Properties

Generalizing ideas from undirected graphs:

- 1 **DFS**( $G$ ) takes  $O(m + n)$  time.

# DFS Properties

Generalizing ideas from undirected graphs:

- 1 **DFS**( $G$ ) takes  $O(m + n)$  time.
- 2 Edges added form a *branching*: a forest of out-trees. Output of **DFS**( $G$ ) depends on the order in which vertices are considered.



# DFS Properties

Generalizing ideas from undirected graphs:

- 1 **DFS**( $G$ ) takes  $O(m + n)$  time.
- 2 Edges added form a *branching*: a forest of out-trees. Output of **DFS**( $G$ ) depends on the order in which vertices are considered.
- 3 If  $u$  is the first vertex considered by **DFS**( $G$ ) then **DFS**( $u$ ) outputs a directed out-tree  $T$  rooted at  $u$  and a vertex  $v$  is in  $T$  if and only if  $v \in \text{rch}(u)$

# DFS Properties

Generalizing ideas from undirected graphs:

- 1 **DFS**( $G$ ) takes  $O(m + n)$  time.
- 2 Edges added form a *branching*: a forest of out-trees. Output of **DFS**( $G$ ) depends on the order in which vertices are considered.
- 3 If  $u$  is the first vertex considered by **DFS**( $G$ ) then **DFS**( $u$ ) outputs a directed out-tree  $T$  rooted at  $u$  and a vertex  $v$  is in  $T$  if and only if  $v \in \text{rch}(u)$
- 4 For any two vertices  $x, y$  the intervals  $[\text{pre}(x), \text{post}(x)]$  and  $[\text{pre}(y), \text{post}(y)]$  are either disjoint or one is contained in the other.

# DFS Properties

Generalizing ideas from undirected graphs:

- 1 **DFS**( $G$ ) takes  $O(m + n)$  time.
- 2 Edges added form a *branching*: a forest of out-trees. Output of **DFS**( $G$ ) depends on the order in which vertices are considered.
- 3 If  $u$  is the first vertex considered by **DFS**( $G$ ) then **DFS**( $u$ ) outputs a directed out-tree  $T$  rooted at  $u$  and a vertex  $v$  is in  $T$  if and only if  $v \in \text{rch}(u)$
- 4 For any two vertices  $x, y$  the intervals  $[\text{pre}(x), \text{post}(x)]$  and  $[\text{pre}(y), \text{post}(y)]$  are either disjoint or one is contained in the other.


**Note:** Not obvious whether **DFS**( $G$ ) is useful in dir graphs but it is.

# DFS Tree

Edges of  $G$  can be classified with respect to the **DFS** tree  $T$  as:

- 1 **Tree edges** that belong to  $T$
- 2 A **forward edge** is a non-tree edges  $(x, y)$  such that  $\text{pre}(x) < \text{pre}(y) < \text{post}(y) < \text{post}(x)$ .
- 3 A **backward edge** is a non-tree edge  $(y, x)$  such that  $\text{pre}(x) < \text{pre}(y) < \text{post}(y) < \text{post}(x)$ .
- 4 A **cross edge** is a non-tree edges  $(x, y)$  such that the intervals  $[\text{pre}(x), \text{post}(x)]$  and  $[\text{pre}(y), \text{post}(y)]$  are disjoint.

# Types of Edges



# Cycles in graphs

**Question:** Given an *undirected* graph how do we check whether it has a cycle and output one if it has one?

**Question:** Given an *directed* graph how do we check whether it has a cycle and output one if it has one?

# Using DFS...

... to check for Acyclicity and compute Topological Ordering

## Question

Given  $G$ , is it a DAG? If it is, generate a topological sort. Else output a cycle  $C$ .

# Using DFS...

... to check for Acyclicity and compute Topological Ordering

## Question

Given  $G$ , is it a DAG? If it is, generate a topological sort. Else output a cycle  $C$ .

DFS based algorithm:

- 1 Compute DFS( $G$ )
- 2 If there is a back edge  $e = (v, u)$  then  $G$  is not a DAG. Output cycle  $C$  formed by path from  $u$  to  $v$  in  $T$  plus edge  $(v, u)$ .
- 3 Otherwise output nodes in decreasing post-visit order. Note: no need to sort, DFS( $G$ ) can output nodes in this order.

Algorithm runs in  $O(n + m)$  time.



# Using DFS...

... to check for Acyclicity and compute Topological Ordering

## Question

Given  $G$ , is it a DAG? If it is, generate a topological sort. Else output a cycle  $C$ .

DFS based algorithm:

- 1 Compute DFS( $G$ )
- 2 If there is a back edge  $e = (v, u)$  then  $G$  is not a DAG. Output cycle  $C$  formed by path from  $u$  to  $v$  in  $T$  plus edge  $(v, u)$ .
- 3 Otherwise output nodes in decreasing post-visit order. Note: no need to sort, DFS( $G$ ) can output nodes in this order.

Algorithm runs in  $O(n + m)$  time.

Correctness is not so obvious. See next two propositions.

# Back edge and Cycles

## Proposition

$G$  has a cycle iff there is a back-edge in **DFS**( $G$ ).

## Proof.

If:  $(u, v)$  is a back edge implies there is a cycle  $C$  consisting of the path from  $v$  to  $u$  in **DFS** search tree and the edge  $(u, v)$ .

Only if: Suppose there is a cycle  $C = v_1 \rightarrow v_2 \rightarrow \dots \rightarrow v_k \rightarrow v_1$ . Let  $v_i$  be first node in  $C$  visited in **DFS**.

All other nodes in  $C$  are descendants of  $v_i$  since they are reachable from  $v_i$ .

Therefore,  $(v_{i-1}, v_i)$  (or  $(v_k, v_1)$  if  $i = 1$ ) is a back edge. □

# Proof

## Proposition

If  $G$  is a DAG and  $\text{post}(v) > \text{post}(u)$ , then  $(u, v)$  is not in  $G$ .


## Proof.

Assume  $\text{post}(v) > \text{post}(u)$  and  $(u, v)$  is an edge in  $G$ . We derive a contradiction. One of two cases holds from DFS property.

- **Case 1:**  $[\text{pre}(u), \text{post}(u)]$  is contained in  $[\text{pre}(v), \text{post}(v)]$ .  
Implies that  $u$  is explored during  $\text{DFS}(v)$  and hence is a descendent of  $v$ . Edge  $(u, v)$  implies a cycle in  $G$  but  $G$  is assumed to be DAG!
- **Case 2:**  $[\text{pre}(u), \text{post}(u)]$  is disjoint from  $[\text{pre}(v), \text{post}(v)]$ .  
This cannot happen since  $v$  would be explored from  $u$ .



# Example



## Part III

**Linear time algorithm for finding  
all strong connected  
components of a directed graph**

# Finding all **SCCs** of a Directed Graph

## Problem

Given a directed graph  $G = (V, E)$ , output *all* its strong connected components.

# Finding all SCCs of a Directed Graph

## Problem

Given a directed graph  $G = (V, E)$ , output *all* its strong connected components.

Straightforward algorithm:

```
Mark all vertices in  $V$  as not visited.  
for each vertex  $u \in V$  not visited yet do  
    find  $\text{SCC}(G, u)$  the strong component of  $u$ :  
        Compute  $\text{rch}(G, u)$  using  $\text{DFS}(G, u)$   
        Compute  $\text{rch}(G^{\text{rev}}, u)$  using  $\text{DFS}(G^{\text{rev}}, u)$   
         $\text{SCC}(G, u) \leftarrow \text{rch}(G, u) \cap \text{rch}(G^{\text{rev}}, u)$   
         $\forall u \in \text{SCC}(G, u)$ : Mark  $u$  as visited.
```

Running time:  $O(n(n + m))$

# Finding all SCCs of a Directed Graph

## Problem

Given a directed graph  $G = (V, E)$ , output *all* its strong connected components.

Straightforward algorithm:



```
Mark all vertices in  $V$  as not visited.  
for each vertex  $u \in V$  not visited yet do  
    find  $\text{SCC}(G, u)$  the strong component of  $u$ :  
        Compute  $\text{rch}(G, u)$  using  $\text{DFS}(G, u)$   
        Compute  $\text{rch}(G^{\text{rev}}, u)$  using  $\text{DFS}(G^{\text{rev}}, u)$   
         $\text{SCC}(G, u) \leftarrow \text{rch}(G, u) \cap \text{rch}(G^{\text{rev}}, u)$   
         $\forall u \in \text{SCC}(G, u)$ : Mark  $u$  as visited.
```

Running time:  $O(n(n + m))$

Is there an  $O(n + m)$  time algorithm?



# Structure of a Directed Graph



## Reminder

$G^{SCC}$  is created by collapsing every strong connected component to a single vertex.

## Proposition

For a directed graph  $G$ , its meta-graph  $G^{SCC}$  is a DAG.

# Linear-time Algorithm for SCCs: Ideas

Exploit structure of meta-graph...

## Wishful Thinking Algorithm

- 1 Let  $u$  be a vertex in a *sink* SCC of  $G^{\text{SCC}}$
- 2 Do **DFS**( $u$ ) to compute **SCC**( $u$ )
- 3 Remove **SCC**( $u$ ) and repeat

# Linear-time Algorithm for SCCs: Ideas

Exploit structure of meta-graph...

## Wishful Thinking Algorithm

- 1 Let  $u$  be a vertex in a *sink* SCC of  $G^{\text{SCC}}$
- 2 Do **DFS**( $u$ ) to compute **SCC**( $u$ )
- 3 Remove **SCC**( $u$ ) and repeat

## Justification

- 1 **DFS**( $u$ ) only visits vertices (and edges) in **SCC**( $u$ )

# Linear-time Algorithm for SCCs: Ideas

Exploit structure of meta-graph...

## Wishful Thinking Algorithm

- 1 Let  $u$  be a vertex in a *sink* SCC of  $G^{\text{SCC}}$
- 2 Do **DFS**( $u$ ) to compute **SCC**( $u$ )
- 3 Remove **SCC**( $u$ ) and repeat

## Justification

- 1 **DFS**( $u$ ) only visits vertices (and edges) in **SCC**( $u$ )
- 2 ... since there are no edges coming out a sink!
- 3
- 4

# Linear-time Algorithm for SCCs: Ideas

Exploit structure of meta-graph...

## Wishful Thinking Algorithm

- 1 Let  $u$  be a vertex in a *sink* SCC of  $G^{\text{SCC}}$
- 2 Do **DFS**( $u$ ) to compute **SCC**( $u$ )
- 3 Remove **SCC**( $u$ ) and repeat

## Justification

- 1 **DFS**( $u$ ) only visits vertices (and edges) in **SCC**( $u$ )
- 2 ... since there are no edges coming out a sink!
- 3 **DFS**( $u$ ) takes time proportional to size of **SCC**( $u$ )
- 4

# Linear-time Algorithm for SCCs: Ideas

Exploit structure of meta-graph...

## Wishful Thinking Algorithm

- 1 Let  $u$  be a vertex in a *sink* SCC of  $G^{\text{SCC}}$
- 2 Do **DFS**( $u$ ) to compute **SCC**( $u$ )
- 3 Remove **SCC**( $u$ ) and repeat

## Justification

- 1 **DFS**( $u$ ) only visits vertices (and edges) in **SCC**( $u$ )
- 2 ... since there are no edges coming out a sink!
- 3 **DFS**( $u$ ) takes time proportional to size of **SCC**( $u$ )
- 4 Therefore, total time  $O(n + m)$ !

# Big Challenge(s)

How do we find a vertex in a sink **SCC** of  $G^{\text{SCC}}$ ?

# Big Challenge(s)

How do we find a vertex in a sink **SCC** of  $G^{\text{SCC}}$ ?

Can we obtain an *implicit* topological sort of  $G^{\text{SCC}}$  without computing  $G^{\text{SCC}}$ ?



# Big Challenge(s)

How do we find a vertex in a sink **SCC** of  $G^{\text{SCC}}$ ?

Can we obtain an *implicit* topological sort of  $G^{\text{SCC}}$  without computing  $G^{\text{SCC}}$ ?

**Answer:** **DFS**( $G$ ) gives some information!

# Linear Time Algorithm

...for computing the strong connected components in  $G$


```
do DFS( $G^{\text{rev}}$ ) and output vertices in decreasing post order.  
Mark all nodes as unvisited  
for each  $u$  in the computed order do  
    if  $u$  is not visited then  
        DFS( $u$ )  
        Let  $S_u$  be the nodes reached by  $u$   
        Output  $S_u$  as a strong connected component  
        Remove  $S_u$  from  $G$ 
```

## Theorem


*Algorithm runs in time  $O(m + n)$  and correctly outputs all the SCCs of  $G$ .*

# Linear Time Algorithm: Initial steps


Graph  $G$ :




Reverse graph  $G^{\text{rev}}$ :



**DFS** of reverse graph:




Pre/Post **DFS** numbering of reverse graph:




# Linear Time Algorithm: An Example

## Removing connected components: 1

Original graph  $G$  with rev post numbers:



Do **DFS** from vertex  $G$  remove it.




**SCC** computed:  
 $\{G\}$

# Linear Time Algorithm: An Example


## Removing connected components: 2

Do **DFS** from vertex **G**  
remove it.



**SCC** computed:  
{**G**}

Do **DFS** from vertex **H**,  
remove it.




**SCC** computed:  
{**G**}, {**H**}


# Linear Time Algorithm: An Example

## Removing connected components: 3

Do **DFS** from vertex  $H$ ,  
remove it.



Do **DFS** from vertex  $B$   
Remove visited vertices:  
 $\{F, B, E\}$ .




**SCC** computed:  
 $\{G\}, \{H\}$

**SCC** computed:  
 $\{G\}, \{H\}, \{F, B, E\}$

# Linear Time Algorithm: An Example

## Removing connected components: 4

Do **DFS** from vertex **F**  
Remove visited vertices:  
**{F, B, E}**.



**SCC** computed:  
**{G}, {H}, {F, B, E}**


Do **DFS** from vertex **A**  
Remove visited vertices:  
**{A, C, D}**.



**SCC** computed:  
**{G}, {H}, {F, B, E}, {A, C, D}**

# Linear Time Algorithm: An Example

Final result



SCC computed:

$\{G\}, \{H\}, \{F, B, E\}, \{A, C, D\}$

Which is the correct answer!



# Obtaining the meta-graph...

Once the strong connected components are computed.

## Exercise:

Given all the strong connected components of a directed graph  $G = (V, E)$  show that the meta-graph  $G^{\text{SCC}}$  can be obtained in  $O(m + n)$  time.

# Solving Problems on Directed Graphs

A template for a class of problems on directed graphs:

- Is the problem solvable when  $G$  is strongly connected?
- Is the problem solvable when  $G$  is a DAG?
- If the above two are feasible then is the problem solvable in a general directed graph  $G$  by considering the meta graph  $G^{\text{SCC}}$ ?

## Part IV

**An Application to make**

# Make/Makefile

- Ⓐ I know what make/makefile is.
- Ⓑ I do NOT know what make/makefile is.

# make **Utility [Feldman]**

- 1 Unix utility for automatically building large software applications
- 2 A makefile specifies
  - 1 Object files to be created,
  - 2 Source/object files to be used in creation, and
  - 3 How to create them

# An Example makefile


```
project: main.o utils.o command.o
    cc -o project main.o utils.o command.o

main.o: main.c defs.h
    cc -c main.c

utils.o: utils.c defs.h command.h
    cc -c utils.c

command.o: command.c defs.h command.h
    cc -c command.c
```

# makefile as a Digraph



# Computational Problems for `make`

- 1 Is the `makefile` reasonable?
- 2 If it is reasonable, in what order should the object files be created?
- 3 If it is not reasonable, provide helpful debugging information.
- 4 If some file is modified, find the fewest compilations needed to make application consistent.



# Algorithms for make

- 1 Is the makefile reasonable? Is  $G$  a DAG?
- 2 If it is reasonable, in what order should the object files be created? Find a topological sort of a DAG.
- 3 If it is not reasonable, provide helpful debugging information. Output a cycle. More generally, output all strong connected components.
- 4 If some file is modified, find the fewest compilations needed to make application consistent.
  - 1 Find all vertices reachable (using DFS/BFS) from modified files in directed graph, and recompile them in proper order. Verify that one can find the files to recompile and the ordering in linear time.

# Take away Points

- 1 Given a directed graph  $G$ , its **SCCs** and the associated acyclic meta-graph  $G^{\text{SCC}}$  give a structural decomposition of  $G$  that should be kept in mind.
- 2 There is a **DFS** based linear time algorithm to compute all the **SCCs** and the meta-graph. Properties of **DFS** crucial for the algorithm.
- 3 **DAGs** arise in many application and topological sort is a key property in algorithm design. Linear time algorithms to compute a topological sort (there can be many possible orderings so not unique).