




Introduction to ROOT


April Townsend
Physics 403
September 1, 2020

What is ROOT?


- ROOT is an object-oriented framework for large-scale data handling & analysis.
- It is originally developed for high energy physics experiments (still used by *most* particle physics experiments), but now also finds application in astronomy, data mining, etc.
- For example, the analysis and plots of recent Higgs Boson discovery are mostly done using ROOT.





Higgs Boson Discovery



Why use ROOT?

- ROOT can efficiently handle structured **large data sets** (PetaBytes ).
- ROOT has **advanced statistical analysis algorithms** (multi-dimensional fitting, neural network, etc).
- ROOT has scientific **visualization tools** with 2D and 3D graphics; not as 'pretty' as e.g. Origin, but functional.
- ROOT is an **open-source** project. It is free, and available for **Windows, Mac, and Linux** machines.


Minuit fit result on the Graph2DErrors points



ALICE Detector

Using ROOT

```
void histEfficiency() {  
  const Int_t nPer = 5;  
  Double_t U2efficiency[nPer] = {92.8, 39.72, 40.61, 40.77, 36.35};  
  Double_t U1efficiency[nPer] = {93.79, 39.72, 40.61, 40.77, 36.35};  
  
  Double_t V2efficiency[nPer] = {, 39.72, 40.61, 40.77, 36.35};  
  Double_t V1efficiency[nPer] = {93.79, 39.72, 40.61, 40.77, 36.35};  
  
  Double_t X1efficiency[nPer] = {93.79, 39.72, 40.61, 40.77, 36.35};  
  Double_t X2efficiency[nPer] = {93.79, 39.72, 40.61, 40.77, 36.35};  
  
  Double_t Y2efficiency[nPer] = {46.50, 39.72, 40.61, 40.77, 36.35};  
  Double_t Y1efficiency[nPer] = {46.50, 39.72, 40.61, 40.77, 36.35};  
}
```



Three user interfaces:

- Graphic User Interface
- Command line
- Macros and scripts

We will use all of them to help us with the analysis, you will write your own (or modify existing) analysis scripts.


→ ROOT is installed on the LINUX machine in 5103

→ You can also do your work by remotely logging into the machine (ask April).

→ Finally, you can install it on your own computer... There is an extremely useful blog post by a physicist on medium.com that will take you through each step:


<https://medium.com/@blake.leverington/installing-cern-root-under-windows-10-with-subsystem-for-linux-beta-75295defc6d4>

Application: Muon Experiment




→ 16 PMT signals, w/both **energy** and **timing** information, are recorded by the data acquisition system (DAQ). An analyzer program converts the binary data into a ROOT tree.

Data Structure (TTree)



- TTree is one of the most commonly used structures in ROOT.
- One can store variables, arrays and any other C++ datatype in the tree 'branches'
- If we store only floating number variables in the branches, this tree structure is also called a Ttuple
- Usually we "loop" over a TTree to obtain relevant information from each entry and make **plots**


Histogram and Fitting



Histogram of a PMT energy signal

- From the ROOT tree, one can extract information recorded by each PMT & make histograms.
- You can then fit them with appropriate functions – **this will be a major task of most groups.**

Data Cuts and Analysis



Muon g-factor measurement

- Data analysis involves the selection of interesting events, called data cuts.
- You will also perform fitting and other analysis work to perform calibrations & extract important physics quantities.

Where to find more information?

- Users Guide and Reference Manuals are available at: <http://root.cern.ch>
- Online tutorials are very useful:
<http://root.cern.ch/root/html/tutorials/>
- Sample scripts can also be found in MyRoot on the course portal (for plotting MCA spectrum, γ - γ coincidence experiments, etc)
- Online forums, such as roottalk:
<http://root.cern.ch/phpBB3/>, where you can ask help from the user community.