

and by students of motion in the Middle Ages, of physical optics in the late seventeenth century, and of historical geology in the early nineteenth. They had, that is, achieved a paradigm that proved able to guide the whole group's research. Except with the advantage of hindsight, it is hard to find another criterion that so clearly proclaims a field a science.

III. The Nature of Normal Science

What then is the nature of the more professional and esoteric research that a group's reception of a single paradigm permits? If the paradigm represents work that has been done once and for all, what further problems does it leave the united group to resolve? Those questions will seem even more urgent if we now note one respect in which the terms used so far may be misleading. In its established usage, a paradigm is an accepted model or pattern, and that aspect of its meaning has enabled me, lacking a better word, to appropriate 'paradigm' here. But it will shortly be clear that the sense of 'model' and 'pattern' that permits the appropriation is not quite the one usual in defining 'paradigm.' In grammar, for example, '*amo, amas, amat*' is a paradigm because it displays the pattern to be used in conjugating a large number of other Latin verbs, e.g., in producing '*laudo, laudas, laudat.*' In this standard application, the paradigm functions by permitting the replication of examples any one of which could in principle serve to replace it. In a science, on the other hand, a paradigm is rarely an object for replication. Instead, like an accepted judicial decision in the common law, it is an object for further articulation and specification under new or more stringent conditions.

To see how this can be so, we must recognize how very limited in both scope and precision a paradigm can be at the time of its first appearance. Paradigms gain their status because they are more successful than their competitors in solving a few problems that the group of practitioners has come to recognize as acute. To be more successful is not, however, to be either completely successful with a single problem or notably successful with any large number. The success of a paradigm—whether Aristotle's analysis of motion, Ptolemy's computations of planetary position, Lavoisier's application of the balance, or Maxwell's mathematization of the electromagnetic field—is at the start largely a promise of success discoverable in selected and

still incomplete examples. Normal science consists in the actualization of that promise, an actualization achieved by extending the knowledge of those facts that the paradigm displays as particularly revealing, by increasing the extent of the match between those facts and the paradigm's predictions, and by further articulation of the paradigm itself.

Few people who are not actually practitioners of a mature science realize how much mop-up work of this sort a paradigm leaves to be done or quite how fascinating such work can prove in the execution. And these points need to be understood. Mop-up operations are what engage most scientists throughout their careers. They constitute what I am here calling normal science. Closely examined, whether historically or in the contemporary laboratory, that enterprise seems an attempt to force nature into the preformed and relatively inflexible box that the paradigm supplies. No part of the aim of normal science is to call forth new sorts of phenomena; indeed those that will not fit the box are often not seen at all. Nor do scientists normally aim to invent new theories, and they are often intolerant of those invented by others.¹ Instead, normal-scientific research is directed to the articulation of those phenomena and theories that the paradigm already supplies.

Perhaps these are defects. The areas investigated by normal science are, of course, minuscule; the enterprise now under discussion has drastically restricted vision. But those restrictions, born from confidence in a paradigm, turn out to be essential to the development of science. By focusing attention upon a small range of relatively esoteric problems, the paradigm forces scientists to investigate some part of nature in a detail and depth that would otherwise be unimaginable. And normal science possesses a built-in mechanism that ensures the relaxation of the restrictions that bound research whenever the paradigm from which they derive ceases to function effectively. At that point scientists begin to behave differently, and the nature of their research problems changes. In the interim, however, during the

¹ Bernard Barber, "Resistance by Scientists to Scientific Discovery," *Science*, CXXXIV (1961), 596-602.

period when the paradigm is successful, the profession will have solved problems that its members could scarcely have imagined and would never have undertaken without commitment to the paradigm. And at least part of that achievement always proves to be permanent.

To display more clearly what is meant by normal or paradigm-based research, let me now attempt to classify and illustrate the problems of which normal science principally consists. For convenience I postpone theoretical activity and begin with fact-gathering, that is, with the experiments and observations described in the technical journals through which scientists inform their professional colleagues of the results of their continuing research. On what aspects of nature do scientists ordinarily report? What determines their choice? And, since most scientific observation consumes much time, equipment, and money, what motivates the scientist to pursue that choice to a conclusion?

There are, I think, only three normal foci for factual scientific investigation, and they are neither always nor permanently distinct. First is that class of facts that the paradigm has shown to be particularly revealing of the nature of things. By employing them in solving problems, the paradigm has made them worth determining both with more precision and in a larger variety of situations. At one time or another, these significant factual determinations have included: in astronomy—stellar position and magnitude, the periods of eclipsing binaries and of planets; in physics—the specific gravities and compressibilities of materials, wave lengths and spectral intensities, electrical conductivities and contact potentials; and in chemistry—composition and combining weights, boiling points and acidity of solutions, structural formulas and optical activities. Attempts to increase the accuracy and scope with which facts like these are known occupy a significant fraction of the literature of experimental and observational science. Again and again complex special apparatus has been designed for such purposes, and the invention, construction, and deployment of that apparatus have demanded first-rate talent, much time, and considerable financial

backing. Synchrotrons and radiotelescopes are only the most recent examples of the lengths to which research workers will go if a paradigm assures them that the facts they seek are important. From Tycho Brahe to E. O. Lawrence, some scientists have acquired great reputations, not from any novelty of their discoveries, but from the precision, reliability, and scope of the methods they developed for the redetermination of a previously known sort of fact.

✧ A second usual but smaller class of factual determinations is directed to those facts that, though often without much intrinsic interest, can be compared directly with predictions from the paradigm theory. As we shall see shortly, when I turn from the experimental to the theoretical problems of normal science, there are seldom many areas in which a scientific theory, particularly if it is cast in a predominantly mathematical form can be directly compared with nature. No more than three such areas are even yet accessible to Einstein's general theory of relativity.² Furthermore, even in those areas where application is possible, it often demands theoretical and instrumental approximations that severely limit the agreement to be expected. Improving that agreement or finding new areas in which agreement can be demonstrated at all presents a constant challenge to the skill and imagination of the experimentalist and observer. Special telescopes to demonstrate the Copernican prediction of annual parallax; Atwood's machine, first invented almost a century after the *Principia*, to give the first unequivocal demonstration of Newton's second law; Foucault's apparatus to show that the speed of light is greater in air than in water; or the gigantic scintillation counter designed to demonstrate the existence of

² The only long-standing check point still generally recognized is the precession of Mercury's perihelion. The red shift in the spectrum of light from distant stars can be derived from considerations more elementary than general relativity, and the same may be possible for the bending of light around the sun, a point now in some dispute. In any case, measurements of the latter phenomenon remain equivocal. One additional check point may have been established very recently: the gravitational shift of Mossbauer radiation. Perhaps there will soon be others in this now active but long dormant field. For an up-to-date capsule account of the problem, see L. I. Schiff, "A Report on the NASA Conference on Experimental Tests of Theories of Relativity," *Physics Today*, XIV (1961), 42-48.

the neutrino—these pieces of special apparatus and many others like them illustrate the immense effort and ingenuity that have been required to bring nature and theory into closer and closer agreement.³ That attempt to demonstrate agreement is a second type of normal experimental work, and it is even more obviously dependent than the first upon a paradigm. The existence of the paradigm sets the problem to be solved; often the paradigm theory is implicated directly in the design of apparatus able to solve the problem. Without the *Principia*, for example, measurements made with the Atwood machine would have meant nothing at all.

✧ A third class of experiments and observations exhausts, I think, the fact-gathering activities of normal science. It consists of empirical work undertaken to articulate the paradigm theory, resolving some of its residual ambiguities and permitting the solution of problems to which it had previously only drawn attention. This class proves to be the most important of all, and its description demands its subdivision. In the more mathematical sciences, some of the experiments aimed at articulation are directed to the determination of physical constants. Newton's work, for example, indicated that the force between two unit masses at unit distance would be the same for all types of matter at all positions in the universe. But his own problems could be solved without even estimating the size of this attraction, the universal gravitational constant; and no one else devised apparatus able to determine it for a century after the *Principia* appeared. Nor was Cavendish's famous determination in the 1790's the last. Because of its central position in physical theory, improved values of the gravitational constant have been the object of repeated efforts ever since by a number of outstanding

³ For two of the parallax telescopes, see Abraham Wolf, *A History of Science, Technology, and Philosophy in the Eighteenth Century* (2d ed.; London, 1952), pp. 103-5. For the Atwood machine, see N. R. Hanson, *Patterns of Discovery* (Cambridge, 1958), pp. 100-102, 207-8. For the last two pieces of special apparatus, see M. L. Foucault, "Méthode générale pour mesurer la vitesse de la lumière dans l'air et les milieux transparents. Vitesses relatives de la lumière dans l'air et dans l'eau . . ." *Comptes rendus . . . de l'Académie des sciences*, XXX (1850), 551-60; and C. L. Cowan, Jr., et al., "Detection of the Free Neutrino: A Confirmation," *Science*, CXXIV (1956), 103-4.

experimentalists.⁴ Other examples of the same sort of continuing work would include determinations of the astronomical unit, Avogadro's number, Joule's coefficient, the electronic charge, and so on. Few of these elaborate efforts would have been conceived and none would have been carried out without a paradigm theory to define the problem and to guarantee the existence of a stable solution.

Efforts to articulate a paradigm are not, however, restricted to the determination of universal constants. They may, for example, also aim at quantitative laws: Boyle's Law relating gas pressure to volume, Coulomb's Law of electrical attraction, and Joule's formula relating heat generated to electrical resistance and current are all in this category. Perhaps it is not apparent that a paradigm is prerequisite to the discovery of laws like these. We often hear that they are found by examining measurements undertaken for their own sake and without theoretical commitment. But history offers no support for so excessively Baconian a method. Boyle's experiments were not conceivable (and if conceived would have received another interpretation or none at all) until air was recognized as an elastic fluid to which all the elaborate concepts of hydrostatics could be applied.⁵ Coulomb's success depended upon his constructing special apparatus to measure the force between point charges. (Those who had previously measured electrical forces using ordinary pan balances, etc., had found no consistent or simple regularity at all.) But that design, in turn, depended upon the previous recognition that every particle of electric fluid acts upon every other at a distance. It was for the force between such particles—the only force which might safely be assumed

⁴ J. H. P[oynting] reviews some two dozen measurements of the gravitational constant between 1741 and 1901 in "Gravitation Constant and Mean Density of the Earth," *Encyclopaedia Britannica* (11th ed.; Cambridge, 1910-11), XII, 385-89.

⁵ For the full transplantation of hydrostatic concepts into pneumatics, see *The Physical Treatises of Pascal*, trans. I. H. B. Spiers and A. G. H. Spiers, with an introduction and notes by F. Barry (New York, 1937). Torricelli's original introduction of the parallelism ("We live submerged at the bottom of an ocean of the element air") occurs on p. 164. Its rapid development is displayed by the two main treatises.

a simple function of distance—that Coulomb was looking.⁶ Joule's experiments could also be used to illustrate how quantitative laws emerge through paradigm articulation. In fact, so general and close is the relation between qualitative paradigm and quantitative law that, since Galileo, such laws have often been correctly guessed with the aid of a paradigm years before apparatus could be designed for their experimental determination.⁷

Finally, there is a third sort of experiment which aims to articulate a paradigm. More than the others this one can resemble exploration, and it is particularly prevalent in those periods and sciences that deal more with the qualitative than with the quantitative aspects of nature's regularity. Often a paradigm developed for one set of phenomena is ambiguous in its application to other closely related ones. Then experiments are necessary to choose among the alternative ways of applying the paradigm to the new area of interest. For example, the paradigm applications of the caloric theory were to heating and cooling by mixtures and by change of state. But heat could be released or absorbed in many other ways—e.g., by chemical combination, by friction, and by compression or absorption of a gas—and to each of these other phenomena the theory could be applied in several ways. If the vacuum had a heat capacity, for example, heating by compression could be explained as the result of mixing gas with void. Or it might be due to a change in the specific heat of gases with changing pressure. And there were several other explanations besides. Many experiments were undertaken to elaborate these various possibilities and to distinguish between them; all these experiments arose from the caloric theory as paradigm, and all exploited it in the design of experiments and in the interpretation of results.⁸ Once the phe-

⁶ Duane Roller and Duane H. D. Roller, *The Development of the Concept of Electric Charge: Electricity from the Greeks to Coulomb* ("Harvard Case Histories in Experimental Science," Case 8; Cambridge, Mass., 1954), pp. 66-80.

⁷ For examples, see T. S. Kuhn, "The Function of Measurement in Modern Physical Science," *Isis*, LII (1961), 161-93.

⁸ T. S. Kuhn, "The Caloric Theory of Adiabatic Compression," *Isis*, XLIX (1958), 132-40.

nomenon of heating by compression had been established, all further experiments in the area were paradigm-dependent in this way. Given the phenomenon, how else could an experiment to elucidate it have been chosen?

Turn now to the theoretical problems of normal science, which fall into very nearly the same classes as the experimental and observational. A part of normal theoretical work, though only a small part, consists simply in the use of existing theory to predict factual information of intrinsic value. The manufacture of astronomical ephemerides, the computation of lens characteristics, and the production of radio propagation curves are examples of problems of this sort. Scientists, however, generally regard them as hack work to be relegated to engineers or technicians. At no time do very many of them appear in significant scientific journals. But these journals do contain a great many theoretical discussions of problems that, to the non-scientist, must seem almost identical. These are the manipulations of theory undertaken, not because the predictions in which they result are intrinsically valuable, but because they can be confronted directly with experiment. Their purpose is to display a new application of the paradigm or to increase the precision of an application that has already been made.

The need for work of this sort arises from the immense difficulties often encountered in developing points of contact between a theory and nature. These difficulties can be briefly illustrated by an examination of the history of dynamics after Newton. By the early eighteenth century those scientists who found a paradigm in the *Principia* took the generality of its conclusions for granted, and they had every reason to do so. No other work known to the history of science has simultaneously permitted so large an increase in both the scope and precision of research. For the heavens Newton had derived Kepler's Laws of planetary motion and also explained certain of the observed respects in which the moon failed to obey them. For the earth he had derived the results of some scattered observations on pendulums and the tides. With the aid of additional but *ad hoc* assumptions, he had also been able to derive Boyle's Law

and an important formula for the speed of sound in air. Given the state of science at the time, the success of the demonstrations was extremely impressive. Yet given the presumptive generality of Newton's Laws, the number of these applications was not great, and Newton developed almost no others. Furthermore, compared with what any graduate student of physics can achieve with those same laws today, Newton's few applications were not even developed with precision. Finally, the *Principia* had been designed for application chiefly to problems of celestial mechanics. How to adapt it for terrestrial applications, particularly for those of motion under constraint, was by no means clear. Terrestrial problems were, in any case, already being attacked with great success by a quite different set of techniques developed originally by Galileo and Huyghens and extended on the Continent during the eighteenth century by the Bernoullis, d'Alembert, and many others. Presumably their techniques and those of the *Principia* could be shown to be special cases of a more general formulation, but for some time no one saw quite how.⁹

Restrict attention for the moment to the problem of precision. We have already illustrated its empirical aspect. Special equipment—like Cavendish's apparatus, the Atwood machine, or improved telescopes—was required in order to provide the special data that the concrete applications of Newton's paradigm demanded. Similar difficulties in obtaining agreement existed on the side of theory. In applying his laws to pendulums, for example, Newton was forced to treat the bob as a mass point in order to provide a unique definition of pendulum length. Most of his theorems, the few exceptions being hypothetical and preliminary, also ignored the effect of air resistance. These were sound physical approximations. Nevertheless, as approximations they restricted the agreement to be expected

⁹ C. Truesdell, "A Program toward Rediscovering the Rational Mechanics of the Age of Reason," *Archive for History of the Exact Sciences*, I (1960), 3-36, and "Reactions of Late Baroque Mechanics to Success, Conjecture, Error, and Failure in Newton's *Principia*," *Texas Quarterly*, X (1967), 281-97. T. L. Hankins, "The Reception of Newton's Second Law of Motion in the Eighteenth Century," *Archives internationales d'histoire des sciences*, XX (1967), 42-65.

between Newton's predictions and actual experiments. The same difficulties appear even more clearly in the application of Newton's theory to the heavens. Simple quantitative telescopic observations indicate that the planets do not quite obey Kepler's Laws, and Newton's theory indicates that they should not. To derive those laws, Newton had been forced to neglect all gravitational attraction except that between individual planets and the sun. Since the planets also attract each other, only approximate agreement between the applied theory and telescopic observation could be expected.¹⁰

The agreement obtained was, of course, more than satisfactory to those who obtained it. Excepting for some terrestrial problems, no other theory could do nearly so well. None of those who questioned the validity of Newton's work did so because of its limited agreement with experiment and observation. Nevertheless, these limitations of agreement left many fascinating theoretical problems for Newton's successors. Theoretical techniques were, for example, required for treating the motions of more than two simultaneously attracting bodies and for investigating the stability of perturbed orbits. Problems like these occupied many of Europe's best mathematicians during the eighteenth and early nineteenth century. Euler, Lagrange, Laplace, and Gauss all did some of their most brilliant work on problems aimed to improve the match between Newton's paradigm and observation of the heavens. Many of these figures worked simultaneously to develop the mathematics required for applications that neither Newton nor the contemporary Continental school of mechanics had even attempted. They produced, for example, an immense literature and some very powerful mathematical techniques for hydrodynamics and for the problem of vibrating strings. These problems of application account for what is probably the most brilliant and consuming scientific work of the eighteenth century. Other examples could be discovered by an examination of the post-paradigm period in the development of thermodynamics, the wave theory of light, electromagnetic the-

¹⁰ Wolf, *op. cit.*, pp. 75-81, 96-101; and William Whewell, *History of the Inductive Sciences* (rev. ed.; London, 1847), II, 213-71.

ory, or any other branch of science whose fundamental laws are fully quantitative. At least in the more mathematical sciences, most theoretical work is of this sort. ✓

But it is not all of this sort. Even in the mathematical sciences there are also theoretical problems of paradigm articulation; and during periods when scientific development is predominantly qualitative, these problems dominate. Some of the problems, in both the more quantitative and more qualitative sciences, aim simply at clarification by reformulation. The *Principia*, for example, did not always prove an easy work to apply, partly because it retained some of the clumsiness inevitable in a first venture and partly because so much of its meaning was only implicit in its applications. For many terrestrial applications, in any case, an apparently unrelated set of Continental techniques seemed vastly more powerful. Therefore, from Euler and Lagrange in the eighteenth century to Hamilton, Jacobi, and Hertz in the nineteenth, many of Europe's most brilliant mathematical physicists repeatedly endeavored to reformulate mechanical theory in an equivalent but logically and aesthetically more satisfying form. They wished, that is, to exhibit the explicit and implicit lessons of the *Principia* and of Continental mechanics in a logically more coherent version, one that would be at once more uniform and less equivocal in its application to the newly elaborated problems of mechanics.¹¹

Similar reformulations of a paradigm have occurred repeatedly in all of the sciences, but most of them have produced more substantial changes in the paradigm than the reformulations of the *Principia* cited above. Such changes result from the empirical work previously described as aimed at paradigm articulation. Indeed, to classify that sort of work as empirical was arbitrary. More than any other sort of normal research, the problems of paradigm articulation are simultaneously theoretical and experimental; the examples given previously will serve equally well here. Before he could construct his equipment and make measurements with it, Coulomb had to employ electrical theory to determine how his equipment should be built. The

¹¹ René Dugas, *Histoire de la mécanique* (Neuchâtel, 1950), Books IV-V.

consequence of his measurements was a refinement in that theory. Or again, the men who designed the experiments that were to distinguish between the various theories of heating by compression were generally the same men who had made up the versions being compared. They were working both with fact and with theory, and their work produced not simply new information but a more precise paradigm, obtained by the elimination of ambiguities that the original from which they worked had retained. In many sciences, most normal work is of this sort.

These three classes of problems—determination of significant fact, matching of facts with theory, and articulation of theory—exhaust, I think, the literature of normal science, both empirical and theoretical. They do not, of course, quite exhaust the entire literature of science. There are also extraordinary problems, and it may well be their resolution that makes the scientific enterprise as a whole so particularly worthwhile. But extraordinary problems are not to be had for the asking. They emerge only on special occasions prepared by the advance of normal research. Inevitably, therefore, the overwhelming majority of the problems undertaken by even the very best scientists usually fall into one of the three categories outlined above. Work under the paradigm can be conducted in no other way, and to desert the paradigm is to cease practicing the science it defines. We shall shortly discover that such desertions do occur. They are the pivots about which scientific revolutions turn. But before beginning the study of such revolutions, we require a more panoramic view of the normal-scientific pursuits that prepare the way.

IV. Normal Science as Puzzle-solving

Perhaps the most striking feature of the normal research problems we have just encountered is how little they aim to produce major novelties, conceptual or phenomenal. Sometimes, as in a wave-length measurement, everything but the most esoteric detail of the result is known in advance, and the typical latitude of expectation is only somewhat wider. Coulomb's measurements need not, perhaps, have fitted an inverse square law; the men who worked on heating by compression were often prepared for any one of several results. Yet even in cases like these the range of anticipated, and thus of assimilable, results is always small compared with the range that imagination can conceive. And the project whose outcome does not fall in that narrower range is usually just a research failure, one which reflects not on nature but on the scientist.

In the eighteenth century, for example, little attention was paid to the experiments that measured electrical attraction with devices like the pan balance. Because they yielded neither consistent nor simple results, they could not be used to articulate the paradigm from which they derived. Therefore, they remained *mere* facts, unrelated and unrelatable to the continuing progress of electrical research. Only in retrospect, possessed of a subsequent paradigm, can we see what characteristics of electrical phenomena they display. Coulomb and his contemporaries, of course, also possessed this later paradigm or one that, when applied to the problem of attraction, yielded the same expectations. That is why Coulomb was able to design apparatus that gave a result assimilable by paradigm articulation. But it is also why that result surprised no one and why several of Coulomb's contemporaries had been able to predict it in advance. Even the project whose goal is paradigm articulation does not aim at the *unexpected* novelty.

But if the aim of normal science is not major substantive novelties—if failure to come near the anticipated result is usually

VI. Anomaly and the Emergence of Scientific Discoveries

Normal science, the puzzle-solving activity we have just examined, is a highly cumulative enterprise, eminently successful in its aim, the steady extension of the scope and precision of scientific knowledge. In all these respects it fits with great precision the most usual image of scientific work. Yet one standard product of the scientific enterprise is missing. Normal science does not aim at novelties of fact or theory and, when successful, finds none. New and unsuspected phenomena are, however, repeatedly uncovered by scientific research, and radical new theories have again and again been invented by scientists. History even suggests that the scientific enterprise has developed a uniquely powerful technique for producing surprises of this sort. If this characteristic of science is to be reconciled with what has already been said, then research under a paradigm must be a particularly effective way of inducing paradigm change. That is what fundamental novelties of fact and theory do. Produced inadvertently by a game played under one set of rules, their assimilation requires the elaboration of another set.

After they have become parts of science, the enterprise, at least of those specialists in whose particular field the novelties lie, is never quite the same again.

We must now ask how changes of this sort can come about, considering first discoveries, or novelties of fact, and then inventions, or novelties of theory. That distinction between discovery and invention or between fact and theory will, however, immediately prove to be exceedingly artificial. Its artificiality is an important clue to several of this essay's main theses. Examining selected discoveries in the rest of this section, we shall quickly find that they are not isolated events but extended episodes with a regularly recurrent structure. Discovery commences with the awareness of anomaly, i.e., with the recognition that nature has somehow violated the paradigm-induced

expectations that govern normal science. It then continues with a more or less extended exploration of the area of anomaly. And it closes only when the paradigm theory has been adjusted so that the anomalous has become the expected. Assimilating a new sort of fact demands a more than additive adjustment of theory, and until that adjustment is completed—until the scientist has learned to see nature in a different way—the new fact is not quite a scientific fact at all.

To see how closely factual and theoretical novelty are intertwined in scientific discovery examine a particularly famous example, the discovery of oxygen. At least three different men have a legitimate claim to it, and several other chemists must, in the early 1770's, have had enriched air in a laboratory vessel without knowing it.¹ The progress of normal science, in this case of pneumatic chemistry, prepared the way to a breakthrough quite thoroughly. The earliest of the claimants to prepare a relatively pure sample of the gas was the Swedish apothecary, C. W. Scheele. We may, however, ignore his work since it was not published until oxygen's discovery had repeatedly been announced elsewhere and thus had no effect upon the historical pattern that most concerns us here.² The second in time to establish a claim was the British scientist and divine, Joseph Priestley, who collected the gas released by heated red oxide of mercury as one item in a prolonged normal investigation of the "airs" evolved by a large number of solid substances. In 1774 he identified the gas thus produced as nitrous oxide and in 1775, led by further tests, as common air with less than its usual quantity of phlogiston. The third claimant, Lavoisier, started the work that led him to oxygen after Priestley's experiments of 1774 and possibly as the result of a hint from Priestley. Early in

¹ For the still classic discussion of oxygen's discovery, see A. N. Meldrum, *The Eighteenth-Century Revolution in Science—the First Phase* (Calcutta, 1930), chap. v. An indispensable recent review, including an account of the priority controversy, is Maurice Daumas, *Lavoisier, théoricien et expérimentateur* (Paris, 1955), chaps. ii–iii. For a fuller account and bibliography, see also T. S. Kuhn, "The Historical Structure of Scientific Discovery," *Science*, CXXXVI (June 1, 1962), 760–64.

² See, however, Uno Bocklund, "A Lost Letter from Scheele to Lavoisier," *Lychnos*, 1957–58, pp. 39–62, for a different evaluation of Scheele's role.

1775 Lavoisier reported that the gas obtained by heating the red oxide of mercury was "air itself entire without alteration [except that] . . . it comes out more pure, more respirable."³ By 1777, probably with the assistance of a second hint from Priestley, Lavoisier had concluded that the gas was a distinct species, one of the two main constituents of the atmosphere, a conclusion that Priestley was never able to accept.

This pattern of discovery raises a question that can be asked about every novel phenomenon that has ever entered the consciousness of scientists. Was it Priestley or Lavoisier, if either, who first discovered oxygen? In any case, when was oxygen discovered? In that form the question could be asked even if only one claimant had existed. As a ruling about priority and date, an answer does not at all concern us. Nevertheless, an attempt to produce one will illuminate the nature of discovery, because there is no answer of the kind that is sought. Discovery is not the sort of process about which the question is appropriately asked. The fact that it is asked—the priority for oxygen has repeatedly been contested since the 1780's—is a symptom of something askew in the image of science that gives discovery so fundamental a role. Look once more at our example. Priestley's claim to the discovery of oxygen is based upon his priority in isolating a gas that was later recognized as a distinct species. But Priestley's sample was not pure, and, if holding impure oxygen in one's hands is to discover it, that had been done by everyone who ever bottled atmospheric air. Besides, if Priestley was the discoverer, when was the discovery made? In 1774 he thought he had obtained nitrous oxide, a species he already knew; in 1775 he saw the gas as dephlogisticated air, which is still not oxygen or even, for phlogistic chemists, a quite unexpected sort of gas. Lavoisier's claim may be stronger, but it presents the same problems. If we refuse the palm to Priestley, we cannot award it to Lavoisier for the work of 1775 which led

³ J. B. Conant, *The Overthrow of the Phlogiston Theory: The Chemical Revolution of 1775-1789* ("Harvard Case Histories in Experimental Science," Case 2; Cambridge, Mass., 1950), p. 23. This very useful pamphlet reprints many of the relevant documents.

him to identify the gas as the "air itself entire." Presumably we wait for the work of 1776 and 1777 which led Lavoisier to see not merely the gas but what the gas was. Yet even this award could be questioned, for in 1777 and to the end of his life Lavoisier insisted that oxygen was an atomic "principle of acidity" and that oxygen gas was formed only when that "principle" united with caloric, the matter of heat.⁴ Shall we therefore say that oxygen had not yet been discovered in 1777? Some may be tempted to do so. But the principle of acidity was not banished from chemistry until after 1810, and caloric lingered until the 1860's. Oxygen had become a standard chemical substance before either of those dates.

Clearly we need a new vocabulary and concepts for analyzing events like the discovery of oxygen. Though undoubtedly correct, the sentence, "Oxygen was discovered," misleads by suggesting that discovering something is a single simple act assimilable to our usual (and also questionable) concept of seeing. That is why we so readily assume that discovering, like seeing or touching, should be unequivocally attributable to an individual and to a moment in time. But the latter attribution is always impossible, and the former often is as well. Ignoring Scheele, we can safely say that oxygen had not been discovered before 1774, and we would probably also say that it had been discovered by 1777 or shortly thereafter. But within those limits or others like them, any attempt to date the discovery must inevitably be arbitrary because discovering a new sort of phenomenon is necessarily a complex event, one which involves recognizing both *that* something is and *what* it is. Note, for example, that if oxygen were dephlogisticated air for us, we should insist without hesitation that Priestley had discovered it, though we would still not know quite when. But if both observation and conceptualization, fact and assimilation to theory, are inseparably linked in discovery, then discovery is a process and must take time. Only when all the relevant conceptual categories are prepared in advance, in which case the phenomenon would not

⁴ H. Metzger, *La philosophie de la matière chez Lavoisier* (Paris, 1935); and Daumas, *op. cit.*, chap. vii.

be of a new sort, can discovering *that* and discovering *what* occur effortlessly, together, and in an instant.

Grant now that discovery involves an extended, though not necessarily long, process of conceptual assimilation. Can we also say that it involves a change in paradigm? To that question, no general answer can yet be given, but in this case at least, the answer must be yes. What Lavoisier announced in his papers from 1777 on was not so much the discovery of oxygen as the oxygen theory of combustion. That theory was the keystone for a reformulation of chemistry so vast that it is usually called the chemical revolution. Indeed, if the discovery of oxygen had not been an intimate part of the emergence of a new paradigm for chemistry, the question of priority from which we began would never have seemed so important. In this case as in others, the value placed upon a new phenomenon and thus upon its discoverer varies with our estimate of the extent to which the phenomenon violated paradigm-induced anticipations. Notice, however, since it will be important later, that the discovery of oxygen was not by itself the cause of the change in chemical theory. Long before he played any part in the discovery of the new gas, Lavoisier was convinced both that something was wrong with the phlogiston theory and that burning bodies absorbed some part of the atmosphere. That much he had recorded in a sealed note deposited with the Secretary of the French Academy in 1772.⁵ What the work on oxygen did was to give much additional form and structure to Lavoisier's earlier sense that something was amiss. It told him a thing he was already prepared to discover—the nature of the substance that combustion removes from the atmosphere. That advance awareness of difficulties must be a significant part of what enabled Lavoisier to see in experiments like Priestley's a gas that Priestley had been unable to see there himself. Conversely, the fact that a major paradigm revision was needed to see what Lavoisier saw must be the principal reason why Priestley was, to the end of his long life, unable to see it.

⁵ The most authoritative account of the origin of Lavoisier's discontent is Henry Guerlac, *Lavoisier—the Crucial Year: The Background and Origin of His First Experiments on Combustion in 1772* (Ithaca, N.Y., 1961).

Two other and far briefer examples will reinforce much that has just been said and simultaneously carry us from an elucidation of the nature of discoveries toward an understanding of the circumstances under which they emerge in science. In an effort to represent the main ways in which discoveries can come about, these examples are chosen to be different both from each other and from the discovery of oxygen. The first, X-rays, is a classic case of discovery through accident, a type that occurs more frequently than the impersonal standards of scientific reporting allow us easily to realize. Its story opens on the day that the physicist Roentgen interrupted a normal investigation of cathode rays because he had noticed that a barium platino-cyanide screen at some distance from his shielded apparatus glowed when the discharge was in process. Further investigations—they required seven hectic weeks during which Roentgen rarely left the laboratory—indicated that the cause of the glow came in straight lines from the cathode ray tube, that the radiation cast shadows, could not be deflected by a magnet, and much else besides. Before announcing his discovery, Roentgen had convinced himself that his effect was not due to cathode rays but to an agent with at least some similarity to light.⁶

Even so brief an epitome reveals striking resemblances to the discovery of oxygen: before experimenting with red oxide of mercury, Lavoisier had performed experiments that did not produce the results anticipated under the phlogiston paradigm; Roentgen's discovery commenced with the recognition that his screen glowed when it should not. In both cases the perception of anomaly—of a phenomenon, that is, for which his paradigm had not readied the investigator—played an essential role in preparing the way for perception of novelty. But, again in both cases, the perception that something had gone wrong was only the prelude to discovery. Neither oxygen nor X-rays emerged without a further process of experimentation and assimilation. At what point in Roentgen's investigation, for example, ought we say that X-rays had actually been discovered? Not, in any

⁶ L. W. Taylor, *Physics, the Pioneer Science* (Boston, 1941), pp. 790-94; and T. W. Chalmers, *Historic Researches* (London, 1949), pp. 218-19.

case, at the first instant, when all that had been noted was a glowing screen. At least one other investigator had seen that glow and, to his subsequent chagrin, discovered nothing at all.⁷ Nor, it is almost as clear, can the moment of discovery be pushed forward to a point during the last week of investigation, by which time Roentgen was exploring the properties of the new radiation he had *already* discovered. We can only say that X-rays emerged in Würzburg between November 8 and December 28, 1895.

In a third area, however, the existence of significant parallels between the discoveries of oxygen and of X-rays is far less apparent. Unlike the discovery of oxygen, that of X-rays was not, at least for a decade after the event, implicated in any obvious upheaval in scientific theory. In what sense, then, can the assimilation of that discovery be said to have necessitated paradigm change? The case for denying such a change is very strong. (To be sure, the paradigms subscribed to by Roentgen and his contemporaries could not have been used to predict X-rays. (Maxwell's electromagnetic theory had not yet been accepted everywhere, and the particulate theory of cathode rays was only one of several current speculations.) But neither did those paradigms, at least in any obvious sense, prohibit the existence of X-rays as the phlogiston theory had prohibited Lavoisier's interpretation of Priestley's gas. On the contrary, in 1895 accepted scientific theory and practice admitted a number of forms of radiation—visible, infrared, and ultraviolet. Why could not X-rays have been accepted as just one more form of a well-known class of natural phenomena? Why were they not, for example, received in the same way as the discovery of an additional chemical element? New elements to fill empty places in the periodic table were still being sought and found in Roentgen's day. Their pursuit was a standard project for normal science, and success was an occasion only for congratulations, not for surprise.

⁷ E. T. Whittaker, *A History of the Theories of Aether and Electricity*, I (2d ed.; London, 1951), 358, n. 1. Sir George Thomson has informed me of a second near miss. Alerted by unaccountably fogged photographic plates, Sir William Crookes was also on the track of the discovery.

X-rays, however, were greeted not only with surprise but with shock. Lord Kelvin at first pronounced them an elaborate hoax.⁸ Others, though they could not doubt the evidence, were clearly staggered by it. Though X-rays were not prohibited by established theory, they violated deeply entrenched expectations. Those expectations, I suggest, were implicit in the design and interpretation of established laboratory procedures. By the 1890's cathode ray equipment was widely deployed in numerous European laboratories. If Roentgen's apparatus had produced X-rays, then a number of other experimentalists must for some time have been producing those rays without knowing it. Perhaps those rays, which might well have other unacknowledged sources too, were implicated in behavior previously explained without reference to them. At the very least, several sorts of long familiar apparatus would in the future have to be shielded with lead. Previously completed work on normal projects would now have to be done again because earlier scientists had failed to recognize and control a relevant variable. X-rays, to be sure, opened up a new field and thus added to the potential domain of normal science. But they also, and this is now the more important point, changed fields that had already existed. In the process they denied previously paradigmatic types of instrumentation their right to that title.

In short, consciously or not, the decision to employ a particular piece of apparatus and to use it in a particular way carries an assumption that only certain sorts of circumstances will arise. There are instrumental as well as theoretical expectations, and they have often played a decisive role in scientific development. One such expectation is, for example, part of the story of oxygen's belated discovery. Using a standard test for "the goodness of air," both Priestley and Lavoisier mixed two volumes of their gas with one volume of nitric oxide, shook the mixture over water, and measured the volume of the gaseous residue. The previous experience from which this standard procedure had evolved assured them that with atmospheric air the residue

⁸ Silvanus P. Thompson, *The Life of Sir William Thomson Baron Kelvin of Largs* (London, 1910), II, 1125.

would be one volume and that for any other gas (or for polluted air) it would be greater. In the oxygen experiments both found a residue close to one volume and identified the gas accordingly. Only much later and in part through an accident did Priestley renounce the standard procedure and try mixing nitric oxide with his gas in other proportions. He then found that with quadruple the volume of nitric oxide there was almost no residue at all. His commitment to the original test procedure—a procedure sanctioned by much previous experience—had been simultaneously a commitment to the non-existence of gases that could behave as oxygen did.⁹

Illustrations of this sort could be multiplied by reference, for example, to the belated identification of uranium fission. One reason why that nuclear reaction proved especially difficult to recognize was that men who knew what to expect when bombarding uranium chose chemical tests aimed mainly at elements from the upper end of the periodic table.¹⁰ Ought we conclude from the frequency with which such instrumental commitments prove misleading that science should abandon standard tests and standard instruments? That would result in an inconceivable method of research. Paradigm procedures and applications are as necessary to science as paradigm laws and theories, and they have the same effects. Inevitably they restrict the phenomenological field accessible for scientific investigation at any

⁹ Conant, *op. cit.*, pp. 18–20.

¹⁰ K. K. Darrow, "Nuclear Fission," *Bell System Technical Journal*, XIX (1940), 267–89. Krypton, one of the two main fission products, seems not to have been identified by chemical means until after the reaction was well understood. Barium, the other product, was almost identified chemically at a late stage of the investigation because, as it happened, that element had to be added to the radioactive solution to precipitate the heavy element for which nuclear chemists were looking. Failure to separate that added barium from the radioactive product finally led, after the reaction had been repeatedly investigated for almost five years, to the following report: "As chemists we should be led by this research . . . to change all the names in the preceding [reaction] schema and thus write Ba, La, Ce instead of Ra, Ac, Th. But as 'nuclear chemists,' with close affiliations to physics, we cannot bring ourselves to this leap which would contradict all previous experience of nuclear physics. It may be that a series of strange accidents renders our results deceptive" (Otto Hahn and Fritz Strassman, "Über den Nachweis und das Verhalten der bei der Bestrahlung des Urans mittels Neutronen entstehenden Erdalkalimetalle," *Die Naturwissenschaften*, XXVII [1939], 15).

given time. Recognizing that much, we may simultaneously see an essential sense in which a discovery like X-rays necessitates paradigm change—and therefore change in both procedures and expectations—for a special segment of the scientific community. As a result, we may also understand how the discovery of X-rays could seem to open a strange new world to many scientists and could thus participate so effectively in the crisis that led to twentieth-century physics.

Our final example of scientific discovery, that of the Leyden jar, belongs to a class that may be described as theory-induced. Initially, the term may seem paradoxical. Much that has been said so far suggests that discoveries predicted by theory in advance are parts of normal science and result in no *new sort* of fact. I have, for example, previously referred to the discoveries of new chemical elements during the second half of the nineteenth century as proceeding from normal science in that way. But not all theories are paradigm theories. Both during pre-paradigm periods and during the crises that lead to large-scale changes of paradigm, scientists usually develop many speculative and unarticulated theories that can themselves point the way to discovery. Often, however, that discovery is not quite the one anticipated by the speculative and tentative hypothesis. Only as experiment and tentative theory are together articulated to a match does the discovery emerge and the theory become a paradigm.

The discovery of the Leyden jar displays all these features as well as the others we have observed before. When it began, there was no single paradigm for electrical research. Instead, a number of theories, all derived from relatively accessible phenomena, were in competition. None of them succeeded in ordering the whole variety of electrical phenomena very well. That failure is the source of several of the anomalies that provide background for the discovery of the Leyden jar. One of the competing schools of electricians took electricity to be a fluid, and that conception led a number of men to attempt bottling the fluid by holding a water-filled glass vial in their hands and touching the water to a conductor suspended from an active

electrostatic generator. On removing the jar from the machine and touching the water (or a conductor connected to it) with his free hand, each of these investigators experienced a severe shock. Those first experiments did not, however, provide electricians with the Leyden jar. That device emerged more slowly, and it is again impossible to say just when its discovery was completed. The initial attempts to store electrical fluid worked only because investigators held the vial in their hands while standing upon the ground. Electricians had still to learn that the jar required an outer as well as an inner conducting coating and that the fluid is not really stored in the jar at all. Somewhere in the course of the investigations that showed them this, and which introduced them to several other anomalous effects, the device that we call the Leyden jar emerged. Furthermore, the experiments that led to its emergence, many of them performed by Franklin, were also the ones that necessitated the drastic revision of the fluid theory and thus provided the first full paradigm for electricity.¹¹

To a greater or lesser extent (corresponding to the continuum from the shocking to the anticipated result), the characteristics common to the three examples above are characteristic of all discoveries from which new sorts of phenomena emerge. Those characteristics include: the previous awareness of anomaly, the gradual and simultaneous emergence of both observational and conceptual recognition, and the consequent change of paradigm categories and procedures often accompanied by resistance. There is even evidence that these same characteristics are built into the nature of the perceptual process itself. In a psychological experiment that deserves to be far better known outside the trade, Bruner and Postman asked experimental subjects to identify on short and controlled exposure a series of playing cards. Many of the cards were normal, but some were made anoma-

¹¹ For various stages in the Leyden jar's evolution, see I. B. Cohen, *Franklin and Newton: An Inquiry into Speculative Newtonian Experimental Science and Franklin's Work in Electricity as an Example Thereof* (Philadelphia, 1956), pp. 385-86, 400-406, 452-67, 506-7. The last stage is described by Whittaker, *op. cit.*, pp. 50-52.

lous, e.g., a red six of spades and a black four of hearts. Each experimental run was constituted by the display of a single card to a single subject in a series of gradually increased exposures. After each exposure the subject was asked what he had seen, and the run was terminated by two successive correct identifications.¹²

Even on the shortest exposures many subjects identified most of the cards, and after a small increase all the subjects identified them all. For the normal cards these identifications were usually correct, but the anomalous cards were almost always identified, without apparent hesitation or puzzlement, as normal. The black four of hearts might, for example, be identified as the four of either spades or hearts. Without any awareness of trouble, it was immediately fitted to one of the conceptual categories prepared by prior experience. One would not even like to say that the subjects had seen something different from what they identified. With a further increase of exposure to the anomalous cards, subjects did begin to hesitate and to display awareness of anomaly. Exposed, for example, to the red six of spades, some would say: That's the six of spades, but there's something wrong with it—the black has a red border. Further increase of exposure resulted in still more hesitation and confusion until finally, and sometimes quite suddenly, most subjects would produce the correct identification without hesitation. Moreover, after doing this with two or three of the anomalous cards, they would have little further difficulty with the others. A few subjects, however, were never able to make the requisite adjustment of their categories. Even at forty times the average exposure required to recognize normal cards for what they were, more than 10 per cent of the anomalous cards were not correctly identified. And the subjects who then failed often experienced acute personal distress. One of them exclaimed: "I can't make the suit out, whatever it is. It didn't even look like a card that time. I don't know what color it is now or whether it's a spade or a heart. I'm

¹² J. S. Bruner and Leo Postman, "On the Perception of Incongruity: A Paradigm," *Journal of Personality*, XVIII (1949), 206-23.

not even sure now what a spade looks like. My God!"¹³ In the next section we shall occasionally see scientists behaving this way too.

Either as a metaphor or because it reflects the nature of the mind, that psychological experiment provides a wonderfully simple and cogent schema for the process of scientific discovery. In science, as in the playing card experiment, novelty emerges only with difficulty, manifested by resistance, against a background provided by expectation. Initially, only the anticipated and usual are experienced even under circumstances where anomaly is later to be observed. Further acquaintance, however, does result in awareness of something wrong or does relate the effect to something that has gone wrong before. That awareness of anomaly opens a period in which conceptual categories are adjusted until the initially anomalous has become the anticipated. At this point the discovery has been completed. I have already urged that that process or one very much like it is involved in the emergence of all fundamental scientific novelties. Let me now point out that, recognizing the process, we can at last begin to see why normal science, a pursuit not directed to novelties and tending at first to suppress them, should nevertheless be so effective in causing them to arise.

In the development of any science, the first received paradigm is usually felt to account quite successfully for most of the observations and experiments easily accessible to that science's practitioners. Further development, therefore, ordinarily calls for the construction of elaborate equipment, the development of an esoteric vocabulary and skills, and a refinement of concepts that increasingly lessens their resemblance to their usual common-sense prototypes. That professionalization leads, on the one hand, to an immense restriction of the scientist's vision and to a considerable resistance to paradigm change. The science has become increasingly rigid. On the other hand, within those areas to which the paradigm directs the attention of the

¹³ *Ibid.*, p. 218. My colleague Postman tells me that, though knowing all about the apparatus and display in advance, he nevertheless found looking at the incongruous cards acutely uncomfortable.

group, normal science leads to a detail of information and to a precision of the observation-theory match that could be achieved in no other way. Furthermore, that detail and precision-of-match have a value that transcends their not always very high intrinsic interest. Without the special apparatus that is constructed mainly for anticipated functions, the results that lead ultimately to novelty could not occur. And even when the apparatus exists, novelty ordinarily emerges only for the man who, knowing *with precision* what he should expect, is able to recognize that something has gone wrong. Anomaly appears only against the background provided by the paradigm. The more precise and far-reaching that paradigm is, the more sensitive an indicator it provides of anomaly and hence of an occasion for paradigm change. In the normal mode of discovery, even resistance to change has a use that will be explored more fully in the next section. By ensuring that the paradigm will not be too easily surrendered, resistance guarantees that scientists will not be lightly distracted and that the anomalies that lead to paradigm change will penetrate existing knowledge to the core. The very fact that a significant scientific novelty so often emerges simultaneously from several laboratories is an index both to the strongly traditional nature of normal science and to the completeness with which that traditional pursuit prepares the way for its own change.

VII. Crisis and the Emergence of Scientific Theories

All the discoveries considered in Section VI were causes of or contributors to paradigm change. Furthermore, the changes in which these discoveries were implicated were all destructive as well as constructive. After the discovery had been assimilated, scientists were able to account for a wider range of natural phenomena or to account with greater precision for some of those previously known. But that gain was achieved only by discarding some previously standard beliefs or procedures and, simultaneously, by replacing those components of the previous paradigm with others. Shifts of this sort are, I have argued, associated with all discoveries achieved through normal science, excepting only the unsurprising ones that had been anticipated in all but their details. Discoveries are not, however, the only sources of these destructive-constructive paradigm changes. In this section we shall begin to consider the similar, but usually far larger, shifts that result from the invention of new theories.

Having argued already that in the sciences fact and theory, discovery and invention, are not categorically and permanently distinct, we can anticipate overlap between this section and the last. (The impossible suggestion that Priestley first discovered oxygen and Lavoisier then invented it has its attractions. Oxygen has already been encountered as discovery; we shall shortly meet it again as invention.) In taking up the emergence of new theories we shall inevitably extend our understanding of discovery as well. Still, overlap is not identity. The sorts of discoveries considered in the last section were not, at least singly, responsible for such paradigm shifts as the Copernican, Newtonian, chemical, and Einsteinian revolutions. Nor were they responsible for the somewhat smaller, because more exclusively professional, changes in paradigm produced by the wave theory of light, the dynamical theory of heat, or Maxwell's electromagnetic theory. How can theories like these arise from normal

science, an activity even less directed to their pursuit than to that of discoveries?

If awareness of anomaly plays a role in the emergence of new sorts of phenomena, it should surprise no one that a similar but more profound awareness is prerequisite to all acceptable changes of theory. On this point historical evidence is, I think, entirely unequivocal. The state of Ptolemaic astronomy was a scandal before Copernicus' announcement.¹ Galileo's contributions to the study of motion depended closely upon difficulties discovered in Aristotle's theory by scholastic critics.² Newton's new theory of light and color originated in the discovery that none of the existing pre-paradigm theories would account for the length of the spectrum, and the wave theory that replaced Newton's was announced in the midst of growing concern about anomalies in the relation of diffraction and polarization effects to Newton's theory.³ Thermodynamics was born from the collision of two existing nineteenth-century physical theories, and quantum mechanics from a variety of difficulties surrounding black-body radiation, specific heats, and the photoelectric effect.⁴ Furthermore, in all these cases except that of Newton the awareness of anomaly had lasted so long and penetrated so deep that one can appropriately describe the fields affected by it as in a state of growing crisis. Because it demands large-scale paradigm destruction and major shifts in the problems and techniques of normal science, the emergence of new theories is generally preceded by a period of pronounced professional in-

¹ A. R. Hall, *The Scientific Revolution, 1500-1800* (London, 1954), p. 16.

² Marshall Clagett, *The Science of Mechanics in the Middle Ages* (Madison, Wis., 1959), Parts II-III. A. Koyré displays a number of medieval elements in Galileo's thought in his *Etudes Galiléennes* (Paris, 1939), particularly Vol. I.

³ For Newton, see T. S. Kuhn, "Newton's Optical Papers," in *Isaac Newton's Papers and Letters in Natural Philosophy*, ed. I. B. Cohen (Cambridge, Mass., 1958), pp. 27-45. For the prelude to the wave theory, see E. T. Whittaker, *A History of the Theories of Aether and Electricity*, I (2d ed.; London, 1951), 94-109; and W. Whewell, *History of the Inductive Sciences* (rev. ed.; London, 1847), II, 396-466.

⁴ For thermodynamics, see Silvanus P. Thompson, *Life of William Thomson Baron Kelvin of Largs* (London, 1910), I, 266-81. For the quantum theory, see Fritz Reiche, *The Quantum Theory*, trans. H. S. Hatfield and H. L. Brose (London, 1922), chaps. i-ii.

security. As one might expect, that insecurity is generated by the persistent failure of the puzzles of normal science to come out as they should. Failure of existing rules is the prelude to a search for new ones.

Look first at a particularly famous case of paradigm change, the emergence of Copernican astronomy. When its predecessor, the Ptolemaic system, was first developed during the last two centuries before Christ and the first two after, it was admirably successful in predicting the changing positions of both stars and planets. No other ancient system had performed so well; for the stars, Ptolemaic astronomy is still widely used today as an engineering approximation; for the planets, Ptolemy's predictions were as good as Copernicus'. But to be admirably successful is never, for a scientific theory, to be completely successful. With respect both to planetary position and to precession of the equinoxes, predictions made with Ptolemy's system never quite conformed with the best available observations. Further reduction of those minor discrepancies constituted many of the principal problems of normal astronomical research for many of Ptolemy's successors, just as a similar attempt to bring celestial observation and Newtonian theory together provided normal research problems for Newton's eighteenth-century successors. For some time astronomers had every reason to suppose that these attempts would be as successful as those that had led to Ptolemy's system. Given a particular discrepancy, astronomers were invariably able to eliminate it by making some particular adjustment in Ptolemy's system of compounded circles. But as time went on, a man looking at the net result of the normal research effort of many astronomers could observe that astronomy's complexity was increasing far more rapidly than its accuracy and that a discrepancy corrected in one place was likely to show up in another.⁵

Because the astronomical tradition was repeatedly interrupted from outside and because, in the absence of printing, communication between astronomers was restricted, these dif-

⁵ J. L. E. Dreyer, *A History of Astronomy from Thales to Kepler* (2d ed.; New York, 1953), chaps. xi-xii.

ficulties were only slowly recognized. But awareness did come. By the thirteenth century Alfonso X could proclaim that if God had consulted him when creating the universe, he would have received good advice. In the sixteenth century, Copernicus' co-worker, Domenico da Novara, held that no system so cumbersome and inaccurate as the Ptolemaic had become could possibly be true of nature. And Copernicus himself wrote in the Preface to the *De Revolutionibus* that the astronomical tradition he inherited had finally created only a monster. By the early sixteenth century an increasing number of Europe's best astronomers were recognizing that the astronomical paradigm was failing in application to its own traditional problems. That recognition was prerequisite to Copernicus' rejection of the Ptolemaic paradigm and his search for a new one. His famous preface still provides one of the classic descriptions of a crisis state.⁶

Breakdown of the normal technical puzzle-solving activity is not, of course, the only ingredient of the astronomical crisis that faced Copernicus. An extended treatment would also discuss the social pressure for calendar reform, a pressure that made the puzzle of precession particularly urgent. In addition, a fuller account would consider medieval criticism of Aristotle, the rise of Renaissance Neoplatonism, and other significant historical elements besides. But technical breakdown would still remain the core of the crisis. In a mature science—and astronomy had become that in antiquity—external factors like those cited above are principally significant in determining the timing of breakdown, the ease with which it can be recognized, and the area in which, because it is given particular attention, the breakdown first occurs. Though immensely important, issues of that sort are out of bounds for this essay.

If that much is clear in the case of the Copernican revolution, let us turn from it to a second and rather different example, the crisis that preceded the emergence of Lavoisier's oxygen theory of combustion. In the 1770's many factors combined to generate

⁶ T. S. Kuhn, *The Copernican Revolution* (Cambridge, Mass., 1957), pp. 135-43.

a crisis in chemistry, and historians are not altogether agreed about either their nature or their relative importance. But two of them are generally accepted as of first-rate significance: the rise of pneumatic chemistry and the question of weight relations. The history of the first begins in the seventeenth century with development of the air pump and its deployment in chemical experimentation. During the following century, using that pump and a number of other pneumatic devices, chemists came increasingly to realize that air must be an active ingredient in chemical reactions. But with a few exceptions—so equivocal that they may not be exceptions at all—chemists continued to believe that air was the only sort of gas. Until 1756, when Joseph Black showed that fixed air (CO_2) was consistently distinguishable from normal air, two samples of gas were thought to be distinct only in their impurities.⁷

After Black's work the investigation of gases proceeded rapidly, most notably in the hands of Cavendish, Priestley, and Scheele, who together developed a number of new techniques capable of distinguishing one sample of gas from another. All these men, from Black through Scheele, believed in the phlogiston theory and often employed it in their design and interpretation of experiments. Scheele actually first produced oxygen by an elaborate chain of experiments designed to dephlogisticate heat. Yet the net result of their experiments was a variety of gas samples and gas properties so elaborate that the phlogiston theory proved increasingly little able to cope with laboratory experience. Though none of these chemists suggested that the theory should be replaced, they were unable to apply it consistently. By the time Lavoisier began his experiments on airs in the early 1770's, there were almost as many versions of the phlogiston theory as there were pneumatic chemists.⁸ That

⁷ J. R. Partington, *A Short History of Chemistry* (2d ed.; London, 1951), pp. 48-51, 73-85, 90-120.

⁸ Though their main concern is with a slightly later period, much relevant material is scattered throughout J. R. Partington and Douglas McKie's "Historical Studies on the Phlogiston Theory," *Annals of Science*, II (1937), 361-404; III (1938), 1-58, 337-71; and IV (1939), 337-71.

proliferation of versions of a theory is a very usual symptom of crisis. In his preface, Copernicus complained of it as well.

The increasing vagueness and decreasing utility of the phlogiston theory for pneumatic chemistry were not, however, the only source of the crisis that confronted Lavoisier. He was also much concerned to explain the gain in weight that most bodies experience when burned or roasted, and that again is a problem with a long prehistory. At least a few Islamic chemists had known that some metals gain weight when roasted. In the seventeenth century several investigators had concluded from this same fact that a roasted metal takes up some ingredient from the atmosphere. But in the seventeenth century that conclusion seemed unnecessary to most chemists. If chemical reactions could alter the volume, color, and texture of the ingredients, why should they not alter weight as well? Weight was not always taken to be the measure of quantity of matter. Besides, weight-gain on roasting remained an isolated phenomenon. Most natural bodies (e.g., wood) lose weight on roasting as the phlogiston theory was later to say they should.

During the eighteenth century, however, these initially adequate responses to the problem of weight-gain became increasingly difficult to maintain. Partly because the balance was increasingly used as a standard chemical tool and partly because the development of pneumatic chemistry made it possible and desirable to retain the gaseous products of reactions, chemists discovered more and more cases in which weight-gain accompanied roasting. Simultaneously, the gradual assimilation of Newton's gravitational theory led chemists to insist that gain in weight must mean gain in quantity of matter. Those conclusions did not result in rejection of the phlogiston theory, for that theory could be adjusted in many ways. Perhaps phlogiston had negative weight, or perhaps fire particles or something else entered the roasted body as phlogiston left it. There were other explanations besides. But if the problem of weight-gain did not lead to rejection, it did lead to an increasing number of special studies in which this problem bulked large. One of them, "On

phlogiston considered as a substance with weight and [analyzed] in terms of the weight changes it produces in bodies with which it unites," was read to the French Academy early in 1772, the year which closed with Lavoisier's delivery of his famous sealed note to the Academy's Secretary. Before that note was written a problem that had been at the edge of the chemist's consciousness for many years had become an outstanding unsolved puzzle.⁹ Many different versions of the phlogiston theory were being elaborated to meet it. Like the problems of pneumatic chemistry, those of weight-gain were making it harder and harder to know what the phlogiston theory was. Though still believed and trusted as a working tool, a paradigm of eighteenth-century chemistry was gradually losing its unique status. Increasingly, the research it guided resembled that conducted under the competing schools of the pre-paradigm period, another typical effect of crisis.

Consider now, as a third and final example, the late nineteenth century crisis in physics that prepared the way for the emergence of relativity theory. One root of that crisis can be traced to the late seventeenth century when a number of natural philosophers, most notably Leibniz, criticized Newton's retention of an updated version of the classic conception of absolute space.¹⁰ They were very nearly, though never quite, able to show that absolute positions and absolute motions were without any function at all in Newton's system; and they did succeed in hinting at the considerable aesthetic appeal a fully relativistic conception of space and motion would later come to display. But their critique was purely logical. Like the early Copernicans who criticized Aristotle's proofs of the earth's stability, they did not dream that transition to a relativistic system could have observational consequences. At no point did they relate their views to any problems that arose when applying Newtonian theory to nature. As a result, their views died with

⁹ H. Guerlac, *Lavoisier—the Crucial Year* (Ithaca, N.Y., 1961). The entire book documents the evolution and first recognition of a crisis. For a clear statement of the situation with respect to Lavoisier, see p. 35.

¹⁰ Max Jammer, *Concepts of Space: The History of Theories of Space in Physics* (Cambridge, Mass., 1954), pp. 114-24.

them during the early decades of the eighteenth century to be resurrected only in the last decades of the nineteenth when they had a very different relation to the practice of physics.

The technical problems to which a relativistic philosophy of space was ultimately to be related began to enter normal science with the acceptance of the wave theory of light after about 1815, though they evoked no crisis until the 1890's. If light is wave motion propagated in a mechanical ether governed by Newton's Laws, then both celestial observation and terrestrial experiment become potentially capable of detecting drift through the ether. Of the celestial observations, only those of aberration promised sufficient accuracy to provide relevant information, and the detection of ether-drift by aberration measurements therefore became a recognized problem for normal research. Much special equipment was built to resolve it. That equipment, however, detected no observable drift, and the problem was therefore transferred from the experimentalists and observers to the theoreticians. During the central decades of the century Fresnel, Stokes, and others devised numerous articulations of the ether theory designed to explain the failure to observe drift. Each of these articulations assumed that a moving body drags some fraction of the ether with it. And each was sufficiently successful to explain the negative results not only of celestial observation but also of terrestrial experimentation, including the famous experiment of Michelson and Morley.¹¹ There was still no conflict excepting that between the various articulations. In the absence of relevant experimental techniques, that conflict never became acute.

The situation changed again only with the gradual acceptance of Maxwell's electromagnetic theory in the last two decades of the nineteenth century. Maxwell himself was a Newtonian who believed that light and electromagnetism in general were due to variable displacements of the particles of a mechanical ether. His earliest versions of a theory for electricity and

¹¹ Joseph Larmor, *Aether and Matter . . . Including a Discussion of the Influence of the Earth's Motion on Optical Phenomena* (Cambridge, 1900), pp. 6-20, 320-22.

magnetism made direct use of hypothetical properties with which he endowed this medium. These were dropped from his final version, but he still believed his electromagnetic theory compatible with some articulation of the Newtonian mechanical view.¹² Developing a suitable articulation was a challenge for him and his successors. In practice, however, as has happened again and again in scientific development, the required articulation proved immensely difficult to produce. Just as Copernicus' astronomical proposal, despite the optimism of its author, created an increasing crisis for existing theories of motion, so Maxwell's theory, despite its Newtonian origin, ultimately produced a crisis for the paradigm from which it had sprung.¹³ Furthermore, the locus at which that crisis became most acute was provided by the problems we have just been considering, those of motion with respect to the ether.

Maxwell's discussion of the electromagnetic behavior of bodies in motion had made no reference to ether drag, and it proved very difficult to introduce such drag into his theory. As a result, a whole series of earlier observations designed to detect drift through the ether became anomalous. The years after 1890 therefore witnessed a long series of attempts, both experimental and theoretical, to detect motion with respect to the ether and to work ether drag into Maxwell's theory. The former were uniformly unsuccessful, though some analysts thought their results equivocal. The latter produced a number of promising starts, particularly those of Lorentz and Fitzgerald, but they also disclosed still other puzzles and finally resulted in just that proliferation of competing theories that we have previously found to be the concomitant of crisis.¹⁴ It is against that historical setting that Einstein's special theory of relativity emerged in 1905.

These three examples are almost entirely typical. In each case a novel theory emerged only after a pronounced failure in the

¹² R. T. Glazebrook, *James Clerk Maxwell and Modern Physics* (London, 1896), chap. ix. For Maxwell's final attitude, see his own book, *A Treatise on Electricity and Magnetism* (3d ed.; Oxford, 1892), p. 470.

¹³ For astronomy's role in the development of mechanics, see Kuhn, *op. cit.*, chap. vii.

¹⁴ Whittaker, *op. cit.*, I, 386-410; and II (London, 1953), 27-40.

normal problem-solving activity. Furthermore, except for the case of Copernicus in which factors external to science played a particularly large role, that breakdown and the proliferation of theories that is its sign occurred no more than a decade or two before the new theory's enunciation. The novel theory seems a direct response to crisis. Note also, though this may not be quite so typical, that the problems with respect to which breakdown occurred were all of a type that had long been recognized. Previous practice of normal science had given every reason to consider them solved or all but solved, which helps to explain why the sense of failure, when it came, could be so acute. Failure with a new sort of problem is often disappointing but never surprising. Neither problems nor puzzles yield often to the first attack. Finally, these examples share another characteristic that may help to make the case for the role of crisis impressive: the solution to each of them had been at least partially anticipated during a period when there was no crisis in the corresponding science; and in the absence of crisis those anticipations had been ignored.

The only complete anticipation is also the most famous, that of Copernicus by Aristarchus in the third century B.C. It is often said that if Greek science had been less deductive and less ridden by dogma, heliocentric astronomy might have begun its development eighteen centuries earlier than it did.¹⁵ But that is to ignore all historical context. When Aristarchus' suggestion was made, the vastly more reasonable geocentric system had no needs that a heliocentric system might even conceivably have fulfilled. The whole development of Ptolemaic astronomy, both its triumphs and its breakdown, falls in the centuries after Aristarchus' proposal. Besides, there were no obvious reasons for taking Aristarchus seriously. Even Copernicus' more elaborate proposal was neither simpler nor more accurate than Ptolemy's system. Available observational tests, as we shall see more clear-

¹⁵ For Aristarchus' work, see T. L. Heath, *Aristarchus of Samos: The Ancient Copernicus* (Oxford, 1913), Part II. For an extreme statement of the traditional position about the neglect of Aristarchus' achievement, see Arthur Koestler, *The Sleepwalkers: A History of Man's Changing Vision of the Universe* (London, 1959), p. 50.

ly below, provided no basis for a choice between them. Under those circumstances, one of the factors that led astronomers to Copernicus (and one that could not have led them to Aristarchus) was the recognized crisis that had been responsible for innovation in the first place. Ptolemaic astronomy had failed to solve its problems; the time had come to give a competitor a chance. Our other two examples provide no similarly full anticipations. But surely one reason why the theories of combustion by absorption from the atmosphere—theories developed in the seventeenth century by Rey, Hooke, and Mayow—failed to get a sufficient hearing was that they made no contact with a recognized trouble spot in normal scientific practice.¹⁶ And the long neglect by eighteenth- and nineteenth-century scientists of Newton's relativistic critics must largely have been due to a similar failure in confrontation.

Philosophers of science have repeatedly demonstrated that more than one theoretical construction can always be placed upon a given collection of data. History of science indicates that, particularly in the early developmental stages of a new paradigm, it is not even very difficult to invent such alternates. But that invention of alternates is just what scientists seldom undertake except during the pre-paradigm stage of their science's development and at very special occasions during its subsequent evolution. So long as the tools a paradigm supplies continue to prove capable of solving the problems it defines, science moves fastest and penetrates most deeply through confident employment of those tools. The reason is clear. As in manufacture so in science—retooling is an extravagance to be reserved for the occasion that demands it. The significance of crises is the indication they provide that an occasion for retooling has arrived.

¹⁶ Partington, *op. cit.*, pp. 78-85.

VIII. The Response to Crisis

Let us then assume that crises are a necessary precondition for the emergence of novel theories and ask next how scientists respond to their existence. Part of the answer, as obvious as it is important, can be discovered by noting first what scientists never do when confronted by even severe and prolonged anomalies. Though they may begin to lose faith and then to consider alternatives, they do not renounce the paradigm that has led them into crisis. They do not, that is, treat anomalies as counterinstances, though in the vocabulary of philosophy of science that is what they are. In part this generalization is simply a statement from historic fact, based upon examples like those given above and, more extensively, below. These hint what our later examination of paradigm rejection will disclose more fully: once it has achieved the status of paradigm, a scientific theory is declared invalid only if an alternate candidate is available to take its place. No process yet disclosed by the historical study of scientific development at all resembles the methodological stereotype of falsification by direct comparison with nature. That remark does not mean that scientists do not reject scientific theories, or that experience and experiment are not essential to the process in which they do so. But it does mean—what will ultimately be a central point—that the act of judgment that leads scientists to reject a previously accepted theory is always based upon more than a comparison of that theory with the world. The decision to reject one paradigm is always simultaneously the decision to accept another, and the judgment leading to that decision involves the comparison of both paradigms with nature and with each other.

There is, in addition, a second reason for doubting that scientists reject paradigms because confronted with anomalies or counterinstances. In developing it my argument will itself foreshadow another of this essay's main theses. The reasons for doubt sketched above were purely factual; they were, that is,

themselves counterinstances to a prevalent epistemological theory. As such, if my present point is correct, they can at best help to create a crisis or, more accurately, to reinforce one that is already very much in existence. By themselves they cannot and will not falsify that philosophical theory, for its defenders will do what we have already seen scientists doing when confronted by anomaly. They will devise numerous articulations and *ad hoc* modifications of their theory in order to eliminate any apparent conflict. Many of the relevant modifications and qualifications are, in fact, already in the literature. If, therefore, these epistemological counterinstances are to constitute more than a minor irritant, that will be because they help to permit the emergence of a new and different analysis of science within which they are no longer a source of trouble. Furthermore, if a typical pattern, which we shall later observe in scientific revolutions, is applicable here, these anomalies will then no longer seem to be simply facts. From within a new theory of scientific knowledge, they may instead seem very much like tautologies, statements of situations that could not conceivably have been otherwise.

It has often been observed, for example, that Newton's second law of motion, though it took centuries of difficult factual and theoretical research to achieve, behaves for those committed to Newton's theory very much like a purely logical statement that no amount of observation could refute.¹ In Section X we shall see that the chemical law of fixed proportion, which before Dalton was an occasional experimental finding of very dubious generality, became after Dalton's work an ingredient of a definition of chemical compound that no experimental work could by itself have upset. Something much like that will also happen to the generalization that scientists fail to reject paradigms when faced with anomalies or counterinstances. They could not do so and still remain scientists.

Though history is unlikely to record their names, some men have undoubtedly been driven to desert science because of

¹ See particularly the discussion in N. R. Hanson, *Patterns of Discovery* (Cambridge, 1958), pp. 99-105.

their inability to tolerate crisis. Like artists, creative scientists must occasionally be able to live in a world out of joint—elsewhere I have described that necessity as “the essential tension” implicit in scientific research.² But that rejection of science in favor of another occupation is, I think, the only sort of paradigm rejection to which counterinstances by themselves can lead. Once a first paradigm through which to view nature has been found, there is no such thing as research in the absence of any paradigm. To reject one paradigm without simultaneously substituting another is to reject science itself. That act reflects not on the paradigm but on the man. Inevitably he will be seen by his colleagues as “the carpenter who blames his tools.”

The same point can be made at least equally effectively in reverse: there is no such thing as research without counterinstances. For what is it that differentiates normal science from science in a crisis state? Not, surely, that the former confronts no counterinstances. On the contrary, what we previously called the puzzles that constitute normal science exist only because no paradigm that provides a basis for scientific research ever completely resolves all its problems. The very few that have ever seemed to do so (e.g., geometric optics) have shortly ceased to yield research problems at all and have instead become tools for engineering. Excepting those that are exclusively instrumental, every problem that normal science sees as a puzzle can be seen, from another viewpoint, as a counterinstance and thus as a source of crisis. Copernicus saw as counterinstances what most of Ptolemy's other successors had seen as puzzles in the match between observation and theory. Lavoisier saw as a counterinstance what Priestley had seen as a successfully solved puzzle in the articulation of the phlogiston theory. And Einstein saw as counterinstances what Lorentz, Fitzgerald, and others had seen as puzzles in the articulation of Newton's and Max-

² T. S. Kuhn, “The Essential Tension: Tradition and Innovation in Scientific Research,” in *The Third (1959) University of Utah Research Conference on the Identification of Creative Scientific Talent*, ed. Calvin W. Taylor (Salt Lake City, 1959), pp. 162-77. For the comparable phenomenon among artists, see Frank Barron, “The Psychology of Imagination,” *Scientific American*, CXCIX (September, 1958), 151-66, esp. 160.

well's theories. Furthermore, even the existence of crisis does not by itself transform a puzzle into a counterinstance. There is no such sharp dividing line. Instead, by proliferating versions of the paradigm, crisis loosens the rules of normal puzzle-solving in ways that ultimately permit a new paradigm to emerge. There are, I think, only two alternatives: either no scientific theory ever confronts a counterinstance, or all such theories confront counterinstances at all times.

How can the situation have seemed otherwise? That question necessarily leads to the historical and critical elucidation of philosophy, and those topics are here barred. But we can at least note two reasons why science has seemed to provide so apt an illustration of the generalization that truth and falsity are uniquely and unequivocally determined by the confrontation of statement with fact. Normal science does and must continually strive to bring theory and fact into closer agreement, and that activity can easily be seen as testing or as a search for confirmation or falsification. Instead, its object is to solve a puzzle for whose very existence the validity of the paradigm must be assumed. Failure to achieve a solution discredits only the scientist and not the theory. Here, even more than above, the proverb applies: "It is a poor carpenter who blames his tools." In addition, the manner in which science pedagogy entangles discussion of a theory with remarks on its exemplary applications has helped to reinforce a confirmation-theory drawn predominantly from other sources. Given the slightest reason for doing so, the man who reads a science text can easily take the applications to be the evidence for the theory, the reasons why it ought to be believed. But science students accept theories on the authority of teacher and text, not because of evidence. What alternatives have they, or what competence? The applications given in texts are not there as evidence but because learning them is part of learning the paradigm at the base of current practice. If applications were set forth as evidence, then the very failure of texts to suggest alternative interpretations or to discuss problems for which scientists have failed to produce paradigm solutions

would convict their authors of extreme bias. There is not the slightest reason for such an indictment.

How, then, to return to the initial question, do scientists respond to the awareness of an anomaly in the fit between theory and nature? What has just been said indicates that even a discrepancy unaccountably larger than that experienced in other applications of the theory need not draw any very profound response. There are always some discrepancies. Even the most stubborn ones usually respond at last to normal practice. Very often scientists are willing to wait, particularly if there are many problems available in other parts of the field. We have already noted, for example, that during the sixty years after Newton's original computation, the predicted motion of the moon's perigee remained only half of that observed. As Europe's best mathematical physicists continued to wrestle unsuccessfully with the well-known discrepancy, there were occasional proposals for a modification of Newton's inverse square law. But no one took these proposals very seriously, and in practice this patience with a major anomaly proved justified. Clairaut in 1750 was able to show that only the mathematics of the application had been wrong and that Newtonian theory could stand as before.³ Even in cases where no mere mistake seems quite possible (perhaps because the mathematics involved is simpler or of a familiar and elsewhere successful sort), persistent and recognized anomaly does not always induce crisis. No one seriously questioned Newtonian theory because of the long-recognized discrepancies between predictions from that theory and both the speed of sound and the motion of Mercury. The first discrepancy was ultimately and quite unexpectedly resolved by experiments on heat undertaken for a very different purpose; the second vanished with the general theory of relativity after a crisis that it had had no role in creating.⁴ Apparent-

³ W. Whewell, *History of the Inductive Sciences* (rev. ed.; London, 1847), II, 220-21.

⁴ For the speed of sound, see T. S. Kuhn, "The Caloric Theory of Adiabatic Compression," *Isis*, XLIV (1958), 136-37. For the secular shift in Mercury's perihelion, see E. T. Whittaker, *A History of the Theories of Aether and Electricity*, II (London, 1953), 151, 179.

ly neither had seemed sufficiently fundamental to evoke the malaise that goes with crisis. They could be recognized as counterinstances and still be set aside for later work.

It follows that if an anomaly is to evoke crisis, it must usually be more than just an anomaly. There are always difficulties somewhere in the paradigm-nature fit; most of them are set right sooner or later, often by processes that could not have been foreseen. The scientist who pauses to examine every anomaly he notes will seldom get significant work done. We therefore have to ask what it is that makes an anomaly seem worth concerted scrutiny, and to that question there is probably no fully general answer. The cases we have already examined are characteristic but scarcely prescriptive. Sometimes an anomaly will clearly call into question explicit and fundamental generalizations of the paradigm, as the problem of ether drag did for those who accepted Maxwell's theory. Or, as in the Copernican revolution, an anomaly without apparent fundamental import may evoke crisis if the applications that it inhibits have a particular practical importance, in this case for calendar design and astrology. Or, as in eighteenth-century chemistry, the development of normal science may transform an anomaly that had previously been only a vexation into a source of crisis: the problem of weight relations had a very different status after the evolution of pneumatic-chemical techniques. Presumably there are still other circumstances that can make an anomaly particularly pressing, and ordinarily several of these will combine. We have already noted, for example, that one source of the crisis that confronted Copernicus was the mere length of time during which astronomers had wrestled unsuccessfully with the reduction of the residual discrepancies in Ptolemy's system.

When, for these reasons or others like them, an anomaly comes to seem more than just another puzzle of normal science, the transition to crisis and to extraordinary science has begun. The anomaly itself now comes to be more generally recognized as such by the profession. More and more attention is devoted to it by more and more of the field's most eminent men. If it still continues to resist, as it usually does not, many of them may

come to view its resolution as *the* subject matter of their discipline. For them the field will no longer look quite the same as it had earlier. Part of its different appearance results simply from the new fixation point of scientific scrutiny. An even more important source of change is the divergent nature of the numerous partial solutions that concerted attention to the problem has made available. The early attacks upon the resistant problem will have followed the paradigm rules quite closely. But with continuing resistance, more and more of the attacks upon it will have involved some minor or not so minor articulation of the paradigm, no two of them quite alike, each partially successful, but none sufficiently so to be accepted as paradigm by the group. Through this proliferation of divergent articulations (more and more frequently they will come to be described as *ad hoc* adjustments), the rules of normal science become increasingly blurred. Though there still is a paradigm, few practitioners prove to be entirely agreed about what it is. Even formerly standard solutions of solved problems are called in question.

When acute, this situation is sometimes recognized by the scientists involved. Copernicus complained that in his day astronomers were so "inconsistent in these [astronomical] investigations . . . that they cannot even explain or observe the constant length of the seasonal year." "With them," he continued, "it is as though an artist were to gather the hands, feet, head and other members for his images from diverse models, each part excellently drawn, but not related to a single body, and since they in no way match each other, the result would be monster rather than man."⁵ Einstein, restricted by current usage to less florid language, wrote only, "It was as if the ground had been pulled out from under one, with no firm foundation to be seen anywhere, upon which one could have built."⁶ And Wolfgang Pauli, in the months before Heisenberg's paper on matrix

⁵ Quoted in T. S. Kuhn, *The Copernican Revolution* (Cambridge, Mass., 1957), p. 138.

⁶ Albert Einstein, "Autobiographical Note," in *Albert Einstein: Philosopher-Scientist*, ed. P. A. Schilpp (Evanston, Ill., 1949), p. 45.

mechanics pointed the way to a new quantum theory, wrote to a friend, "At the moment physics is again terribly confused. In any case, it is too difficult for me, and I wish I had been a movie comedian or something of the sort and had never heard of physics." That testimony is particularly impressive if contrasted with Pauli's words less than five months later: "Heisenberg's type of mechanics has again given me hope and joy in life. To be sure it does not supply the solution to the riddle, but I believe it is again possible to march forward."⁷

Such explicit recognitions of breakdown are extremely rare, but the effects of crisis do not entirely depend upon its conscious recognition. What can we say these effects are? Only two of them seem to be universal. All crises begin with the blurring of a paradigm and the consequent loosening of the rules for normal research. In this respect research during crisis very much resembles research during the pre-paradigm period, except that in the former the locus of difference is both smaller and more clearly defined. And all crises close in one of three ways. Sometimes normal science ultimately proves able to handle the crisis-provoking problem despite the despair of those who have seen it as the end of an existing paradigm. On other occasions the problem resists even apparently radical new approaches. Then scientists may conclude that no solution will be forthcoming in the present state of their field. The problem is labelled and set aside for a future generation with more developed tools. Or, finally, the case that will most concern us here, a crisis may end with the emergence of a new candidate for paradigm and with the ensuing battle over its acceptance. This last mode of closure will be considered at length in later sections, but we must anticipate a bit of what will be said there in order to complete these remarks about the evolution and anatomy of the crisis state.

The transition from a paradigm in crisis to a new one from which a new tradition of normal science can emerge is far from a cumulative process, one achieved by an articulation or exten-

⁷ Ralph Kronig, "The Turning Point," in *Theoretical Physics in the Twentieth Century: A Memorial Volume to Wolfgang Pauli*, ed. M. Fierz and V. F. Weisskopf (New York, 1960), pp. 22, 25-26. Much of this article describes the crisis in quantum mechanics in the years immediately before 1925.

sion of the old paradigm. Rather it is a reconstruction of the field from new fundamentals, a reconstruction that changes some of the field's most elementary theoretical generalizations as well as many of its paradigm methods and applications. During the transition period there will be a large but never complete overlap between the problems that can be solved by the old and by the new paradigm. But there will also be a decisive difference in the modes of solution. When the transition is complete, the profession will have changed its view of the field, its methods, and its goals. One perceptive historian, viewing a classic case of a science's reorientation by paradigm change, recently described it as "picking up the other end of the stick," a process that involves "handling the same bundle of data as before, but placing them in a new system of relations with one another by giving them a different framework."⁸ Others who have noted this aspect of scientific advance have emphasized its similarity to a change in visual gestalt: the marks on paper that were first seen as a bird are now seen as an antelope, or vice versa.⁹ That parallel can be misleading. Scientists do not see something as something else; instead, they simply see it. We have already examined some of the problems created by saying that Priestley saw oxygen as dephlogisticated air. In addition, the scientist does not preserve the gestalt subject's freedom to switch back and forth between ways of seeing. Nevertheless, the switch of gestalt, particularly because it is today so familiar, is a useful elementary prototype for what occurs in full-scale paradigm shift.

The preceding anticipation may help us recognize crisis as an appropriate prelude to the emergence of new theories, particularly since we have already examined a small-scale version of the same process in discussing the emergence of discoveries. Just because the emergence of a new theory breaks with one tradition of scientific practice and introduces a new one conducted under different rules and within a different universe of

⁸ Herbert Butterfield, *The Origins of Modern Science, 1300-1800* (London, 1949), pp. 1-7.

⁹ Hanson, *op. cit.*, chap. i.

discourse, it is likely to occur only when the first tradition is felt to have gone badly astray. That remark is, however, no more than a prelude to the investigation of the crisis-state, and, unfortunately, the questions to which it leads demand the competence of the psychologist even more than that of the historian. What is extraordinary research like? How is anomaly made law-like? How do scientists proceed when aware only that something has gone fundamentally wrong at a level with which their training has not equipped them to deal? Those questions need far more investigation, and it ought not all be historical. What follows will necessarily be more tentative and less complete than what has gone before.

Often a new paradigm emerges, at least in embryo, before a crisis has developed far or been explicitly recognized. Lavoisier's work provides a case in point. His sealed note was deposited with the French Academy less than a year after the first thorough study of weight relations in the phlogiston theory and before Priestley's publications had revealed the full extent of the crisis in pneumatic chemistry. Or again, Thomas Young's first accounts of the wave theory of light appeared at a very early stage of a developing crisis in optics, one that would be almost unnoticeable except that, with no assistance from Young, it had grown to an international scientific scandal within a decade of the time he first wrote. In cases like these one can say only that a minor breakdown of the paradigm and the very first blurring of its rules for normal science were sufficient to induce in someone a new way of looking at the field. What intervened between the first sense of trouble and the recognition of an available alternate must have been largely unconscious.

In other cases, however—those of Copernicus, Einstein, and contemporary nuclear theory, for example—considerable time elapses between the first consciousness of breakdown and the emergence of a new paradigm. When that occurs, the historian may capture at least a few hints of what extraordinary science is like. Faced with an admittedly fundamental anomaly in theory, the scientist's first effort will often be to isolate it more precisely and to give it structure. Though now aware that they

cannot be quite right, he will push the rules of normal science harder than ever to see, in the area of difficulty, just where and how far they can be made to work. Simultaneously he will seek for ways of magnifying the breakdown, of making it more striking and perhaps also more suggestive than it had been when displayed in experiments the outcome of which was thought to be known in advance. And in the latter effort, more than in any other part of the post-paradigm development of science, he will look almost like our most prevalent image of the scientist. He will, in the first place, often seem a man searching at random, trying experiments just to see what will happen, looking for an effect whose nature he cannot quite guess. Simultaneously, since no experiment can be conceived without some sort of theory, the scientist in crisis will constantly try to generate speculative theories that, if successful, may disclose the road to a new paradigm and, if unsuccessful, can be surrendered with relative ease.

Kepler's account of his prolonged struggle with the motion of Mars and Priestley's description of his response to the proliferation of new gases provide classic examples of the more random sort of research produced by the awareness of anomaly.¹⁰ But probably the best illustrations of all come from contemporary research in field theory and on fundamental particles. In the absence of a crisis that made it necessary to see just how far the rules of normal science could stretch, would the immense effort required to detect the neutrino have seemed justified? Or, if the rules had not obviously broken down at some undisclosed point, would the radical hypothesis of parity non-conservation have been either suggested or tested? Like much other research in physics during the past decade, these experiments were in part attempts to localize and define the source of a still diffuse set of anomalies.

This sort of extraordinary research is often, though by no

¹⁰ For an account of Kepler's work on Mars, see J. L. E. Dreyer, *A History of Astronomy from Thales to Kepler* (2d ed.; New York, 1953), pp. 380-93. Occasional inaccuracies do not prevent Dreyer's précis from providing the material needed here. For Priestley, see his own work, esp. *Experiments and Observations on Different Kinds of Air* (London, 1774-75).

means generally, accompanied by another. It is, I think, particularly in periods of acknowledged crisis that scientists have turned to philosophical analysis as a device for unlocking the riddles of their field. Scientists have not generally needed or wanted to be philosophers. Indeed, normal science usually holds creative philosophy at arm's length, and probably for good reasons. To the extent that normal research work can be conducted by using the paradigm as a model, rules and assumptions need not be made explicit. In Section V we noted that the full set of rules sought by philosophical analysis need not even exist. But that is not to say that the search for assumptions (even for non-existent ones) cannot be an effective way to weaken the grip of a tradition upon the mind and to suggest the basis for a new one. It is no accident that the emergence of Newtonian physics in the seventeenth century and of relativity and quantum mechanics in the twentieth should have been both preceded and accompanied by fundamental philosophical analyses of the contemporary research tradition.¹¹ Nor is it an accident that in both these periods the so-called thought experiment should have played so critical a role in the progress of research. As I have shown elsewhere, the analytical thought experimentation that bulks so large in the writings of Galileo, Einstein, Bohr, and others is perfectly calculated to expose the old paradigm to existing knowledge in ways that isolate the root of crisis with a clarity unattainable in the laboratory.¹²

With the deployment, singly or together, of these extraordinary procedures, one other thing may occur. By concentrating scientific attention upon a narrow area of trouble and by preparing the scientific mind to recognize experimental anomalies for what they are, crisis often proliferates new discoveries. We have already noted how the awareness of crisis distinguishes

¹¹ For the philosophical counterpoint that accompanied seventeenth-century mechanics, see René Dugas, *La mécanique au XVII^e siècle* (Neuchâtel, 1954), particularly chap. xi. For the similar nineteenth-century episode, see the same author's earlier book, *Histoire de la mécanique* (Neuchâtel, 1950), pp. 419-43.

¹² T. S. Kuhn, "A Function for Thought Experiments," in *Mélanges Alexandre Koyré*, ed. R. Taton and I. B. Cohen, to be published by Hermann (Paris) in 1963.

Lavoisier's work on oxygen from Priestley's; and oxygen was not the only new gas that the chemists aware of anomaly were able to discover in Priestley's work. Or again, new optical discoveries accumulated rapidly just before and during the emergence of the wave theory of light. Some, like polarization by reflection, were a result of the accidents that concentrated work in an area of trouble makes likely. (Malus, who made the discovery, was just starting work for the Academy's prize essay on double refraction, a subject widely known to be in an unsatisfactory state.) Others, like the light spot at the center of the shadow of a circular disk, were predictions from the new hypothesis, ones whose success helped to transform it to a paradigm for later work. And still others, like the colors of scratches and of thick plates, were effects that had often been seen and occasionally remarked before, but that, like Priestley's oxygen, had been assimilated to well-known effects in ways that prevented their being seen for what they were.¹³ A similar account could be given of the multiple discoveries that, from about 1895, were a constant concomitant of the emergence of quantum mechanics.

Extraordinary research must have still other manifestations and effects, but in this area we have scarcely begun to discover the questions that need to be asked. Perhaps, however, no more are needed at this point. The preceding remarks should suffice to show how crisis simultaneously loosens the stereotypes and provides the incremental data necessary for a fundamental paradigm shift. Sometimes the shape of the new paradigm is foreshadowed in the structure that extraordinary research has given to the anomaly. Einstein wrote that before he had any substitute for classical mechanics, he could see the interrelation between the known anomalies of black-body radiation, the photoelectric effect, and specific heats.¹⁴ More often no such structure is consciously seen in advance. Instead, the new paradigm, or a sufficient hint to permit later articulation, emerges

¹³ For the new optical discoveries in general, see V. Ronchi, *Histoire de la lumière* (Paris, 1956), chap. vii. For the earlier explanation of one of these effects, see J. Priestley, *The History and Present State of Discoveries Relating to Vision, Light and Colours* (London, 1772), pp. 498-520.

¹⁴ Einstein, *loc. cit.*

all at once, sometimes in the middle of the night, in the mind of a man deeply immersed in crisis. What the nature of that final stage is—how an individual invents (or finds he has invented) a new way of giving order to data now all assembled—must here remain inscrutable and may be permanently so. Let us here note only one thing about it. Almost always the men who achieve these fundamental inventions of a new paradigm have been either very young or very new to the field whose paradigm they change.¹⁵ And perhaps that point need not have been made explicit, for obviously these are the men who, being little committed by prior practice to the traditional rules of normal science, are particularly likely to see that those rules no longer define a playable game and to conceive another set that can replace them.

The resulting transition to a new paradigm is scientific revolution, a subject that we are at long last prepared to approach directly. Note first, however, one last and apparently elusive respect in which the material of the last three sections has prepared the way. Until Section VI, where the concept of anomaly was first introduced, the terms 'revolution' and 'extraordinary science' may have seemed equivalent. More important, neither term may have seemed to mean more than 'non-normal science,' a circularity that will have bothered at least a few readers. In practice, it need not have done so. We are about to discover that a similar circularity is characteristic of scientific theories. Bothersome or not, however, that circularity is no longer unqualified. This section of the essay and the two preceding have educated numerous criteria of a breakdown in normal scientific activity, criteria that do not at all depend upon whether breakdown is succeeded by revolution. Confronted with anomaly or

¹⁵ This generalization about the role of youth in fundamental scientific research is so common as to be a cliché. Furthermore, a glance at almost any list of fundamental contributions to scientific theory will provide impressionistic confirmation. Nevertheless, the generalization badly needs systematic investigation. Harvey C. Lehman (*Age and Achievement* [Princeton, 1953]) provides many useful data; but his studies make no attempt to single out contributions that involve fundamental reconceptualization. Nor do they inquire about the special circumstances, if any, that may accompany relatively late productivity in the sciences.

with crisis, scientists take a different attitude toward existing paradigms, and the nature of their research changes accordingly. The proliferation of competing articulations, the willingness to try anything, the expression of explicit discontent, the recourse to philosophy and to debate over fundamentals, all these are symptoms of a transition from normal to extraordinary research. It is upon their existence more than upon that of revolutions that the notion of normal science depends.

IX. The Nature and Necessity of Scientific Revolutions

These remarks permit us at last to consider the problems that provide this essay with its title. What are scientific revolutions, and what is their function in scientific development? Much of the answer to these questions has been anticipated in earlier sections. In particular, the preceding discussion has indicated that scientific revolutions are here taken to be those non-cumulative developmental episodes in which an older paradigm is replaced in whole or in part by an incompatible new one. There is more to be said, however, and an essential part of it can be introduced by asking one further question. Why should a change of paradigm be called a revolution? In the face of the vast and essential differences between political and scientific development, what parallelism can justify the metaphor that finds revolutions in both?

One aspect of the parallelism must already be apparent. Political revolutions are inaugurated by a growing sense, often restricted to a segment of the political community, that existing institutions have ceased adequately to meet the problems posed by an environment that they have in part created. In much the same way, scientific revolutions are inaugurated by a growing sense, again often restricted to a narrow subdivision of the scientific community, that an existing paradigm has ceased to function adequately in the exploration of an aspect of nature to which that paradigm itself had previously led the way. In both political and scientific development the sense of malfunction that can lead to crisis is prerequisite to revolution. Furthermore, though it admittedly strains the metaphor, that parallelism holds not only for the major paradigm changes, like those attributable to Copernicus and Lavoisier, but also for the far smaller ones associated with the assimilation of a new sort of phenomenon, like oxygen or X-rays. Scientific revolutions, as we noted at the end of Section V, need seem revolutionary only to

The Nature and Necessity of Scientific Revolutions

those whose paradigms are affected by them. To outsiders they may, like the Balkan revolutions of the early twentieth century, seem normal parts of the developmental process. Astronomers, for example, could accept X-rays as a mere addition to knowledge, for their paradigms were unaffected by the existence of the new radiation. But for men like Kelvin, Crookes, and Roentgen, whose research dealt with radiation theory or with cathode ray tubes, the emergence of X-rays necessarily violated one paradigm as it created another. That is why these rays could be discovered only through something's first going wrong with normal research.

This genetic aspect of the parallel between political and scientific development should no longer be open to doubt. The parallel has, however, a second and more profound aspect upon which the significance of the first depends. Political revolutions aim to change political institutions in ways that those institutions themselves prohibit. Their success therefore necessitates the partial relinquishment of one set of institutions in favor of another, and in the interim, society is not fully governed by institutions at all. Initially it is crisis alone that attenuates the role of political institutions as we have already seen it attenuate the role of paradigms. In increasing numbers individuals become increasingly estranged from political life and behave more and more eccentrically within it. Then, as the crisis deepens, many of these individuals commit themselves to some concrete proposal for the reconstruction of society in a new institutional framework. At that point the society is divided into competing camps or parties, one seeking to defend the old institutional constellation, the others seeking to institute some new one. And, once that polarization has occurred, *political recourse fails*. Because they differ about the institutional matrix within which political change is to be achieved and evaluated, because they acknowledge no supra-institutional framework for the adjudication of revolutionary difference, the parties to a revolutionary conflict must finally resort to the techniques of mass persuasion, often including force. Though revolutions have had a vital role in the evolution of political institutions, that role depends upon

their being partially extrapolitical or extrainstitutional events.

The remainder of this essay aims to demonstrate that the historical study of paradigm change reveals very similar characteristics in the evolution of the sciences. Like the choice between competing political institutions, that between competing paradigms proves to be a choice between incompatible modes of community life. Because it has that character, the choice is not and cannot be determined merely by the evaluative procedures characteristic of normal science, for these depend in part upon a particular paradigm, and that paradigm is at issue. When paradigms enter, as they must, into a debate about paradigm choice, their role is necessarily circular. Each group uses its own paradigm to argue in that paradigm's defense.

The resulting circularity does not, of course, make the arguments wrong or even ineffectual. The man who premises a paradigm when arguing in its defense can nonetheless provide a clear exhibit of what scientific practice will be like for those who adopt the new view of nature. That exhibit can be immensely persuasive, often compellingly so. Yet, whatever its force, the status of the circular argument is only that of persuasion. It cannot be made logically or even probabilistically compelling for those who refuse to step into the circle. The premises and values shared by the two parties to a debate over paradigms are not sufficiently extensive for that. As in political revolutions, so in paradigm choice—there is no standard higher than the assent of the relevant community. To discover how scientific revolutions are effected, we shall therefore have to examine not only the impact of nature and of logic, but also the techniques of persuasive argumentation effective within the quite special groups that constitute the community of scientists.

To discover why this issue of paradigm choice can never be unequivocally settled by logic and experiment alone, we must shortly examine the nature of the differences that separate the proponents of a traditional paradigm from their revolutionary successors. That examination is the principal object of this section and the next. We have, however, already noted numerous examples of such differences, and no one will doubt that history

can supply many others. What is more likely to be doubted than their existence—and what must therefore be considered first—is that such examples provide essential information about the nature of science. Granting that paradigm rejection has been a historic fact, does it illuminate more than human credulity and confusion? Are there intrinsic reasons why the assimilation of either a new sort of phenomenon or a new scientific theory must demand the rejection of an older paradigm?

First notice that if there are such reasons, they do not derive from the logical structure of scientific knowledge. In principle, a new phenomenon might emerge without reflecting destructively upon any part of past scientific practice. Though discovering life on the moon would today be destructive of existing paradigms (these tell us things about the moon that seem incompatible with life's existence there), discovering life in some less well-known part of the galaxy would not. By the same token, a new theory does not have to conflict with any of its predecessors. It might deal exclusively with phenomena not previously known, as the quantum theory deals (but, significantly, not exclusively) with subatomic phenomena unknown before the twentieth century. Or again, the new theory might be simply a higher level theory than those known before, one that linked together a whole group of lower level theories without substantially changing any. Today, the theory of energy conservation provides just such links between dynamics, chemistry, electricity, optics, thermal theory, and so on. Still other compatible relationships between old and new theories can be conceived. Any and all of them might be exemplified by the historical process through which science has developed. If they were, scientific development would be genuinely cumulative. New sorts of phenomena would simply disclose order in an aspect of nature where none had been seen before. In the evolution of science new knowledge would replace ignorance rather than replace knowledge of another and incompatible sort.

Of course, science (or some other enterprise, perhaps less effective) might have developed in that fully cumulative manner. Many people have believed that it did so, and most still

seem to suppose that cumulation is at least the ideal that historical development would display if only it had not so often been distorted by human idiosyncrasy. There are important reasons for that belief. In Section X we shall discover how closely the view of science-as-cumulation is entangled with a dominant epistemology that takes knowledge to be a construction placed directly upon raw sense data by the mind. And in Section XI we shall examine the strong support provided to the same historiographic schema by the techniques of effective science pedagogy. Nevertheless, despite the immense plausibility of that ideal image, there is increasing reason to wonder whether it can possibly be an image of *science*. After the pre-paradigm period the assimilation of all new theories and of almost all new sorts of phenomena has in fact demanded the destruction of a prior paradigm and a consequent conflict between competing schools of scientific thought. Cumulative acquisition of unanticipated novelties proves to be an almost non-existent exception to the rule of scientific development. The man who takes historic fact seriously must suspect that science does not tend toward the ideal that our image of its cumulativeness has suggested. Perhaps it is another sort of enterprise.

If, however, resistant facts can carry us that far, then a second look at the ground we have already covered may suggest that cumulative acquisition of novelty is not only rare in fact but improbable in principle. Normal research, which *is* cumulative, owes its success to the ability of scientists regularly to select problems that can be solved with conceptual and instrumental techniques close to those already in existence. (That is why an excessive concern with useful problems, regardless of their relation to existing knowledge and technique, can so easily inhibit scientific development.) The man who is striving to solve a problem defined by existing knowledge and technique is not, however, just looking around. He knows what he wants to achieve, and he designs his instruments and directs his thoughts accordingly. Unanticipated novelty, the new discovery, can emerge only to the extent that his anticipations about nature and his instruments prove wrong. Often the importance of the

resulting discovery will itself be proportional to the extent and stubbornness of the anomaly that foreshadowed it. Obviously, then, there must be a conflict between the paradigm that discloses anomaly and the one that later renders the anomaly law-like. The examples of discovery through paradigm destruction examined in Section VI did not confront us with mere historical accident. There is no other effective way in which discoveries might be generated.

The same argument applies even more clearly to the invention of new theories. There are, in principle, only three types of phenomena about which a new theory might be developed. The first consists of phenomena already well explained by existing paradigms, and these seldom provide either motive or point of departure for theory construction. When they do, as with the three famous anticipations discussed at the end of Section VII, the theories that result are seldom accepted, because nature provides no ground for discrimination. A second class of phenomena consists of those whose nature is indicated by existing paradigms but whose details can be understood only through further theory articulation. These are the phenomena to which scientists direct their research much of the time, but that research aims at the articulation of existing paradigms rather than at the invention of new ones. Only when these attempts at articulation fail do scientists encounter the third type of phenomena, the recognized anomalies whose characteristic feature is their stubborn refusal to be assimilated to existing paradigms. This type alone gives rise to new theories. Paradigms provide all phenomena except anomalies with a theory-determined place in the scientist's field of vision.

But if new theories are called forth to resolve anomalies in the relation of an existing theory to nature, then the successful new theory must somewhere permit predictions that are different from those derived from its predecessor. That difference could not occur if the two were logically compatible. In the process of being assimilated, the second must displace the first. Even a theory like energy conservation, which today seems a logical superstructure that relates to nature only through independent-

ly established theories, did not develop historically without paradigm destruction. Instead, it emerged from a crisis in which an essential ingredient was the incompatibility between Newtonian dynamics and some recently formulated consequences of the caloric theory of heat. Only after the caloric theory had been rejected could energy conservation become part of science.¹ And only after it had been part of science for some time could it come to seem a theory of a logically higher type, one not in conflict with its predecessors. It is hard to see how new theories could arise without these destructive changes in beliefs about nature. Though logical inclusiveness remains a permissible view of the relation between successive scientific theories, it is a historical implausibility.

A century ago it would, I think, have been possible to let the case for the necessity of revolutions rest at this point. But today, unfortunately, that cannot be done because the view of the subject developed above cannot be maintained if the most prevalent contemporary interpretation of the nature and function of scientific theory is accepted. That interpretation, closely associated with early logical positivism and not categorically rejected by its successors, would restrict the range and meaning of an accepted theory so that it could not possibly conflict with any later theory that made predictions about some of the same natural phenomena. The best-known and the strongest case for this restricted conception of a scientific theory emerges in discussions of the relation between contemporary Einsteinian dynamics and the older dynamical equations that descend from Newton's *Principia*. From the viewpoint of this essay these two theories are fundamentally incompatible in the sense illustrated by the relation of Copernican to Ptolemaic astronomy: Einstein's theory can be accepted only with the recognition that Newton's was wrong. Today this remains a minority view.² We must therefore examine the most prevalent objections to it.

¹ Silvanus P. Thompson, *Life of William Thomson Baron Kelvin of Largs* (London, 1910), I, 266-81.

² See, for example, the remarks by P. P. Wiener in *Philosophy of Science*, XXV (1958), 298.

The gist of these objections can be developed as follows. Relativistic dynamics cannot have shown Newtonian dynamics to be wrong, for Newtonian dynamics is still used with great success by most engineers and, in selected applications, by many physicists. Furthermore, the propriety of this use of the older theory can be proved from the very theory that has, in other applications, replaced it. Einstein's theory can be used to show that predictions from Newton's equations will be as good as our measuring instruments in all applications that satisfy a small number of restrictive conditions. For example, if Newtonian theory is to provide a good approximate solution, the relative velocities of the bodies considered must be small compared with the velocity of light. Subject to this condition and a few others, Newtonian theory seems to be derivable from Einsteinian, of which it is therefore a special case.

But, the objection continues, no theory can possibly conflict with one of its special cases. If Einsteinian science seems to make Newtonian dynamics wrong, that is only because some Newtonians were so incautious as to claim that Newtonian theory yielded entirely precise results or that it was valid at very high relative velocities. Since they could not have had any evidence for such claims, they betrayed the standards of science when they made them. In so far as Newtonian theory was ever a truly scientific theory supported by valid evidence, it still is. Only extravagant claims for the theory—claims that were never properly parts of science—can have been shown by Einstein to be wrong. Purged of these merely human extravagances, Newtonian theory has never been challenged and cannot be.

Some variant of this argument is quite sufficient to make any theory ever used by a significant group of competent scientists immune to attack. The much-maligned phlogiston theory, for example, gave order to a large number of physical and chemical phenomena. It explained why bodies burned—they were rich in phlogiston—and why metals had so many more properties in common than did their ores. The metals were all compounded from different elementary earths combined with phlogiston, and the latter, common to all metals, produced common prop-

erties. In addition, the phlogiston theory accounted for a number of reactions in which acids were formed by the combustion of substances like carbon and sulphur. Also, it explained the decrease of volume when combustion occurs in a confined volume of air—the phlogiston released by combustion “spoils” the elasticity of the air that absorbed it, just as fire “spoils” the elasticity of a steel spring.³ If these were the only phenomena that the phlogiston theorists had claimed for their theory, that theory could never have been challenged. A similar argument will suffice for any theory that has ever been successfully applied to any range of phenomena at all.

But to save theories in this way, their range of application must be restricted to those phenomena and to that precision of observation with which the experimental evidence in hand already deals.⁴ Carried just a step further (and the step can scarcely be avoided once the first is taken), such a limitation prohibits the scientist from claiming to speak “scientifically” about any phenomenon not already observed. Even in its present form the restriction forbids the scientist to rely upon a theory in his own research whenever that research enters an area or seeks a degree of precision for which past practice with the theory offers no precedent. These prohibitions are logically unexceptionable. But the result of accepting them would be the end of the research through which science may develop further.

By now that point too is virtually a tautology. Without commitment to a paradigm there could be no normal science. Furthermore, that commitment must extend to areas and to degrees of precision for which there is no full precedent. If it did not, the paradigm could provide no puzzles that had not already been solved. Besides, it is not only normal science that depends upon commitment to a paradigm. If existing theory binds the

³ James B. Conant, *Overthrow of the Phlogiston Theory* (Cambridge, 1950), pp. 13–16; and J. R. Partington, *A Short History of Chemistry* (2d ed.; London, 1951), pp. 85–88. The fullest and most sympathetic account of the phlogiston theory's achievements is by H. Metzger, *Newton, Stahl, Boerhaave et la doctrine chimique* (Paris, 1930), Part II.

⁴ Compare the conclusions reached through a very different sort of analysis by R. B. Braithwaite, *Scientific Explanation* (Cambridge, 1953), pp. 50–87, esp. p. 76.

scientist only with respect to existing applications, then there can be no surprises, anomalies, or crises. But these are just the signposts that point the way to extraordinary science. If positivist restrictions on the range of a theory's legitimate applicability are taken literally, the mechanism that tells the scientific community what problems may lead to fundamental change must cease to function. And when that occurs, the community will inevitably return to something much like its pre-paradigm state, a condition in which all members practice science but in which their gross product scarcely resembles science at all. Is it really any wonder that the price of significant scientific advance is a commitment that runs the risk of being wrong?

More important, there is a revealing logical lacuna in the positivist's argument, one that will reintroduce us immediately to the nature of revolutionary change. Can Newtonian dynamics really be *derived* from relativistic dynamics? What would such a derivation look like? Imagine a set of statements, E_1, E_2, \dots, E_n , which together embody the laws of relativity theory. These statements contain variables and parameters representing spatial position, time, rest mass, etc. From them, together with the apparatus of logic and mathematics, is deducible a whole set of further statements including some that can be checked by observation. To prove the adequacy of Newtonian dynamics as a special case, we must add to the E_i 's additional statements, like $(v/c)^2 \ll 1$, restricting the range of the parameters and variables. This enlarged set of statements is then manipulated to yield a new set, N_1, N_2, \dots, N_m , which is identical in form with Newton's laws of motion, the law of gravity, and so on. Apparently Newtonian dynamics has been derived from Einsteinian, subject to a few limiting conditions.

Yet the derivation is spurious, at least to this point. Though the N_i 's are a special case of the laws of relativistic mechanics, they are not Newton's Laws. Or at least they are not unless those laws are reinterpreted in a way that would have been impossible until after Einstein's work. The variables and parameters that in the Einsteinian E_i 's represented spatial position, time, mass, etc., still occur in the N_i 's; and they there still repre-

sent Einsteinian space, time, and mass. But the physical referents of these Einsteinian concepts are by no means identical with those of the Newtonian concepts that bear the same name. (Newtonian mass is conserved; Einsteinian is convertible with energy. Only at low relative velocities may the two be measured in the same way, and even then they must not be conceived to be the same.) Unless we change the definitions of the variables in the *N*'s, the statements we have derived are not Newtonian. If we do change them, we cannot properly be said to have *derived* Newton's Laws, at least not in any sense of "derive" now generally recognized. Our argument has, of course, explained why Newton's Laws ever seemed to work. In doing so it has justified, say, an automobile driver in acting as though he lived in a Newtonian universe. An argument of the same type is used to justify teaching earth-centered astronomy to surveyors. But the argument has still not done what it purported to do. It has not, that is, shown Newton's Laws to be a limiting case of Einstein's. For in the passage to the limit it is not only the forms of the laws that have changed. Simultaneously we have had to alter the fundamental structural elements of which the universe to which they apply is composed.

This need to change the meaning of established and familiar concepts is central to the revolutionary impact of Einstein's theory. Though subtler than the changes from geocentrism to heliocentrism, from phlogiston to oxygen, or from corpuscles to waves, the resulting conceptual transformation is no less decisively destructive of a previously established paradigm. We may even come to see it as a prototype for revolutionary reorientations in the sciences. Just because it did not involve the introduction of additional objects or concepts, the transition from Newtonian to Einsteinian mechanics illustrates with particular clarity the scientific revolution as a displacement of the conceptual network through which scientists view the world.

These remarks should suffice to show what might, in another philosophical climate, have been taken for granted. At least for scientists, most of the apparent differences between a discarded scientific theory and its successor are real. Though an out-of-

date theory can always be viewed as a special case of its up-to-date successor, it must be transformed for the purpose. And the transformation is one that can be undertaken only with the advantages of hindsight, the explicit guidance of the more recent theory. Furthermore, even if that transformation were a legitimate device to employ in interpreting the older theory, the result of its application would be a theory so restricted that it could only restate what was already known. Because of its economy, that restatement would have utility, but it could not suffice for the guidance of research.

Let us, therefore, now take it for granted that the differences between successive paradigms are both necessary and irreconcilable. Can we then say more explicitly what sorts of differences these are? The most apparent type has already been illustrated repeatedly. Successive paradigms tell us different things about the population of the universe and about that population's behavior. They differ, that is, about such questions as the existence of subatomic particles, the materiality of light, and the conservation of heat or of energy. These are the substantive differences between successive paradigms, and they require no further illustration. But paradigms differ in more than substance, for they are directed not only to nature but also back upon the science that produced them. They are the source of the methods, problem-field, and standards of solution accepted by any mature scientific community at any given time. As a result, the reception of a new paradigm often necessitates a redefinition of the corresponding science. Some old problems may be relegated to another science or declared entirely "unscientific." Others that were previously non-existent or trivial may, with a new paradigm, become the very archetypes of significant scientific achievement. And as the problems change, so, often, does the standard that distinguishes a real scientific solution from a mere metaphysical speculation, word game, or mathematical play. The normal-scientific tradition that emerges from a scientific revolution is not only incompatible but often actually incommensurable with that which has gone before.

The impact of Newton's work upon the normal seventeenth-

(N Com the sun ab lit)

century tradition of scientific practice provides a striking example of these subtler effects of paradigm shift. Before Newton was born the "new science" of the century had at last succeeded in rejecting Aristotelian and scholastic explanations expressed in terms of the essences of material bodies. To say that a stone fell because its "nature" drove it toward the center of the universe had been made to look a mere tautological word-play, something it had not previously been. Henceforth the entire flux of sensory appearances, including color, taste, and even weight, was to be explained in terms of the size, shape, position, and motion of the elementary corpuscles of base matter. The attribution of other qualities to the elementary atoms was a resort to the occult and therefore out of bounds for science. Molière caught the new spirit precisely when he ridiculed the doctor who explained opium's efficacy as a soporific by attributing to it a dormitive potency. During the last half of the seventeenth century many scientists preferred to say that the round shape of the opium particles enabled them to sooth the nerves about which they moved.⁵

In an earlier period explanations in terms of occult qualities had been an integral part of productive scientific work. Nevertheless, the seventeenth century's new commitment to mechanico-corpuscular explanation proved immensely fruitful for a number of sciences, ridding them of problems that had defied generally accepted solution and suggesting others to replace them. In dynamics, for example, Newton's three laws of motion are less a product of novel experiments than of the attempt to reinterpret well-known observations in terms of the motions and interactions of primary neutral corpuscles. Consider just one concrete illustration. Since neutral corpuscles could act on each other only by contact, the mechanico-corpuscular view of nature directed scientific attention to a brand-new subject of study, the alteration of particulate motions by collisions. Descartes announced the problem and provided its first putative

⁵ For corpuscularism in general, see Marie Boas, "The Establishment of the Mechanical Philosophy," *Osiris*, X (1952), 412-541. For the effect of particle-shape on taste, see *ibid.*, p. 483.

solution. Huyghens, Wren, and Wallis carried it still further, partly by experimenting with colliding pendulum bobs, but mostly by applying previously well-known characteristics of motion to the new problem. And Newton embedded their results in his laws of motion. The equal "action" and "reaction" of the third law are the changes in quantity of motion experienced by the two parties to a collision. The same change of motion supplies the definition of dynamical force implicit in the second law. In this case, as in many others during the seventeenth century, the corpuscular paradigm bred both a new problem and a large part of that problem's solution.⁶

Yet, though much of Newton's work was directed to problems and embodied standards derived from the mechanico-corpuscular world view, the effect of the paradigm that resulted from his work was a further and partially destructive change in the problems and standards legitimate for science. Gravity, interpreted as an innate attraction between every pair of particles of matter, was an occult quality in the same sense as the scholastics' "tendency to fall" had been. Therefore, while the standards of corpuscularism remained in effect, the search for a mechanical explanation of gravity was one of the most challenging problems for those who accepted the *Principia* as paradigm. Newton devoted much attention to it and so did many of his eighteenth-century successors. The only apparent option was to reject Newton's theory for its failure to explain gravity, and that alternative, too, was widely adopted. Yet neither of these views ultimately triumphed. Unable either to practice science without the *Principia* or to make that work conform to the corpuscular standards of the seventeenth century, scientists gradually accepted the view that gravity was indeed innate. By the mid-eighteenth century that interpretation had been almost universally accepted, and the result was a genuine reversion (which is not the same as a retrogression) to a scholastic standard. Innate attractions and repulsions joined size, shape, posi-

⁶ R. Dugas, *La mécanique au XVII^e siècle* (Neuchâtel, 1954), pp. 177-85, 284-98, 345-56.

tion, and motion as physically irreducible primary properties of matter.⁷

The resulting change in the standards and problem-field of physical science was once again consequential. By the 1740's, for example, electricians could speak of the attractive "virtue" of the electric fluid without thereby inviting the ridicule that had greeted Molière's doctor a century before. As they did so, electrical phenomena increasingly displayed an order different from the one they had shown when viewed as the effects of a mechanical effluvium that could act only by contact. In particular, when electrical action-at-a-distance became a subject for study in its own right, the phenomenon we now call charging by induction could be recognized as one of its effects. Previously, when seen at all, it had been attributed to the direct action of electrical "atmospheres" or to the leakages inevitable in any electrical laboratory. The new view of inductive effects was, in turn, the key to Franklin's analysis of the Leyden jar and thus to the emergence of a new and Newtonian paradigm for electricity. Nor were dynamics and electricity the only scientific fields affected by the legitimization of the search for forces innate to matter. The large body of eighteenth-century literature on chemical affinities and replacement series also derives from this supramechanical aspect of Newtonianism. Chemists who believed in these differential attractions between the various chemical species set up previously unimagined experiments and searched for new sorts of reactions. Without the data and the chemical concepts developed in that process, the later work of Lavoisier and, more particularly, of Dalton would be incomprehensible.⁸ Changes in the standards governing permissible problems, concepts, and explanations can transform a science. In the next section I shall even suggest a sense in which they transform the world.

⁷ I. B. Cohen, *Franklin and Newton: An Inquiry into Speculative Newtonian Experimental Science and Franklin's Work in Electricity as an Example Thereof* (Philadelphia, 1956), chaps. vi-vii.

⁸ For electricity, see *ibid.*, chaps. viii-ix. For chemistry, see Metzger, *op. cit.*, Part I.

Other examples of these nonsubstantive differences between successive paradigms can be retrieved from the history of any science in almost any period of its development. For the moment let us be content with just two other and far briefer illustrations. Before the chemical revolution, one of the acknowledged tasks of chemistry was to account for the qualities of chemical substances and for the changes these qualities underwent during chemical reactions. With the aid of a small number of elementary "principles"—of which phlogiston was one—the chemist was to explain why some substances are acidic, others metalline, combustible, and so forth. Some success in this direction had been achieved. We have already noted that phlogiston explained why the metals were so much alike, and we could have developed a similar argument for the acids. Lavoisier's reform, however, ultimately did away with chemical "principles," and thus ended by depriving chemistry of some actual and much potential explanatory power. To compensate for this loss, a change in standards was required. During much of the nineteenth century failure to explain the qualities of compounds was no indictment of a chemical theory.⁹

Or again, Clerk Maxwell shared with other nineteenth-century proponents of the wave theory of light the conviction that light waves must be propagated through a material ether. Designing a mechanical medium to support such waves was a standard problem for many of his ablest contemporaries. His own theory, however, the electromagnetic theory of light, gave no account at all of a medium able to support light waves, and it clearly made such an account harder to provide than it had seemed before. Initially, Maxwell's theory was widely rejected for those reasons. But, like Newton's theory, Maxwell's proved difficult to dispense with, and as it achieved the status of a paradigm, the community's attitude toward it changed. In the early decades of the twentieth century Maxwell's insistence upon the existence of a mechanical ether looked more and more like lip service, which it emphatically had not been, and the attempts to design such an ethereal medium were abandoned. Scientists no

⁹ E. Meyerson, *Identity and Reality* (New York, 1930), chap. x.

longer thought it unscientific to speak of an electrical "displacement" without specifying what was being displaced. The result, again, was a new set of problems and standards, one which, in the event, had much to do with the emergence of relativity theory.¹⁰

These characteristic shifts in the scientific community's conception of its legitimate problems and standards would have less significance to this essay's thesis if one could suppose that they always occurred from some methodologically lower to some higher type. In that case their effects, too, would seem cumulative. No wonder that some historians have argued that the history of science records a continuing increase in the maturity and refinement of man's conception of the nature of science.¹¹ Yet the case for cumulative development of science's problems and standards is even harder to make than the case for cumulation of theories. The attempt to explain gravity, though fruitfully abandoned by most eighteenth-century scientists, was not directed to an intrinsically illegitimate problem; the objections to innate forces were neither inherently unscientific nor metaphysical in some pejorative sense. There are no external standards to permit a judgment of that sort. What occurred was neither a decline nor a raising of standards, but simply a change demanded by the adoption of a new paradigm. Furthermore, that change has since been reversed and could be again. In the twentieth century Einstein succeeded in explaining gravitational attractions, and that explanation has returned science to a set of canons and problems that are, in this particular respect, more like those of Newton's predecessors than of his successors. Or again, the development of quantum mechanics has reversed the methodological prohibition that originated in the chemical revolution. Chemists now attempt, and with great success, to explain the color, state of aggregation, and other qualities of the substances used and produced in their laboratories. A similar rever-

¹⁰ E. T. Whittaker, *A History of the Theories of Aether and Electricity*, II (London, 1953), 28-30.

¹¹ For a brilliant and entirely up-to-date attempt to fit scientific development into this Procrustean bed, see C. C. Gillispie, *The Edge of Objectivity: An Essay in the History of Scientific Ideas* (Princeton, 1960).

sal may even be underway in electromagnetic theory. Space, in contemporary physics, is not the inert and homogenous substratum employed in both Newton's and Maxwell's theories; some of its new properties are not unlike those once attributed to the ether; we may someday come to know what an electric displacement is.

By shifting emphasis from the cognitive to the normative functions of paradigms, the preceding examples enlarge our understanding of the ways in which paradigms give form to the scientific life. Previously, we had principally examined the paradigm's role as a vehicle for scientific theory. In that role it functions by telling the scientist about the entities that nature does and does not contain and about the ways in which those entities behave. That information provides a map whose details are elucidated by mature scientific research. And since nature is too complex and varied to be explored at random, that map is as essential as observation and experiment to science's continuing development. Through the theories they embody, paradigms prove to be constitutive of the research activity. They are also, however, constitutive of science in other respects, and that is now the point. In particular, our most recent examples show that paradigms provide scientists not only with a map but also with some of the directions essential for map-making. In learning a paradigm the scientist acquires theory, methods, and standards together, usually in an inextricable mixture. Therefore, when paradigms change, there are usually significant shifts in the criteria determining the legitimacy both of problems and of proposed solutions.

That observation returns us to the point from which this section began, for it provides our first explicit indication of why the choice between competing paradigms regularly raises questions that cannot be resolved by the criteria of normal science. To the extent, as significant as it is incomplete, that two scientific schools disagree about what is a problem and what a solution, they will inevitably talk through each other when debating the relative merits of their respective paradigms. In the partially circular arguments that regularly result, each paradigm will be

shown to satisfy more or less the criteria that it dictates for itself and to fall short of a few of those dictated by its opponent. There are other reasons, too, for the incompleteness of logical contact that consistently characterizes paradigm debates. For example, since no paradigm ever solves all the problems it defines and since no two paradigms leave all the same problems unsolved, paradigm debates always involve the question: Which problems is it more significant to have solved? Like the issue of competing standards, that question of values can be answered only in terms of criteria that lie outside of normal science altogether, and it is that recourse to external criteria that most obviously makes paradigm debates revolutionary. Something even more fundamental than standards and values is, however, also at stake. I have so far argued only that paradigms are constitutive of science. Now I wish to display a sense in which they are constitutive of nature as well.

X. Revolutions as Changes of World View

Examining the record of past research from the vantage of contemporary historiography, the historian of science may be tempted to exclaim that when paradigms change, the world itself changes with them. Led by a new paradigm, scientists adopt new instruments and look in new places. Even more important, during revolutions scientists see new and different things when looking with familiar instruments in places they have looked before. It is rather as if the professional community had been suddenly transported to another planet where familiar objects are seen in a different light and are joined by unfamiliar ones as well. Of course, nothing of quite that sort does occur: there is no geographical transplantation; outside the laboratory everyday affairs usually continue as before. Nevertheless, paradigm changes do cause scientists to see the world of their research-engagement differently. In so far as their only recourse to that world is through what they see and do, we may want to say that after a revolution scientists are responding to a different world.

It is as elementary prototypes for these transformations of the scientist's world that the familiar demonstrations of a switch in visual gestalt prove so suggestive. What were ducks in the scientist's world before the revolution are rabbits afterwards. The man who first saw the exterior of the box from above later sees its interior from below. Transformations like these, though usually more gradual and almost always irreversible, are common concomitants of scientific training. Looking at a contour map, the student sees lines on paper, the cartographer a picture of a terrain. Looking at a bubble-chamber photograph, the student sees confused and broken lines, the physicist a record of familiar subnuclear events. Only after a number of such transformations of vision does the student become an inhabitant of the scientist's world, seeing what the scientist sees and responding as the scientist does. The world that the student then enters

is not, however, fixed once and for all by the nature of the environment, on the one hand, and of science, on the other. Rather, it is determined jointly by the environment and the particular normal-scientific tradition that the student has been trained to pursue. Therefore, at times of revolution, when the normal-scientific tradition changes, the scientist's perception of his environment must be re-educated—in some familiar situations he must learn to see a new gestalt. After he has done so the world of his research will seem, here and there, incommensurable with the one he had inhabited before. That is another reason why schools guided by different paradigms are always slightly at cross-purposes.

In their most usual form, of course, gestalt experiments illustrate only the nature of perceptual transformations. They tell us nothing about the role of paradigms or of previously assimilated experience in the process of perception. But on that point there is a rich body of psychological literature, much of it stemming from the pioneering work of the Hanover Institute. An experimental subject who puts on goggles fitted with inverting lenses initially sees the entire world upside down. At the start his perceptual apparatus functions as it had been trained to function in the absence of the goggles, and the result is extreme disorientation, an acute personal crisis. But after the subject has begun to learn to deal with his new world, his entire visual field flips over, usually after an intervening period in which vision is simply confused. Thereafter, objects are again seen as they had been before the goggles were put on. The assimilation of a previously anomalous visual field has reacted upon and changed the field itself.¹ Literally as well as metaphorically, the man accustomed to inverting lenses has undergone a revolutionary transformation of vision.

The subjects of the anomalous playing-card experiment discussed in Section VI experienced a quite similar transformation. Until taught by prolonged exposure that the universe contained

¹ The original experiments were by George M. Stratton, "Vision without Inversion of the Retinal Image," *Psychological Review*, IV (1897), 341-60, 463-81. A more up-to-date review is provided by Harvey A. Carr, *An Introduction to Space Perception* (New York, 1935), pp. 18-57.

anomalous cards, they saw only the types of cards for which previous experience had equipped them. Yet once experience had provided the requisite additional categories, they were able to see all anomalous cards on the first inspection long enough to permit any identification at all. Still other experiments demonstrate that the perceived size, color, and so on, of experimentally displayed objects also varies with the subject's previous training and experience.² Surveying the rich experimental literature from which these examples are drawn makes one suspect that something like a paradigm is prerequisite to perception itself. What a man sees depends both upon what he looks at and also upon what his previous visual-conceptual experience has taught him to see. In the absence of such training there can only be, in William James's phrase, "a bloomin' buzzin' confusion."

In recent years several of those concerned with the history of science have found the sorts of experiments described above immensely suggestive. N. R. Hanson, in particular, has used gestalt demonstrations to elaborate some of the same consequences of scientific belief that concern me here.³ Other colleagues have repeatedly noted that history of science would make better and more coherent sense if one could suppose that scientists occasionally experienced shifts of perception like those described above. Yet, though psychological experiments are suggestive, they cannot, in the nature of the case, be more than that. They do display characteristics of perception that *could* be central to scientific development, but they do not demonstrate that the careful and controlled observation exercised by the research scientist at all partakes of those characteristics. Furthermore, the very nature of these experiments makes any direct demonstration of that point impossible. If historical example is to make these psychological experiments seem rele-

² For examples, see Albert H. Hastorf, "The Influence of Suggestion on the Relationship between Stimulus Size and Perceived Distance," *Journal of Psychology*, XXIX (1950), 195-217; and Jerome S. Bruner, Leo Postman, and John Rodrigues, "Expectations and the Perception of Color," *American Journal of Psychology*, LXIV (1951), 216-27.

³ N. R. Hanson, *Patterns of Discovery* (Cambridge, 1958), chap. i.

vant, we must first notice the sorts of evidence that we may and may not expect history to provide.

The subject of a gestalt demonstration knows that his perception has shifted because he can make it shift back and forth repeatedly while he holds the same book or piece of paper in his hands. Aware that nothing in his environment has changed, he directs his attention increasingly not to the figure (duck or rabbit) but to the lines on the paper he is looking at. Ultimately he may even learn to see those lines without seeing either of the figures, and he may then say (what he could not legitimately have said earlier) that it is these lines that he really sees but that he sees them alternately *as* a duck and *as* a rabbit. By the same token, the subject of the anomalous card experiment knows (or, more accurately, can be persuaded) that his perception must have shifted because an external authority, the experimenter, assures him that regardless of what he *saw*, he was *looking at* a black five of hearts all the time. In both these cases, as in all similar psychological experiments, the effectiveness of the demonstration depends upon its being analyzable in this way. Unless there were an external standard with respect to which a switch of vision could be demonstrated, no conclusion about alternate perceptual possibilities could be drawn.

With scientific observation, however, the situation is exactly reversed. The scientist can have no recourse above or beyond what he sees with his eyes and instruments. If there were some higher authority by recourse to which his vision might be shown to have shifted, then that authority would itself become the source of his data, and the behavior of his vision would become a source of problems (as that of the experimental subject is for the psychologist). The same sorts of problems would arise if the scientist could switch back and forth like the subject of the gestalt experiments. The period during which light was "sometimes a wave and sometimes a particle" was a period of crisis—a period when something was wrong—and it ended only with the development of wave mechanics and the realization that light was a self-consistent entity different from both waves and particles. In the sciences, therefore, if perceptual switches ac-

company paradigm changes, we may not expect scientists to attest to these changes directly. Looking at the moon, the convert to Copernicanism does not say, "I used to see a planet, but now I see a satellite." That locution would imply a sense in which the Ptolemaic system had once been correct. Instead, a convert to the new astronomy says, "I once took the moon to be (or saw the moon as) a planet, but I was mistaken." That sort of statement does recur in the aftermath of scientific revolutions. If it ordinarily disguises a shift of scientific vision or some other mental transformation with the same effect, we may not expect direct testimony about that shift. Rather we must look for indirect and behavioral evidence that the scientist with a new paradigm sees differently from the way he had seen before.

Let us then return to the data and ask what sorts of transformations in the scientist's world the historian who believes in such changes can discover. Sir William Herschel's discovery of Uranus provides a first example and one that closely parallels the anomalous card experiment. On at least seventeen different occasions between 1690 and 1781, a number of astronomers, including several of Europe's most eminent observers, had seen a star in positions that we now suppose must have been occupied at the time by Uranus. One of the best observers in this group had actually seen the star on four successive nights in 1769 without noting the motion that could have suggested another identification. Herschel, when he first observed the same object twelve years later, did so with a much improved telescope of his own manufacture. As a result, he was able to notice an apparent disk-size that was at least unusual for stars. Something was awry, and he therefore postponed identification pending further scrutiny. That scrutiny disclosed Uranus' motion among the stars, and Herschel therefore announced that he had seen a new comet! Only several months later, after fruitless attempts to fit the observed motion to a cometary orbit, did Lexell suggest that the orbit was probably planetary.⁴ When that suggestion was accepted, there were several fewer stars and one more planet in the world of the professional astronomer. A celestial body that

⁴ Peter Doig, *A Concise History of Astronomy* (London, 1950), pp. 115-16.

had been observed off and on for almost a century was seen differently after 1781 because, like an anomalous playing card, it could no longer be fitted to the perceptual categories (star or comet) provided by the paradigm that had previously prevailed.

The shift of vision that enabled astronomers to see Uranus, the planet, does not, however, seem to have affected only the perception of that previously observed object. Its consequences were more far-reaching. Probably, though the evidence is equivocal, the minor paradigm change forced by Herschel helped to prepare astronomers for the rapid discovery, after 1801, of the numerous minor planets or asteroids. Because of their small size, these did not display the anomalous magnification that had alerted Herschel. Nevertheless, astronomers prepared to find additional planets were able, with standard instruments, to identify twenty of them in the first fifty years of the nineteenth century.⁵ The history of astronomy provides many other examples of paradigm-induced changes in scientific perception, some of them even less equivocal. Can it conceivably be an accident, for example, that Western astronomers first saw change in the previously immutable heavens during the half-century after Copernicus' new paradigm was first proposed? The Chinese, whose cosmological beliefs did not preclude celestial change, had recorded the appearance of many new stars in the heavens at a much earlier date. Also, even without the aid of a telescope, the Chinese had systematically recorded the appearance of sunspots centuries before these were seen by Galileo and his contemporaries.⁶ Nor were sunspots and a new star the only examples of celestial change to emerge in the heavens of Western astronomy immediately after Copernicus. Using traditional instruments, some as simple as a piece of thread, late sixteenth-century astronomers repeatedly discovered that comets wandered at will through the space previously reserved for the

⁵ Rudolph Wolf, *Geschichte der Astronomie* (Munich, 1877), pp. 513-15, 683-93. Notice particularly how difficult Wolf's account makes it to explain these discoveries as a consequence of Bode's Law.

⁶ Joseph Needham, *Science and Civilization in China*, III (Cambridge, 1959), 423-29, 434-36.

immutable planets and stars.⁷ The very ease and rapidity with which astronomers saw new things when looking at old objects with old instruments may make us wish to say that, after Copernicus, astronomers lived in a different world. In any case, their research responded as though that were the case.

The preceding examples are selected from astronomy because reports of celestial observation are frequently delivered in a vocabulary consisting of relatively pure observation terms. Only in such reports can we hope to find anything like a full parallelism between the observations of scientists and those of the psychologist's experimental subjects. But we need not insist on so full a parallelism, and we have much to gain by relaxing our standard. If we can be content with the everyday use of the verb 'to see,' we may quickly recognize that we have already encountered many other examples of the shifts in scientific perception that accompany paradigm change. The extended use of 'perception' and of 'seeing' will shortly require explicit defense, but let me first illustrate its application in practice.

Look again for a moment at two of our previous examples from the history of electricity. During the seventeenth century, when their research was guided by one or another effluvium theory, electricians repeatedly saw chaff particles rebound from, or fall off, the electrified bodies that had attracted them. At least that is what seventeenth-century observers said they saw, and we have no more reason to doubt their reports of perception than our own. Placed before the same apparatus, a modern observer would see electrostatic repulsion (rather than mechanical or gravitational rebounding), but historically, with one universally ignored exception, electrostatic repulsion was not seen as such until Hauksbee's large-scale apparatus had greatly magnified its effects. Repulsion after contact electrification was, however, only one of many new repulsive effects that Hauksbee saw. Through his researches, rather as in a gestalt switch, repulsion suddenly became *the* fundamental manifestation of electrification, and it was then attraction that needed to be ex-

⁷ T. S. Kuhn, *The Copernican Revolution* (Cambridge, Mass., 1957), pp. 206-9.

plained.⁸ The electrical phenomena visible in the early eighteenth century were both subtler and more varied than those seen by observers in the seventeenth century. Or again, after the assimilation of Franklin's paradigm, the electrician looking at a Leyden jar saw something different from what he had seen before. The device had become a condenser, for which neither the jar shape nor glass was required. Instead, the two conducting coatings—one of which had been no part of the original device—emerged to prominence. As both written discussions and pictorial representations gradually attest, two metal plates with a non-conductor between them had become the prototype for the class.⁹ Simultaneously, other inductive effects received new descriptions, and still others were noted for the first time.

Shifts of this sort are not restricted to astronomy and electricity. We have already remarked some of the similar transformations of vision that can be drawn from the history of chemistry. Lavoisier, we said, saw oxygen where Priestley had seen dephlogisticated air and where others had seen nothing at all. In learning to see oxygen, however, Lavoisier also had to change his view of many other more familiar substances. He had, for example, to see a compound ore where Priestley and his contemporaries had seen an elementary earth, and there were other such changes besides. At the very least, as a result of discovering oxygen, Lavoisier saw nature differently. And in the absence of some recourse to that hypothetical fixed nature that he "saw differently," the principle of economy will urge us to say that after discovering oxygen Lavoisier worked in a different world.

I shall inquire in a moment about the possibility of avoiding this strange locution, but first we require an additional example of its use, this one deriving from one of the best known parts of the work of Galileo. Since remote antiquity most people have seen one or another heavy body swinging back and forth on a string or chain until it finally comes to rest. To the Aristotelians,

⁸ Duane Roller and Duane H. D. Roller, *The Development of the Concept of Electric Charge* (Cambridge, Mass., 1954), pp. 21–29.

⁹ See the discussion in Section VII and the literature to which the reference there cited in note 9 will lead.

who believed that a heavy body is moved by its own nature from a higher position to a state of natural rest at a lower one, the swinging body was simply falling with difficulty. Constrained by the chain, it could achieve rest at its low point only after a tortuous motion and a considerable time. Galileo, on the other hand, looking at the swinging body, saw a pendulum, a body that almost succeeded in repeating the same motion over and over again ad infinitum. And having seen that much, Galileo observed other properties of the pendulum as well and constructed many of the most significant and original parts of his new dynamics around them. From the properties of the pendulum, for example, Galileo derived his only full and sound arguments for the independence of weight and rate of fall, as well as for the relationship between vertical height and terminal velocity of motions down inclined planes.¹⁰ All these natural phenomena he saw differently from the way they had been seen before.

Why did that shift of vision occur? Through Galileo's individual genius, of course. But note that genius does not here manifest itself in more accurate or objective observation of the swinging body. Descriptively, the Aristotelian perception is just as accurate. When Galileo reported that the pendulum's period was independent of amplitude for amplitudes as great as 90°, his view of the pendulum led him to see far more regularity than we can now discover there.¹¹ Rather, what seems to have been involved was the exploitation by genius of perceptual possibilities made available by a medieval paradigm shift. Galileo was not raised completely as an Aristotelian. On the contrary, he was trained to analyze motions in terms of the impetus theory, a late medieval paradigm which held that the continuing motion of a heavy body is due to an internal power implanted in it by the projector that initiated its motion. Jean Buridan and Nicole Oresme, the fourteenth-century scholastics who brought the impetus theory to its most perfect formulations, are the first men

¹⁰ Galileo Galilei, *Dialogues concerning Two New Sciences*, trans. H. Crew and A. de Salvio (Evanston, Ill., 1946), pp. 80–81, 162–66.

¹¹ *Ibid.*, pp. 91–94, 244.

known to have seen in oscillatory motions any part of what Galileo saw there. Buridan describes the motion of a vibrating string as one in which impetus is first implanted when the string is struck; the impetus is next consumed in displacing the string against the resistance of its tension; tension then carries the string back, implanting increasing impetus until the mid-point of motion is reached; after that the impetus displaces the string in the opposite direction, again against the string's tension, and so on in a symmetric process that may continue indefinitely. Later in the century Oresme sketched a similar analysis of the swinging stone in what now appears as the first discussion of a pendulum.¹² His view is clearly very close to the one with which Galileo first approached the pendulum. At least in Oresme's case, and almost certainly in Galileo's as well, it was a view made possible by the transition from the original Aristotelian to the scholastic impetus paradigm for motion. Until that scholastic paradigm was invented, there were no pendulums, but only swinging stones, for the scientist to see. Pendulums were brought into existence by something very like a paradigm-induced gestalt switch.

Do we, however, really need to describe what separates Galileo from Aristotle, or Lavoisier from Priestley, as a transformation of vision? Did these men really *see* different things when *looking at* the same sorts of objects? Is there any legitimate sense in which we can say that they pursued their research in different worlds? Those questions can no longer be postponed, for there is obviously another and far more usual way to describe all of the historical examples outlined above. Many readers will surely want to say that what changes with a paradigm is only the scientist's interpretation of observations that themselves are fixed once and for all by the nature of the environment and of the perceptual apparatus. On this view, Priestley and Lavoisier both saw oxygen, but they interpreted their observations differently; Aristotle and Galileo both saw pendu-

¹² M. Clagett, *The Science of Mechanics in the Middle Ages* (Madison, Wis., 1959), pp. 537-38, 570.

lums, but they differed in their interpretations of what they both had seen.

Let me say at once that this very usual view of what occurs when scientists change their minds about fundamental matters can be neither all wrong nor a mere mistake. Rather it is an essential part of a philosophical paradigm initiated by Descartes and developed at the same time as Newtonian dynamics. That paradigm has served both science and philosophy well. Its exploitation, like that of dynamics itself, has been fruitful of a fundamental understanding that perhaps could not have been achieved in another way. But as the example of Newtonian dynamics also indicates, even the most striking past success provides no guarantee that crisis can be indefinitely postponed. Today research in parts of philosophy, psychology, linguistics, and even art history, all converge to suggest that the traditional paradigm is somehow askew. That failure to fit is also made increasingly apparent by the historical study of science to which most of our attention is necessarily directed here.

None of these crisis-promoting subjects has yet produced a viable alternate to the traditional epistemological paradigm, but they do begin to suggest what some of that paradigm's characteristics will be. I am, for example, acutely aware of the difficulties created by saying that when Aristotle and Galileo looked at swinging stones, the first saw constrained fall, the second a pendulum. The same difficulties are presented in an even more fundamental form by the opening sentences of this section: though the world does not change with a change of paradigm, the scientist afterward works in a different world. Nevertheless, I am convinced that we must learn to make sense of statements that at least resemble these. What occurs during a scientific revolution is not fully reducible to a reinterpretation of individual and stable data. In the first place, the data are not unequivocally stable. A pendulum is not a falling stone, nor is oxygen dephlogisticated air. Consequently, the data that scientists collect from these diverse objects are, as we shall shortly see, themselves different. More important, the process by which

either the individual or the community makes the transition from constrained fall to the pendulum or from dephlogisticated air to oxygen is not one that resembles interpretation. How could it do so in the absence of fixed data for the scientist to interpret? Rather than being an interpreter, the scientist who embraces a new paradigm is like the man wearing inverting lenses. Confronting the same constellation of objects as before and knowing that he does so, he nevertheless finds them transformed through and through in many of their details.

None of these remarks is intended to indicate that scientists do not characteristically interpret observations and data. On the contrary, Galileo interpreted observations on the pendulum, Aristotle observations on falling stones, Musschenbroek observations on a charge-filled bottle, and Franklin observations on a condenser. But each of these interpretations presupposed a paradigm. They were parts of normal science, an enterprise that, as we have already seen, aims to refine, extend, and articulate a paradigm that is already in existence. Section III provided many examples in which interpretation played a central role. Those examples typify the overwhelming majority of research. In each of them the scientist, by virtue of an accepted paradigm, knew what a datum was, what instruments might be used to retrieve it, and what concepts were relevant to its interpretation. Given a paradigm, interpretation of data is central to the enterprise that explores it.

But that interpretive enterprise—and this was the burden of the paragraph before last—can only articulate a paradigm, not correct it. Paradigms are not corrigible by normal science at all. Instead, as we have already seen, normal science ultimately leads only to the recognition of anomalies and to crises. And these are terminated, not by deliberation and interpretation, but by a relatively sudden and unstructured event like the *gesalt* switch. Scientists then often speak of the “scales falling from the eyes” or of the “lightning flash” that “inundates” a previously obscure puzzle, enabling its components to be seen in a new way that for the first time permits its solution. On other

occasions the relevant illumination comes in sleep.¹³ No ordinary sense of the term ‘interpretation’ fits these flashes of intuition through which a new paradigm is born. Though such intuitions depend upon the experience, both anomalous and congruent, gained with the old paradigm, they are not logically or piecemeal linked to particular items of that experience as an interpretation would be. Instead, they gather up large portions of that experience and transform them to the rather different bundle of experience that will thereafter be linked piecemeal to the new paradigm but not to the old.

To learn more about what these differences in experience can be, return for a moment to Aristotle, Galileo, and the pendulum. What data did the interaction of their different paradigms and their common environment make accessible to each of them? Seeing constrained fall, the Aristotelian would measure (or at least discuss—the Aristotelian seldom measured) the weight of the stone, the vertical height to which it had been raised, and the time required for it to achieve rest. Together with the resistance of the medium, these were the conceptual categories deployed by Aristotelian science when dealing with a falling body.¹⁴ Normal research guided by them could not have produced the laws that Galileo discovered. It could only—and by another route it did—lead to the series of crises from which Galileo’s view of the swinging stone emerged. As a result of those crises and of other intellectual changes besides, Galileo saw the swinging stone quite differently. Archimedes’ work on floating bodies made the medium non-essential; the impetus theory rendered the motion symmetrical and enduring; and Neoplatonism directed Galileo’s attention to the motion’s circu-

¹³ [Jacques] Hadamard, *Subconscient intuition, et logique dans la recherche scientifique (Conférence faite au Palais de la Découverte le 8 Décembre 1945 [Alençon, n.d.]*), pp. 7-8. A much fuller account, though one exclusively restricted to mathematical innovations, is the same author’s *The Psychology of Invention in the Mathematical Field* (Princeton, 1949).

¹⁴ T. S. Kuhn, “A Function for Thought Experiments,” in *Mélanges Alexandre Koyré*, ed. R. Taton and I. B. Cohen, to be published by Hermann (Paris) in 1963.

lar form.¹⁵ He therefore measured only weight, radius, angular displacement, and time per swing, which were precisely the data that could be interpreted to yield Galileo's laws for the pendulum. In the event, interpretation proved almost unnecessary. Given Galileo's paradigms, pendulum-like regularities were very nearly accessible to inspection. How else are we to account for Galileo's discovery that the bob's period is entirely independent of amplitude, a discovery that the normal science stemming from Galileo had to eradicate and that we are quite unable to document today. Regularities that could not have existed for an Aristotelian (and that are, in fact, nowhere precisely exemplified by nature) were consequences of immediate experience for the man who saw the swinging stone as Galileo did.

Perhaps that example is too fanciful since the Aristotelians recorded no discussions of swinging stones. On their paradigm it was an extraordinarily complex phenomenon. But the Aristotelians did discuss the simpler case, stones falling without uncommon constraints, and the same differences of vision are apparent there. Contemplating a falling stone, Aristotle saw a change of state rather than a process. For him the relevant measures of a motion were therefore total distance covered and total time elapsed, parameters which yield what we should now call not speed but average speed.¹⁶ Similarly, because the stone was impelled by its nature to reach its final resting point, Aristotle saw the relevant distance parameter at any instant during the motion as the distance *to* the final end point rather than as that *from* the origin of motion.¹⁷ Those conceptual parameters underlie and give sense to most of his well-known "laws of motion." Partly through the impetus paradigm, however, and partly through a doctrine known as the latitude of forms, scholastic criticism changed this way of viewing motion. A stone moved by impetus gained more and more of it while receding from its

¹⁵ A. Koyré, *Etudes Galiléennes* (Paris, 1939), I, 46-51; and "Galileo and Plato," *Journal of the History of Ideas*, IV (1943), 400-428.

¹⁶ Kuhn, "A Function for Thought Experiments," in *Mélanges Alexandre Koyré* (see n. 14 for full citation).

¹⁷ Koyré, *Etudes . . .*, II, 7-11.

starting point; distance from rather than distance to therefore became the relevant parameter. In addition, Aristotle's notion of speed was bifurcated by the scholastics into concepts that soon after Galileo became our average speed and instantaneous speed. But when seen through the paradigm of which these conceptions were a part, the falling stone, like the pendulum, exhibited its governing laws almost on inspection. Galileo was not one of the first men to suggest that stones fall with a uniformly accelerated motion.¹⁸ Furthermore, he had developed his theorem on this subject together with many of its consequences before he experimented with an inclined plane. That theorem was another one of the network of new regularities accessible to genius in the world determined jointly by nature and by the paradigms upon which Galileo and his contemporaries had been raised. Living in that world, Galileo could still, when he chose, explain why Aristotle had seen what he did. Nevertheless, the immediate content of Galileo's experience with falling stones was not what Aristotle's had been.

It is, of course, by no means clear that we need be so concerned with "immediate experience"—that is, with the perceptual features that a paradigm so highlights that they surrender their regularities almost upon inspection. Those features must obviously change with the scientist's commitments to paradigms, but they are far from what we ordinarily have in mind when we speak of the raw data or the brute experience from which scientific research is reputed to proceed. Perhaps immediate experience should be set aside as fluid, and we should discuss instead the concrete operations and measurements that the scientist performs in his laboratory. Or perhaps the analysis should be carried further still from the immediately given. It might, for example, be conducted in terms of some neutral observation-language, perhaps one designed to conform to the retinal imprints that mediate what the scientist sees. Only in one of these ways can we hope to retrieve a realm in which experience is again stable once and for all—in which the pendulum and constrained fall are not different perceptions but rather

¹⁸ Clagett, *op. cit.*, chaps. iv, vi, and ix.

different interpretations of the unequivocal data provided by observation of a swinging stone.

But is sensory experience fixed and neutral? Are theories simply man-made interpretations of given data? The epistemological viewpoint that has most often guided Western philosophy for three centuries dictates an immediate and unequivocal, Yes! In the absence of a developed alternative, I find it impossible to relinquish entirely that viewpoint. Yet it no longer functions effectively, and the attempts to make it do so through the introduction of a neutral language of observations now seem to me hopeless.

The operations and measurements that a scientist undertakes in the laboratory are not "the given" of experience but rather "the collected with difficulty." They are not what the scientist sees—at least not before his research is well advanced and his attention focused. Rather, they are concrete indices to the content of more elementary perceptions, and as such they are selected for the close scrutiny of normal research only because they promise opportunity for the fruitful elaboration of an accepted paradigm. Far more clearly than the immediate experience from which they in part derive, operations and measurements are paradigm-determined. Science does not deal in all possible laboratory manipulations. Instead, it selects those relevant to the juxtaposition of a paradigm with the immediate experience that that paradigm has partially determined. As a result, scientists with different paradigms engage in different concrete laboratory manipulations. The measurements to be performed on a pendulum are not the ones relevant to a case of constrained fall. Nor are the operations relevant for the elucidation of oxygen's properties uniformly the same as those required when investigating the characteristics of dephlogisticated air.

As for a pure observation-language, perhaps one will yet be devised. But three centuries after Descartes our hope for such an eventuality still depends exclusively upon a theory of perception and of the mind. And modern psychological experimentation is rapidly proliferating phenomena with which that theory can scarcely deal. The duck-rabbit shows that two men

with the same retinal impressions can see different things; the inverting lenses show that two men with different retinal impressions can see the same thing. Psychology supplies a great deal of other evidence to the same effect, and the doubts that derive from it are readily reinforced by the history of attempts to exhibit an actual language of observation. No current attempt to achieve that end has yet come close to a generally applicable language of pure percepts. And those attempts that come closest share one characteristic that strongly reinforces several of this essay's main theses. From the start they presuppose a paradigm, taken either from a current scientific theory or from some fraction of everyday discourse, and they then try to eliminate from it all non-logical and non-perceptual terms. In a few realms of discourse this effort has been carried very far and with fascinating results. There can be no question that efforts of this sort are worth pursuing. But their result is a language that—like those employed in the sciences—embodies a host of expectations about nature and fails to function the moment these expectations are violated. Nelson Goodman makes exactly this point in describing the aims of his *Structure of Appearance*: "It is fortunate that nothing more [than phenomena known to exist] is in question; for the notion of 'possible' cases, of cases that do not exist but might have existed, is far from clear."¹⁹ No language thus restricted to reporting a world fully known in advance can produce mere neutral and objective reports on "the given." Philosophical investigation has not yet provided even a hint of what a language able to do that would be like.

Under these circumstances we may at least suspect that scientists are right in principle as well as in practice when they treat

¹⁹ N. Goodman, *The Structure of Appearance* (Cambridge, Mass., 1951), pp. 4-5. The passage is worth quoting more extensively: "If all and only those residents of Wilmington in 1947 that weigh between 175 and 180 pounds have red hair, then 'red-haired 1947 resident of Wilmington' and '1947 resident of Wilmington weighing between 175 and 180 pounds' may be joined in a constructional definition. . . . The question whether there 'might have been' someone to whom one but not the other of these predicates would apply has no bearing . . . once we have determined that there is no such person. . . . It is fortunate that nothing more is in question; for the notion of 'possible' cases, of cases that do not exist but might have existed, is far from clear."

oxygen and pendulums (and perhaps also atoms and electrons) as the fundamental ingredients of their immediate experience. As a result of the paradigm-embodied experience of the race, the culture, and, finally, the profession, the world of the scientist has come to be populated with planets and pendulums, condensers and compound ores, and other such bodies besides. Compared with these objects of perception, both meter stick readings and retinal imprints are elaborate constructs to which experience has direct access only when the scientist, for the special purposes of his research, arranges that one or the other should do so. This is not to suggest that pendulums, for example, are the only things a scientist could possibly see when looking at a swinging stone. (We have already noted that members of another scientific community could see constrained fall.) But it is to suggest that the scientist who looks at a swinging stone can have no experience that is in principle more elementary than seeing a pendulum. The alternative is not some hypothetical "fixed" vision, but vision through another paradigm, one which makes the swinging stone something else.

All of this may seem more reasonable if we again remember that neither scientists nor laymen learn to see the world piecemeal or item by item. Except when all the conceptual and manipulative categories are prepared in advance—e.g., for the discovery of an additional transuranic element or for catching sight of a new house—both scientists and laymen sort out whole areas together from the flux of experience. The child who transfers the word 'mama' from all humans to all females and then to his mother is not just learning what 'mama' means or who his mother is. Simultaneously he is learning some of the differences between males and females as well as something about the ways in which all but one female will behave toward him. His reactions, expectations, and beliefs—indeed, much of his perceived world—change accordingly. By the same token, the Copernicans who denied its traditional title 'planet' to the sun were not only learning what 'planet' meant or what the sun was. Instead, they were changing the meaning of 'planet' so that it could continue to make useful distinctions in a world where all celestial bodies,

not just the sun, were seen differently from the way they had been seen before. The same point could be made about any of our earlier examples. To see oxygen instead of dephlogisticated air, the condenser instead of the Leyden jar, or the pendulum instead of constrained fall, was only one part of an integrated shift in the scientist's vision of a great many related chemical, electrical, or dynamical phenomena. Paradigms determine large areas of experience at the same time.

It is, however, only after experience has been thus determined that the search for an operational definition or a pure observation-language can begin. The scientist or philosopher who asks what measurements or retinal imprints make the pendulum what it is must already be able to recognize a pendulum when he sees one. If he saw constrained fall instead, his question could not even be asked. And if he saw a pendulum, but saw it in the same way he saw a tuning fork or an oscillating balance, his question could not be answered. At least it could not be answered in the same way, because it would not be the same question. Therefore, though they are always legitimate and are occasionally extraordinarily fruitful, questions about retinal imprints or about the consequences of particular laboratory manipulations presuppose a world already perceptually and conceptually subdivided in a certain way. In a sense such questions are parts of normal science, for they depend upon the existence of a paradigm and they receive different answers as a result of paradigm change.

To conclude this section, let us henceforth neglect retinal impressions and again restrict attention to the laboratory operations that provide the scientist with concrete though fragmentary indices to what he has already seen. One way in which such laboratory operations change with paradigms has already been observed repeatedly. After a scientific revolution many old measurements and manipulations become irrelevant and are replaced by others instead. One does not apply all the same tests to oxygen as to dephlogisticated air. But changes of this sort are never total. Whatever he may then see, the scientist after a revolution is still looking at the same world. Further-

more, though he may previously have employed them differently, much of his language and most of his laboratory instruments are still the same as they were before. As a result, postrevolutionary science invariably includes many of the same manipulations, performed with the same instruments and described in the same terms, as its prerevolutionary predecessor. If these enduring manipulations have been changed at all, the change must lie either in their relation to the paradigm or in their concrete results. I now suggest, by the introduction of one last new example, that both these sorts of changes occur. Examining the work of Dalton and his contemporaries, we shall discover that one and the same operation, when it attaches to nature through a different paradigm, can become an index to a quite different aspect of nature's regularity. In addition, we shall see that occasionally the old manipulation in its new role will yield different concrete results.

Throughout much of the eighteenth century and into the nineteenth, European chemists almost universally believed that the elementary atoms of which all chemical species consisted were held together by forces of mutual affinity. Thus a lump of silver cohered because of the forces of affinity between silver corpuscles (until after Lavoisier these corpuscles were themselves thought of as compounded from still more elementary particles). On the same theory silver dissolved in acid (or salt in water) because the particles of acid attracted those of silver (or the particles of water attracted those of salt) more strongly than particles of these solutes attracted each other. Or again, copper would dissolve in the silver solution and precipitate silver, because the copper-acid affinity was greater than the affinity of acid for silver. A great many other phenomena were explained in the same way. In the eighteenth century the theory of elective affinity was an admirable chemical paradigm, widely and sometimes fruitfully deployed in the design and analysis of chemical experimentation.²⁰

Affinity theory, however, drew the line separating physical

²⁰ H. Metzger, *Newton, Stahl, Boerhaave et la doctrine chimique* (Paris, 1930), pp. 34-68.

mixtures from chemical compounds in a way that has become unfamiliar since the assimilation of Dalton's work. Eighteenth-century chemists did recognize two sorts of processes. When mixing produced heat, light, effervescence or something else of the sort, chemical union was seen to have taken place. If, on the other hand, the particles in the mixture could be distinguished by eye or mechanically separated, there was only physical mixture. But in the very large number of intermediate cases—salt in water, alloys, glass, oxygen in the atmosphere, and so on—these crude criteria were of little use. Guided by their paradigm, most chemists viewed this entire intermediate range as chemical, because the processes of which it consisted were all governed by forces of the same sort. Salt in water or oxygen in nitrogen was just as much an example of chemical combination as was the combination produced by oxidizing copper. The arguments for viewing solutions as compounds were very strong. Affinity theory itself was well attested. Besides, the formation of a compound accounted for a solution's observed homogeneity. If, for example, oxygen and nitrogen were only mixed and not combined in the atmosphere, then the heavier gas, oxygen, should settle to the bottom. Dalton, who took the atmosphere to be a mixture, was never satisfactorily able to explain oxygen's failure to do so. The assimilation of his atomic theory ultimately created an anomaly where there had been none before.²¹

One is tempted to say that the chemists who viewed solutions as compounds differed from their successors only over a matter of definition. In one sense that may have been the case. But that sense is not the one that makes definitions mere conventional conveniences. In the eighteenth century mixtures were not fully distinguished from compounds by operational tests, and perhaps they could not have been. Even if chemists had looked for such tests, they would have sought criteria that made the solution a compound. The mixture-compound distinction was part of their paradigm—part of the way they viewed their whole

²¹ *Ibid.*, pp. 124-29, 139-48. For Dalton, see Leonard K. Nash, *The Atomic-Molecular Theory* ("Harvard Case Histories in Experimental Science," Case 4; Cambridge, Mass., 1950), pp. 14-21.

field of research—and as such it was prior to any particular laboratory test, though not to the accumulated experience of chemistry as a whole.

But while chemistry was viewed in this way, chemical phenomena exemplified laws different from those that emerged with the assimilation of Dalton's new paradigm. In particular, while solutions remained compounds, no amount of chemical experimentation could by itself have produced the law of fixed proportions. At the end of the eighteenth century it was widely known that *some* compounds ordinarily contained fixed proportions by weight of their constituents. For some categories of reactions the German chemist Richter had even noted the further regularities now embraced by the law of chemical equivalents.²² But no chemist made use of these regularities except in recipes, and no one until almost the end of the century thought of generalizing them. Given the obvious counterinstances, like glass or like salt in water, no generalization was possible without an abandonment of affinity theory and a reconceptualization of the boundaries of the chemist's domain. That consequence became explicit at the very end of the century in a famous debate between the French chemists Proust and Berthollet. The first claimed that all chemical reactions occurred in fixed proportion, the latter that they did not. Each collected impressive experimental evidence for his view. Nevertheless, the two men necessarily talked through each other, and their debate was entirely inconclusive. Where Berthollet saw a compound that could vary in proportion, Proust saw only a physical mixture.²³ To that issue neither experiment nor a change of definitional convention could be relevant. The two men were as fundamentally at cross-purposes as Galileo and Aristotle had been.

This was the situation during the years when John Dalton undertook the investigations that led finally to his famous chemical atomic theory. But until the very last stages of those investiga-

²² J. R. Partington, *A Short History of Chemistry* (2d ed.; London, 1951), pp. 161–63.

²³ A. N. Meldrum, "The Development of the Atomic Theory: (1) Berthollet's Doctrine of Variable Proportions," *Manchester Memoirs*, LIV (1910), 1–16.

tions, Dalton was neither a chemist nor interested in chemistry. Instead, he was a meteorologist investigating the, for him, physical problems of the absorption of gases by water and of water by the atmosphere. Partly because his training was in a different specialty and partly because of his own work in that specialty, he approached these problems with a paradigm different from that of contemporary chemists. In particular, he viewed the mixture of gases or the absorption of a gas in water as a physical process, one in which forces of affinity played no part. To him, therefore, the observed homogeneity of solutions was a problem, but one which he thought he could solve if he could determine the relative sizes and weights of the various atomic particles in his experimental mixtures. It was to determine these sizes and weights that Dalton finally turned to chemistry, supposing from the start that, in the restricted range of reactions that he took to be chemical, atoms could only combine one-to-one or in some other simple whole-number ratio.²⁴ That natural assumption did enable him to determine the sizes and weights of elementary particles, but it also made the law of constant proportion a tautology. For Dalton, any reaction in which the ingredients did not enter in fixed proportion was *ipso facto* not a purely chemical process. A law that experiment could not have established before Dalton's work, became, once that work was accepted, a constitutive principle that no single set of chemical measurements could have upset. As a result of what is perhaps our fullest example of a scientific revolution, the same chemical manipulations assumed a relationship to chemical generalization very different from the one they had had before.

Needless to say, Dalton's conclusions were widely attacked when first announced. Berthollet, in particular, was never convinced. Considering the nature of the issue, he need not have been. But to most chemists Dalton's new paradigm proved convincing where Proust's had not been, for it had implications far wider and more important than a new criterion for distinguish-

²⁴ L. K. Nash, "The Origin of Dalton's Chemical Atomic Theory," *Istis*, XLVII (1956), 101–16.

ing a mixture from a compound. If, for example, atoms could combine chemically only in simple whole-number ratios, then a re-examination of existing chemical data should disclose examples of multiple as well as of fixed proportions. Chemists stopped writing that the two oxides of, say, carbon contained 56 per cent and 72 per cent of oxygen by weight; instead they wrote that one weight of carbon would combine either with 1.3 or with 2.6 weights of oxygen. When the results of old manipulations were recorded in this way, a 2:1 ratio leaped to the eye; and this occurred in the analysis of many well-known reactions and of new ones besides. In addition, Dalton's paradigm made it possible to assimilate Richter's work and to see its full generality. Also, it suggested new experiments, particularly those of Gay-Lussac on combining volumes, and these yielded still other regularities, ones that chemists had not previously dreamed of. What chemists took from Dalton was not new experimental laws but a new way of practicing chemistry (he himself called it the "new system of chemical philosophy"), and this proved so rapidly fruitful that only a few of the older chemists in France and Britain were able to resist it.²⁵ As a result, chemists came to live in a world where reactions behaved quite differently from the way they had before.

As all this went on, one other typical and very important change occurred. Here and there the very numerical data of chemistry began to shift. When Dalton first searched the chemical literature for data to support his physical theory, he found some records of reactions that fitted, but he can scarcely have avoided finding others that did not. Proust's own measurements on the two oxides of copper yielded, for example, an oxygen weight-ratio of 1.47:1 rather than the 2:1 demanded by the atomic theory; and Proust is just the man who might have been expected to achieve the Daltonian ratio.²⁶ He was, that is, a fine

²⁵ A. N. Meldrum, "The Development of the Atomic Theory: (6) The Reception Accorded to the Theory Advocated by Dalton," *Manchester Memoirs*, LV (1911), 1-10.

²⁶ For Proust, see Meldrum, "Berthollet's Doctrine of Variable Proportions," *Manchester Memoirs*, LIV (1910), 8. The detailed history of the gradual changes in measurements of chemical composition and of atomic weights has yet to be written, but Partington, *op. cit.*, provides many useful leads to it.

experimentalist, and his view of the relation between mixtures and compounds was very close to Dalton's. But it is hard to make nature fit a paradigm. That is why the puzzles of normal science are so challenging and also why measurements undertaken without a paradigm so seldom lead to any conclusions at all. Chemists could not, therefore, simply accept Dalton's theory on the evidence, for much of that was still negative. Instead, even after accepting the theory, they had still to beat nature into line, a process which, in the event, took almost another generation. When it was done, even the percentage composition of well-known compounds was different. The data themselves had changed. That is the last of the senses in which we may want to say that after a revolution scientists work in a different world.